

Curated Research Articles

Generated: 2026-08-31 08:07

- **Upcycling Spent LiCoO₂ Via Laser-Driven Surface Reconstruction: Unraveling the Origin of High-Voltage Stability** — score: 1.000 The article presents a novel laser-assisted direct regeneration (LADR) technique to upcycle spent LiCoO₂ in lithium-ion batteries, addressing issues of structural degradation. By converting Co₃O₄ to CoOOH, this method improves lithium re-intercalation and defect repair, resulting in a high-performance, Mg-doped cathode (r-LCO-Mg) that maintains stable operations at 4.6 V across various temperatures and demonstrates significant cycling stability, making it a promising avenue for sustainable battery material recovery. Journal: *Wiley: Small Methods: Table of Contents*
- **Delocalized Li₂MnO₃-Like Domains for Enhanced Structural Stability in 4.2 V-Class O3-Type Sodium Layered Cathodes** — score: 1.000 The study explores the effects of Li/Sn co-doping on the O3-type NaNi_{0.5}Mn_{0.5}O₂ cathode, revealing that it creates delocalized Li₂MnO₃-like domains that improve structural stability during electrochemical cycling. This enhanced stability arises from the domains' ability to suppress oxygen redox processes and transition metal migration, resulting in high capacity retention of 98.06% after 100 cycles. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Temperature-Responsive Electrical Double Layer for Self-Adaptive Solid Electrolyte Interphase Unlocks Wide-Temperature Aqueous Zinc Ion Batteries** — score: 1.000 The article presents a novel self-adaptive solid electrolyte interphase (SEI) for aqueous zinc ion batteries that utilizes a temperature-responsive electrical double layer (EDL) formed by a low-concentration additive. This design enables the SEI to dynamically adjust to temperature changes, enhancing Zn²⁺ nucleation kinetics and enabling uniform Zn deposition across a broad temperature range. As a result, the batteries demonstrate exceptional cycling performance and thermal tolerance, promising advancements in wide-temperature battery applications. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Unraveling the Evolution of Lithium Plating and Stripping in Anode-Free Lithium Metal Batteries Via Operando Neutron Depth Profiling** — score: 1.000 This study utilizes operando neutron depth profiling to investigate lithium plating and stripping in anode-free lithium metal batteries (AFLMBs). It reveals how charging rates influence the spatial distribution and stability of lithium deposits, with 0.5 C offering the best balance for optimal cycling performance, while higher rates lead to issues like “dead lithium” due to poor connectivity. This research provides valuable insights for improving the cycling protocols of AFLMBs. Journal: *Wiley: Small Methods: Table of Contents*
- **Tailoring Solvation and Interfacial Architecture via Low-Dosage Formic Acid/[Bmim]Cl Deep Eutectic Solvent Additive for Ultra-Durable Zn Metal Batteries** — score: 1.000 This study introduces a low-dosage deep eutectic solvent additive comprising formic acid and [Bmim]Cl, which enhances the performance of aqueous zinc metal batteries by improving solvation and stabilizing the anode interface. The additive effectively reduces zinc dendrite growth and improves cycling stability by facilitating uniform nucleation and compact deposition, resulting in impressive cycling performance across multiple battery types. Journal: *Wiley: Small Methods: Table of Contents*
- **Redox chemistry of halide materials unlocking next-generation all-solid-state batteries** — score: 0.800 The article critiques the conventional view of solid electrolytes in all-solid-state batteries as inert, positing that halide materials can participate in redox reactions. By optimizing the voltage window, this approach could significantly enhance energy density, potentially achieving 600 Wh kg⁻¹, thus advancing the development of efficient batteries for applications like electric aviation. Journal: *Joule*
- **Dynamic Match Regulation Strategy for Dendrite-Free Zn Anode** — score: 0.800 The article presents a novel dynamic match regulation strategy to prevent dendrite formation in zinc anodes for aqueous batteries, addressing kinetic factors often overlooked. By utilizing imidazolidinyl urea as an interfacial regulator, the method ensures uniform zinc deposition under high capacity while

achieving 99.7% coulombic efficiency and an impressive operational lifetime of 1700 hours, highlighting its potential for advancing metal anode stability. Journal: *Wiley: Small Methods: Table of Contents*

- **Nanocrystalline LCO/LLZO Composite Cathode Films for Solid State Batteries** — score: 0.800 The article discusses the development of a novel LiCoO₂/LLZO composite cathode for solid-state batteries, created through a single-solution spray deposition method at a low processing temperature of 750°C. This approach yields high-density, nanograined structures with minimal interphase reaction, resulting in impressive initial discharge capacities and excellent cycle stability, showcasing its potential for scalable and efficient production of oxide-based solid-state batteries. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Unraveling the Proton Co-Insertion Chemistry through Electrolyte Hydrogen-Bond Intervention for Zinc-Manganese Dioxide Batteries** — score: 0.800 The article presents a novel hydrogen-bond intervention strategy to address proton co-insertion issues in zinc-manganese dioxide batteries, which have hindered their commercial viability. By reinforcing hydrogen bond networks, the researchers successfully mitigate capacity loss linked to manganese dissolution and enhance the structural stability of MnO₂, leading to improved energy density and cycling stability in battery performance. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Coordination Reconstruction and In Situ Chemical Oxidation Bypass Generation Enabling High-Voltage Aqueous Zn-Te Batteries** — score: 0.800 The article discusses advancements in aqueous Zn-Te batteries by introducing Br[−] to stabilize Te coordination, which prevents voltage decay and enhances discharge efficiency. Additionally, the in situ generation of Br₃[−] during charging facilitates better electron transfer, significantly improving the battery's capacity retention and enabling high-voltage discharges, achieving capacities up to 837 mAh g^{−1}. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Coordination Chemistry Enabled Multifunctional Electrolytes for High-Rate and Long-Cycle Sodium-Metal Batteries** — score: 0.800 The study presents a novel electrolyte additive, Ge(OCH₃)₄, for sodium-metal batteries that enhances ion transport by weakening sodium-solvent coordination, while simultaneously promoting the formation of a stable Ge/GeO₂ solid electrolyte interphase (SEI). This dual functionality leads to uniform sodium deposition and remarkable cycling stability, achieving over 3500 cycles for symmetric cells and 4400 cycles for full cells with impressive capacity retention, highlighting a significant advancement in sodium-metal battery technology. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Rechargeable Seawater Batteries: From Electrochemistry to Energy Storage** — score: 0.800 The article reviews the advancements in rechargeable seawater batteries that utilize seawater as an active electrolyte for energy storage. It highlights the shift from basic battery designs to innovative fourth-generation systems that eliminate the need for nonaqueous components, emphasizing the role of electrochemistry, material science, and challenges like corrosion and stability in developing efficient solutions for sustainable marine energy storage. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Void suppressive lithium anodes for all-solid-state batteries** — score: 0.700 The study examines how void formation in all-solid-state lithium metal batteries is influenced by interfacial lithium concentration and diffusivity. It demonstrates that using a Mg-1 wt% La inoculant can enhance lithium diffusivity through grain refinement, achieving a significant critical current density of 2.2 mA cm^{−2} at 1.1 mAh cm^{−2}. Journal: *Nature Materials*
- **Challenges and Design Strategies Toward Aqueous Zinc-Ion Batteries Beyond Laboratory** — score: 0.600 This review article examines the obstacles that aqueous zinc-ion batteries (ZIBs) face in transitioning from laboratory successes to practical industrial applications, highlighting issues like energy density, rapid charging, cycling stability, and temperature flexibility. It evaluates recent advancements in materials and design strategies for cathodes, anodes, electrolytes, and separators aimed at overcoming these challenges, while also considering potential future developments in the field. Journal: *Wiley: Advanced Energy Materials: Table of Contents*

- **Composite Hydrogels With Controlled Liquid Metal Release for Dendrite-Free Zinc Anodes** — score: 0.600 The article presents a novel PVA hydrogel electrolyte loaded with Ga-In liquid metal that modulates the interfacial environment of zinc anodes in aqueous zinc-ion batteries. This design prevents dendrite formation and embrittlement, enabling a remarkable lifespan of 6000 hours for Zn symmetric cells and over 1750 hours for full cells, showcasing its potential in enhancing the stability and performance of flexible energy-storage systems. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Dual-Diol Synergized Electrolyte for Wide-Temperature Hydrogel Zn-Ion Batteries** — score: 0.600 This study presents a novel hydrogel electrolyte for aqueous zinc-ion batteries (AZIBs) that employs a dual-diols approach, using glycerol and ethylene glycol, to enhance temperature stability and reduce dendrite formation. The resulting PAM/Gly/EG electrolyte demonstrates exceptional cycling longevity, exceeding 3160 hours at $1 \text{ mA} \cdot \text{cm}^{-2}$, while maintaining functionality across a temperature range from -20°C to 50°C , highlighting its potential for flexible electronic applications. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Triggering conversion in vanadium electrodes** — score: 0.600 The study published in Nature Materials explores an innovative approach to enhance the efficiency of vanadium in aqueous batteries by facilitating a transition from a one-electron insertion mechanism to a multi-electron (four-electron) conversion process. This advancement could significantly improve the performance of transition metal-based electrodes in battery technology. Journal: *Nature Materials*
- **Balancing diffusion kinetics and structure stability in medium-nickel layered cathode via Li/Ni cation mixing modulation** — score: 0.600 The article discusses research on enhancing the performance of medium-nickel layered cathodes by modulating Li/Ni cation mixing, which aims to optimize both diffusion kinetics and structural stability. This approach is anticipated to improve the efficiency of lithium-ion batteries, as published in Nano Energy. Journal: *ScienceDirect Publication: Nano Energy*
- **Functional-group-directed construction of a nanoscale Li₂O/LiF-rich hetero-interphase for stable PEO-SN all-solid-state batteries** — score: 0.500 The article discusses a novel approach to enhancing the stability of PEO-SN all-solid-state batteries by using functional-group-directed techniques to create a nanoscale hetero-interphase rich in Li₂O and LiF. This innovation aims to improve battery performance and longevity by effectively managing interfacial properties. Journal: *ScienceDirect Publication: Nano Energy*
- **Ultrafast Synthesis of High-Purity LiMn_xFe_{1-x}PO₄ With Locked-Nanosize From Spent LiFePO₄** — score: 0.400 The article presents a novel upcycling approach to transform spent LiFePO₄ (S-LFP) batteries into high-purity LiMn_xFe_{1-x}PO₄ (LMFP) cathodes using rapid thermal processing. This method not only repairs structural issues and integrates manganese doping quickly but also significantly enhances the electrochemical performance, achieving high specific capacity and cycling stability while reducing energy costs and improving economic viability for battery recycling. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Aliovalent Doping Enabled Defect Engineering of FeOF Cathode for High-Performance All-Solid-State Lithium Batteries** — score: 0.400 The article discusses the use of aliovalent doping to enhance defect engineering in iron (III) oxyfluoride (FeOF) cathodes, which significantly improves the performance of all-solid-state lithium batteries. The findings suggest that this approach can effectively increase capacity and stability, paving the way for advancements in energy storage technologies. Journal: *ScienceDirect Publication: Energy Storage Materials*
- **Functional Motif Directed Decoupling-Recoupling Strategy for Constructing Multi-Site Pt-Based Catalyst Toward Efficient Hydrogen Oxidation in Fuel Cells** — score: 0.400 The article introduces a novel strategy for designing multi-site Pt-based catalysts for efficient hydrogen oxidation reactions (HOR) in fuel cells, addressing challenges like sluggish kinetics and active-site degradation. By utilizing a decoupling-recoupling technique based on well-defined atomic structures in intermetallic compounds, the authors developed the PtRuFeGaMo-I catalyst, which demonstrates

superior performance compared to traditional catalysts, achieving exceptional mass activity in an anion exchange membrane fuel cell. Journal: *Wiley: Advanced Energy Materials: Table of Contents*

- **Thermo-responsive materials for rechargeable batteries** — score: 0.300 The article discusses the use of thermo-responsive polymers in rechargeable batteries to enhance safety. These materials can change their structure in response to heat, which helps control ion and electron transport, interrupts electrochemical processes, and potentially prevents thermal runaway, thus improving the reliability of high-energy battery systems. Journal: *Nature Reviews Materials*
- **Mitigating high-temperature degradation of Nb-doped Ni-rich cathodes through surface stabilization** — score: 0.300 The article discusses strategies to improve the thermal stability of Nb-doped Ni-rich cathodes, which are crucial for enhancing the performance and lifespan of energy storage systems. By focusing on surface stabilization techniques, the authors aim to mitigate degradation caused by high temperatures, ultimately contributing to more durable and efficient energy storage materials. Journal: *ScienceDirect Publication: Energy Storage Materials*
- **Quantifying the impact of cell-to-cell inconsistency on electric vehicle battery degradation and utilization** — score: 0.300 The study examines the significant effects of cell-to-cell inconsistency on electric vehicle battery performance, utilizing extensive fleet data to quantify its detrimental influence on battery health, longevity, power capacity, and usable energy, highlighting the urgency to address this issue for optimal battery utilization. Journal: *Nature Energy*
- **Built-In-Field-Regulated Low-Temperature Failure in LiFePO₄ Cathodes through Joule-Heating-Induced Riveting Engineering** — score: 0.300 The article investigates the phenomenon of low-temperature failures in LiFePO₄ cathodes, highlighting a method of addressing the issue through Joule-heating-induced riveting engineering. This technique aims to improve the resilience of the batteries, offering insights into enhancing energy storage materials' performance in challenging conditions. Journal: *ScienceDirect Publication: Energy Storage Materials*
- **Modulating Electronic Structure and Organization of Redox-Active Sites in Bipolar Porous Organic Polymers for High-Rate, Ultralong-Life, and Wide-Temperature Sodium-Ion Batteries** — score: 0.300 The article discusses advancements in biphasic porous organic polymers that enhance the electronic structure and arrangement of redox-active sites, significantly improving the performance of sodium-ion batteries. These enhancements contribute to higher charging rates, extended lifespan, and operational efficiency across a wide temperature range. Journal: *ScienceDirect Publication: Energy Storage Materials*
- **Ionic potential-mediated electrolyte structuring enables highly reversible tin metal anode for low temperature aqueous batteries** — score: 0.300 The article discusses a novel approach for enhancing the reversibility of tin metal anodes in low-temperature aqueous batteries through ionic potential-mediated electrolyte structuring. This technique aims to improve battery performance by promoting efficient ion transport and minimizing dendrite formation, which is critical for the development of reliable and efficient energy storage systems. Journal: *ScienceDirect Publication: Nano Energy*
- **Activating high-entropy oxide/carbon via an electron transport layer accelerates polysulfide conversion in Na-S batteries** — score: 0.300 The article discusses a novel approach to enhance the performance of sodium-sulfur (Na-S) batteries by activating high-entropy oxide/carbon materials through the incorporation of an electron transport layer. This method significantly accelerates the conversion of polysulfides, potentially improving battery efficiency and longevity. Journal: *ScienceDirect Publication: Nano Energy*
- **Dimensionally Complementary Heterointerface Regulation of Sb-Based Sulfides for Robust Na Storage under Ultrafast Rates** — score: 0.200 The article discusses advancements in sodium-ion storage technology, specifically by enhancing the performance of antimony-based sulfides. It focuses on a novel approach to regulate the heterointerfaces within these materials, leading to improved robustness and faster charge/discharge rates, thereby facilitating ultrafast energy storage applications. Journal: *ScienceDirect Publication: Nano Energy*

- **Pt Single-Atom Catalysts on FTO for Optically Invisible pH-Universal Hydrogen Evolution Electrodes** — score: 0.200 The study presents a novel approach to hydrogen evolution electrodes by utilizing an ultra-low loading of platinum single atoms on fluorine-doped tin oxide (FTO), achieving catalytic performance similar to bulk platinum while maintaining optical invisibility. The Pt SA/FTO electrodes demonstrate pH-universal activity and high turnover frequencies, significantly enhancing photocurrent generation compared to traditional platinum films. This work highlights a key advancement in combining high catalytic efficiency with optical transparency for energy conversion applications. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Overcoming Imaging Limitations: 4D-STEM Pair Distribution Function for Resolving Structure of Supported Pt55 and Pt200 Clusters** — score: 0.200 The article presents a novel use of 4D-STEM-based pair distribution function analysis to investigate the structural characteristics of small supported platinum clusters (Pt55 and Pt200) under varying temperatures. The study reveals that these clusters adopt complex, multiply twinned decahedral configurations distinct from bulk platinum, highlighting the influence of size confinement on structural properties and bond behavior, particularly in terms of thermal expansion. Journal: *Wiley: Small Methods: Table of Contents*
- **Engineering Efficient Carrier Transport in TiO₂/Ag₂Se Hybrids through Synergistic Photo-Thermoelectric Catalyst Effect** — score: 0.000 The article discusses the development of TiO₂/Ag₂Se hybrid materials to enhance carrier transport efficiency for applications in photo-thermoelectric catalysis. It emphasizes the synergistic effects of combining these two materials, which significantly improve energy conversion processes, highlighting potential advancements for renewable energy technologies. Journal: *ScienceDirect Publication: Nano Energy*
- **Hierarchical Physically Unclonable Functions From CVD-Grown Two-Dimensional High-Entropy Spinel Oxide Nanoflakes** — score: 0.000 The article discusses the development of a hierarchical physically unclonable function (PUF) using chemical vapor deposition to create two-dimensional high-entropy spinel oxide nanoflakes. This innovative approach combines dual entropy sources—orientation degeneracy and atomic-scale compositional disorder—to enhance the system’s cryptographic capacity and environmental robustness, paving the way for secure hardware authentication in future technologies like Internet-of-Things and edge computing. Journal: *Wiley: Small Methods: Table of Contents*
- **Multifunctional 4D-Printable Boronic Acid-Functionalized Hydrogels for Soft Actuation and Environmental Remediation** — score: 0.000 The article presents a boronic acid-functionalized supramolecular hydrogel designed for 4D-printing, showcasing rapid UV photopolymerization and unique properties such as pH-responsive swelling and shape memory capabilities. This multifunctional hydrogel not only acts as a soft actuator but also effectively adsorbs organic dyes and heavy metals, positioning it as a promising solution for environmental remediation and advanced material applications. Journal: *Wiley: Small Methods: Table of Contents*
- **Rationally Designed Cooperative Self-Assembled Monolayers Enable Holistic Modulations of Wide-Bandgap Perovskites for High-Performance Perovskite-Silicon Tandem Solar Cells** — score: 0.000 The study presents a novel strategy using a cooperative self-assembled monolayer (co-SAM) that combines an alkyl phosphonic acid with a carbazole to enhance the properties of wide-bandgap perovskites. This innovative approach significantly boosts power conversion efficiencies to 24.11% for single-junction cells and 32.16% for perovskite-silicon tandem cells by improving substrate wettability, perovskite crystallization, and surface passivation, thus advancing the understanding of material interfaces in photovoltaic technology. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Multi-Scale Lattice Strain Engineering Enables Reduced Deformation Potential and High Thermoelectric Performance in GeTe Alloys** — score: 0.000 The article presents a novel dopant-free multi-scale lattice strain approach to enhance the thermoelectric performance of Ge_{0.94}Bi_{0.06}Te. By optimizing lattice symmetry and suppressing thermal conductivity, this strategy significantly improves carrier mobility and achieves a peak ZT value of 2.21, alongside a device efficiency of 7.83% at a 400 K temperature difference, showcasing effective decoupling of electron and phonon transport in

thermoelectric materials. Journal: *Wiley: Advanced Energy Materials: Table of Contents*

- **Molecular Regulation toward SAM/Perovskite Interface for Efficient p-i-n Perovskite Solar Cells** — score: 0.000 The study introduces two asymmetric self-assembled monolayers (SAMs), LW-1 and LW-2, to enhance the interface in inverted perovskite solar cells by utilizing hydrogen bonding and coordination passivation. LW-1 demonstrated improved crystallinity, lower trap densities, and an impressive power conversion efficiency (PCE) of 26.38% with excellent stability, indicating its superior effectiveness for optimizing perovskite solar cell performance compared to LW-2. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Empowering Triboelectric Nanogenerators With Origami and Kirigami Mechanics: From Metamaterials to Self-Powered Systems** — score: 0.000 The article reviews advancements in triboelectric nanogenerators (TENGs) utilizing origami and kirigami designs, which enhance their mechanical deformation and electrical output efficiency. It proposes a comprehensive design framework to optimize these structures for various applications, including energy harvesting and wearable electronics, while also addressing current challenges and potential future developments in scalable, self-powered systems. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **How single-atom catalysts reframe stability as adaptability** — score: 0.000 The article discusses the evolution of single-atom catalysts from maximizing metal usage to a dynamic platform that reveals new insights into catalysis. Recent research indicates that the active sites of these catalysts exhibit adaptability through various interactions, which redefines stability not as a fixed state, but as the ability to adjust to changing reaction conditions, potentially leading to more responsive and efficient catalytic processes. Journal: *Nature Reviews Materials*
- **Addendum: Sea level much higher than assumed in most coastal hazard assessments** — score: 0.000 The addendum highlights that current coastal hazard assessments significantly underestimate sea levels, which are found to be much higher than previously assumed. This discrepancy suggests an urgent need for reevaluation of existing models and planning strategies to better address risks associated with coastal flooding and erosion. Journal: *Nature*
- **Amend copyright licences to halt AI misuse and reassert human control** — score: 0.000 The article advocates for the revision of copyright licenses to prevent the exploitation of artificial intelligence technologies while reinforcing human oversight. It emphasizes the importance of creating legal frameworks that protect creators' rights and ensure ethical AI usage in various domains. Journal: *Nature*
- **The future of peer review requires AI support, not AI bans** — score: 0.000 The article argues that incorporating artificial intelligence into the peer review process is essential for improving efficiency and effectiveness, rather than imposing restrictions on AI usage. It emphasizes the potential benefits of AI technology in enhancing the quality of academic reviews and suggests a proactive approach to its integration within the scholarly publishing system. Journal: *Nature*
- **Protecting education in the middle of war zones** — score: 0.000 The article discusses the challenges and strategies for safeguarding educational institutions and access to learning in conflict-affected areas. It emphasizes the need for effective policies and community involvement to ensure that education continues despite the presence of violence and instability. Journal: *Nature*
- **Ancient surveying instrument found in Egypt** — score: 0.000 The article discusses the discovery of the oldest known surveying instrument in Egypt, which was used for constructing straight lines in building projects. Additionally, it reflects on the contributions of pioneering figures in the field of radio communication, highlighting their significance in history. Journal: *Nature*
- **Assessing students in the AI era** — score: 0.000 The article discusses the challenges and implications of student assessment in an era dominated by artificial intelligence. It explores how AI technology influences educational methodologies and evaluation practices, emphasizing the need for adapting assessment strategies to foster critical thinking and creativity among students. Journal: *Nature*

- **Asthma in some boys stops at puberty: mouse results hint at why** — score: 0.000 Research indicates that male hormones could influence the behavior of nerve endings in the lungs, potentially explaining why some boys experience a cessation of asthma symptoms upon reaching puberty. This study, conducted in mice, highlights a biological link between puberty and changes in asthma behavior in boys. Journal: *Nature*
- **How to manage AI risks while reaping the benefits** — score: 0.000 The article discusses the ongoing efforts of European lawmakers to shape regulations around artificial intelligence, aiming to balance the potential benefits of AI innovations with associated risks. It highlights the importance of effective governance to ensure safe and responsible AI development. Journal: *Nature*
- **The brain struggles to make new neurons in people with depression** — score: 0.000 The study examines how depression impairs the brain's ability to generate new neurons in the hippocampus. By creating a detailed map of this brain region, researchers identified potential therapeutic pathways to address the deficits associated with depression. Journal: *Nature*
- **A guide to securing your first research fellowship: what reviewers are looking for** — score: 0.000 The article provides early-career researchers with practical strategies to enhance their qualifications for securing a research fellowship. It emphasizes the importance of building a strong research track record, crafting compelling proposals, and evaluating the alignment with institutional priorities to meet reviewer expectations. Journal: *Nature*