

Curated Research Articles

Generated: 2026-07-27 05:47

- **Gravity-Assisted Infiltration Enables a Spatially Extended and Dynamically Stable Multi-Phase Interface in Air Cathodes for Practical Lithium–Air Batteries** — score: 1.000 The article describes a novel gravity-assisted infiltration (GAI) technique that enhances the design of air cathodes in lithium–air batteries, facilitating a more efficient and stable multi-phase interface. This advancement supports better access for Li^+ , O_2 , and e^- , leading to increased energy output, lasting performance through over 300 cycles, and achieving high capacities and stability in various temperature conditions. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Unraveling the Ultrafast Phase Transition Pathways of Mn-Based Layered Oxides** — score: 1.000 The study presents a tailored two-step thermal treatment method that combines conventional calcination with high-temperature shock to optimize the phase composition of manganese-rich layered oxides for sodium-ion batteries, resulting in a predominance of the O_3 phase. The optimized cathode demonstrates enhanced Na^+ diffusion, achieving impressive rate capability and capacity retention, thereby highlighting the importance of precise phase engineering in improving electrochemical performance. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Smart Battery Perceiving Future Lifetime at Ultra-Early Life Stage by Decoding SEI Evolution** — score: 1.000 This study presents a novel smart battery system equipped with optical sensors to monitor internal strain during the early formation cycle, enabling early predictions of battery lifespan. By analyzing the mechanical dynamics of the solid electrolyte interphase (SEI) formation, the researchers identify a biphasic strain pattern that correlates with future capacity loss, leading to the development of an elastic net model that predicts battery lifetime with a mean absolute percentage error of 5.40%. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Unveiling 4d (Ru)-5d (Pt) Charge Compensation for Li-Oxygen/Air Batteries With Ultralow Overpotentials** — score: 1.000 The study introduces a Ru-modified Pt/C catalyst that optimizes the electronic structure to enhance lithium-oxygen batteries' performance by reducing charging overpotentials. By leveraging the 4d(Ru)-5d(Pt) orbital coupling, the catalyst improves charge transport and decreases energy barriers during oxygen evolution reaction (OER), achieving a notable reduction in overpotential and maintaining stability over multiple cycles. Journal: *Wiley: Small Methods: Table of Contents*
- **Regulating Framework Stability of Sodium Iron Sulfate Cathodes for Practical Sodium–Ion Batteries** — score: 1.000 The article discusses a novel approach to enhance the stability of sodium iron sulfate cathodes for sodium-ion batteries by substituting copper for iron. This modification improves structural integrity, widens sodium ion pathways, and reduces moisture sensitivity, resulting in a high-voltage cathode that demonstrates impressive cycling performance and longevity, making it a promising candidate for practical applications in sodium-ion energy storage systems. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Internal Al/ Al_2O_3 Potential Drop Impacted by External Al_2O_3 /Electrolyte Interaction to Unlock Al Corrosion in Lithium Metal Batteries** — score: 1.000 The article explores how the interaction between aluminum oxide (Al_2O_3) and electrolyte can influence the internal potential drop in aluminum-containing lithium-metal batteries, proposing a method to control Al^{3+} diffusion through anion adsorption. By manipulating the external potential at the Al_2O_3 /electrolyte interface, specifically with the use of nitrate ions, the study demonstrates a reduction in internal electric fields, enhancing battery stability and performance over multiple cycles at high voltages. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Machine-Learning-Assisted Elucidation of Ion Transport Mechanism in Heterogeneous Interphases Formed at the Electrolyte–Electrode Interfaces** — score: 1.000 The study utilizes machine-learning-enhanced simulations to explore how the heterogeneous nature of solid-electrolyte interphases (SEI) formed by LiF and Li_2CO_3 affects lithium-ion transport in batteries. The findings reveal that a mixed composition at these interfaces significantly enhances Li-ion conduction while

maintaining structural stability, suggesting that optimizing interfacial chemistry can improve battery performance. Journal: *Wiley: Advanced Energy Materials: Table of Contents*

- **Modulating Solvation Structures via the Solvent Electronic Effects to Yield Fast-Charging High-Voltage Lithium-Metal Batteries** — score: 1.000 This article presents a novel approach to enhance lithium-metal battery performance by engineering solvent electronic effects to create a more effective Li⁺ solvation sheath. The proposed deep eutectic electrolyte significantly lowers desolvation barriers, stabilizes high voltages (up to 5.52 V), and retains substantial capacity over extensive cycling. This technique ultimately facilitates faster charging, enhanced stability, and improved interfacial durability in lithium-metal batteries. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Harnessing Preferential Coordination of Ether in Electrolyte to Boost Oxidation Resistance for High-Energy-Density Lithium Metal Batteries** — score: 1.000 The article discusses the development of an ether-siloxane hybrid electrolyte that enhances the performance of lithium metal batteries by improving the stability of the electrolyte interface and optimizing the solvation structure of lithium ions. By prioritizing coordination between lithium ions and ether solvents through the steric constraints imposed by triethoxymethylsilane, the electrolyte minimizes oxidative degradation and lowers desolvation energy, resulting in improved capacity retention and energy density in battery cells, even at low temperatures. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Dual-Anion-Vacancy Engineering in MXene: Unlocking Quantum Confinement, Charge Compensation and Shielding Effects for Ultra-Stable Mg²⁺/Li⁺ Ions Storage** — score: 1.000 The article presents a novel hybrid cathode material, QD@VSe₂/O-Ti₃C₂, engineered with dual anion vacancies and quantum dots to enhance the performance of Mg²⁺/Li⁺ hybrid batteries. This design promotes efficient ion transport and structural stability through quantum confinement and charge compensation, achieving a remarkable capacity of 705 mAh/g and outstanding cycling stability, suggesting a new approach for future multivalent-ion battery technologies. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Low-Ion-Electron Transport Strategy Minimizes Electrolyte Oxidation for Stable All-Solid-State Batteries Without Cathode Modification** — score: 0.900 The study introduces a novel “Low-Ion-Electron Transport” strategy that mitigates electrolyte oxidation in all-solid-state batteries by engineering a polymer layer on carbon conductive additives. This approach effectively controls ion and electron transport at the interface, leading to remarkable performance outcomes, including 99.4% capacity retention over 2000 cycles, without the need to modify the cathode material. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Regulation Strategies and Mechanistic Understanding of Zinc Deposition Interfaces in Anode-Free Aqueous Zinc Metal Batteries** — score: 0.900 This review addresses the challenges and failure mechanisms related to zinc deposition in anode-free aqueous zinc metal batteries (AF-AZMBs), which utilize an inert current collector for in situ zinc plating. It emphasizes the importance of stable electrode-electrolyte interfaces and analyzes three interfacial regulation strategies—electrolyte optimization, current collector modification, and separator interface engineering—to enhance zinc deposition uniformity and electrochemical performance, ultimately guiding the development of high-energy, durable battery systems. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Quasi-In Situ 4D-STEM Mapping of Exsolution Driven Parent Matrix Restructuring in Sr₂FeMoO₆-** — score: 0.800 The article presents a quasi-in situ 4D-STEM methodology to study the impact of catalytic exsolution on the restructuring of the parent matrix in Sr₂FeMoO₆- electrodes for solid oxide cells. It reveals that surface exsolution leads to significant crystallographic reorganization and phase changes, emphasizing the importance of analyzing realistic electrode architectures to understand the interactions between exsolution and the host matrix for improved energy material design. Journal: *Wiley: Small Methods: Table of Contents*
- **Decoupling Li⁺ Transport via in Situ Semi-Interpenetrating Polymer Electrolytes for High-Performance and Practical Lithium Metal Pouch Cells** — score: 0.800 This study presents a novel semi-interpenetrating polymer network (SIPN) electrolyte that enhances Li⁺ trans-

port efficiency, achieving a conductivity of 4.14 mS cm⁻¹ and a transference number of 0.71. By optimizing the electrochemical stability beyond 5.0 V, the SIPN electrolyte demonstrated exceptional cycle stability in both low and high-voltage lithium metal batteries, showcasing its practical application in powering devices like LEDs and fans. Journal: *Wiley: Small Methods: Table of Contents*

- **Carbonate-Anion Engineering Enables Humidity-Resistant Halide Solid Electrolytes with Superionic Conductivity** — score: 0.800 The article presents a novel approach to developing humidity-resistant halide solid electrolytes for all-solid-state batteries by incorporating carbonate groups into chloride frameworks. This dual-functionality enables enhanced moisture resilience and improved ionic conductivity, achieving remarkable performance metrics, such as a conductivity of 7.1 mS cm⁻¹ at room temperature and excellent low-temperature operation down to -60 °C, thereby addressing key challenges in battery commercialization. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Distinct Activation Mechanisms of Carbon Felt Electrodes for Various Redox Couples in Flow Batteries** — score: 0.800 This review highlights various electrode activation strategies for reducing polarization losses in redox flow batteries (RFBs), focusing on tailored methods for key redox couples. It discusses the use of defect engineering, Bi-catalysis, zincophilic scaffolds, and surface functionalization to enhance reaction kinetics and electrode performance in vanadium, zinc, iron, and organic systems, offering insights for optimizing RFB designs. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Cation-mediated interfacial chemistry enables stable four-electron conversion in chloride-lean Zn-I2 batteries** — score: 0.800 The article discusses advancements in chloride-lean Zn-I2 batteries, highlighting how cation-mediated interfacial chemistry facilitates a stable four-electron conversion process. This innovation aims to enhance the efficiency and longevity of these batteries, providing potential solutions for energy storage technologies. Journal: *ScienceDirect Publication: Nano Energy*
- **Inducing CO2 Partial Reduction Enables Operation of Li-CO2 Battery Cathode Longer than One Year** — score: 0.800 This study introduces a high-performance cathode catalyst composed of ultrasmall RuO2 and BiOCl on an MXene substrate, which effectively stabilizes the discharge product Li2C2O4 during the operation of Li-CO2 batteries. By facilitating two-electron partial reduction of CO2 and modifying discharge product morphology, the catalyst reduces charging overpotential and enhances the battery's cycling stability, achieving over 10,000 hours of operation with minimal capacity loss. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Atomic Precision Engineered Silicon-Carbon Composites for High-Durability and Low-Swelling Lithium-Ion Batteries** — score: 0.700 The article discusses a novel approach for creating silicon-carbon composite anodes for lithium-ion batteries through atomic-level engineering. This method involves confining silicon within a microporous carbon framework, which allows for the accommodation of swelling during use, resulting in enhanced electrochemical stability and a significant reduction in cell swelling. The authors demonstrate the scalability and cost-effectiveness of this technique, achieving 81.2% capacity retention over 1000 cycles in tested battery cells. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Applications of Nanoscale Electrochemical Characterization Techniques in the Oxygen Evolution Reaction** — score: 0.600 The article reviews advancements in nanoscale electrochemical characterization techniques that enhance understanding of the oxygen evolution reaction (OER) in water electrolysis. It highlights methods such as localized probing and spectroelectrochemical imaging, which reveal the dynamic nature of active sites and interfacial processes, enabling a clearer correlation between nanoscale behaviors and overall catalytic performance. The review emphasizes the potential for improved OER analysis through multimodal integration and innovative experimental frameworks. Journal: *Wiley: Small Methods: Table of Contents*
- **Hybrid ZnCo2S4/Polyindole Electrode for Advanced Supercapacitor: DFT and Raman Mapping-Based Mechanistic Study of Improved Performance** — score: 0.500 The study presents a novel core-shell zinc cobalt sulfide/polyindole (ZCS@PI) composite supercapacitor, achieving

a remarkable specific capacitance of 4700 Fg⁻¹ through a two-step electrodeposition process. Utilizing ex situ Raman spectroscopy, the research elucidates the charging mechanisms while highlighting the prototype’s capability to power electronic devices and its impressive longevity, retaining 82% capacitance after 3000 cycles. Journal: *Wiley: Small Methods: Table of Contents*

- **Electrochemiluminescence Illuminates Single-Atom Catalysts: Real-Time Atomic-Scale Dynamics and Operando Electronic Fingerprinting** — score: 0.500 This article discusses the use of electrochemiluminescence (ECL) as a powerful operando tool for investigating single-atom catalysts (SACs). It explores how ECL can provide detailed insights into the atomic-scale dynamics, electronic structures, and catalytic behaviors of SACs in real-time, while also addressing challenges in transforming ECL into a quantitative analytical tool for structural characterization under operational conditions. Journal: *Wiley: Small Methods: Table of Contents*
- **Favorable ring-opening tendency of cyclosiloxane enables organic-inorganic interface for high-voltage lithium metal batteries** — score: 0.500 The article discusses a novel approach to enhancing high-voltage lithium metal batteries by utilizing cyclosiloxane, which exhibits a favorable ring-opening tendency. This property facilitates the creation of an organic-inorganic interface that improves battery performance, potentially addressing challenges in energy storage materials. Journal: *ScienceDirect Publication: Energy Storage Materials*
- **Tailoring Li solvation chemistry via non-fluorinated co-solvent in fluorinated electrolytes for high performance Li-SPAN batteries** — score: 0.400 The article explores the use of non-fluorinated co-solvents in fluorinated electrolytes to modify lithium ion (Li⁺) solvation chemistry, aiming to enhance the performance of lithium-sulfur (Li-SPAN) batteries. The authors detail how this approach can lead to improved battery efficiency and effectiveness, addressing challenges in current electrolyte formulations. Journal: *ScienceDirect Publication: Energy Storage Materials*
- **Cosolvent engineering tailoring polymer electrolyte solvation for wide-temperature solid-state lithium metal batteries** — score: 0.300 The article discusses advancements in cosolvent engineering to optimize the solvation of polymer electrolytes for solid-state lithium metal batteries, aiming to improve performance across a wide temperature range. This research contributes to the development of more efficient energy storage solutions. Journal: *ScienceDirect Publication: Energy Storage Materials*
- **Steric-hindrance weak-solvation electrolytes enable simultaneous stabilization of Zn anodes and vanadium cathodes in practical aqueous Zinc-vanadium batteries** — score: 0.300 The article discusses the development of steric-hindrance weak-solvation electrolytes that enhance the stability of both zinc anodes and vanadium cathodes in aqueous zinc-vanadium batteries, addressing a key challenge in improving battery performance and longevity. This innovation represents a significant step towards more efficient energy storage solutions. Journal: *ScienceDirect Publication: Energy Storage Materials*
- **Direct Hydrogen Storage From Water to Diphenylmethane via Liquid Organic Hydrogen Carrier Electrochemical Hydrogenation System** — score: 0.200 This study introduces a novel electrochemical hydrogenation system that effectively combines hydrogen production from water and its storage using a diphenylmethane/dicyclohexylmethane pair as a liquid organic hydrogen carrier. It demonstrates that utilizing Ru black as an electrocatalyst significantly enhances hydrogenation efficiency and selectivity, with theoretical insights into reaction pathways emphasizing the importance of catalyst choice for optimizing hydrogen storage technologies. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Low-temperature oxide-ion conduction in Aurivillius-type ((Na_{0.5}Bi_{0.5})_{n-1}Ti_nO_{3n})(Bi₂O₂) phases** — score: 0.200 The article discusses the development of Aurivillius-type thin-film materials that demonstrate significant oxide-ion conductivity at lower temperatures, specifically 350 °C. These materials feature periodic structures that create fast ion channels, thus offering a potential solution for improving ion mobility in solid oxide-ion conductors while minimizing degradation and expanding material options for use in electrochemical technologies. Journal: *Nature Energy*

- **Redox-Mediated Aluminum–Air Fuel Cells With Suppressed Hydrogen Evolution for Durable Power Generation (Adv. Energy Mater. 28/2026)** — score: 0.200 The article introduces a novel redox-mediated aluminum-air fuel cell that enhances durability and efficiency by separating aluminum oxidation from the electrode, allowing for rapid refueling and minimized hydrogen production. This innovation aims to improve power generation for applications in drones, robots, and other mobility technologies. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Asymmetric Carbon-Film Hydrovoltaic Generators With Work-Function-Correlated Output in Liquid-Water and Hydrogel-Assisted Moisture Operation** — score: 0.200 The article discusses the development of asymmetric carbon-film hydrovoltaic generators that utilize specific materials to achieve high voltage outputs of approximately 1.0V in both liquid water and hydrogel environments. The performance of these generators correlates with differences in work function, and their design allows for scalable integration and significant current outputs, indicating strong potential for use in self-powered and wearable electronic devices. Journal: *Wiley: Small Methods: Table of Contents*
- **Quantitative Analysis of Size-Dependent Structural Disorder in Ruthenium Nanoparticles by Crystal PDF Full-Space Refinement (Small Methods 14/2026)** — score: 0.200 The article by Hiroi and Sakata employs crystal PDF full-space refinement to reveal stacking faults in ruthenium nanoparticles, showcasing their prevalence beyond traditional fcc/hcp classifications. High-resolution analysis highlights point defects in hcp-based nanoparticles, providing a comprehensive method for evaluating structural disorder in nanoscale materials. Journal: *Wiley: Small Methods: Table of Contents*
- **Correction to “Low-Temperature Synthesis of Battery Grade Graphite: Mechanistic Insights, Electrochemical Performance, and Techno-Economic Prospects”** — score: 0.200 The article presents a correction to previously published research on the low-temperature synthesis of battery-grade graphite, highlighting updates to mechanistic insights and findings related to electrochemical performance and economic feasibility. The corrections aim to clarify aspects of the synthesis process and its implications for battery technology advancements. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Sr/Pb Alloying Stabilizes Wide-Bandgap Perovskites for Durable Fully-Textured Perovskite/Silicon Tandem Solar Cells** — score: 0.000 The study introduces a novel Sr/Pb alloying method to enhance the structural stability of wide-bandgap perovskites in tandem solar cells, addressing issues such as ion migration and phase segregation. This approach results in fully-textured perovskite/silicon tandem devices with a remarkable efficiency of 31.66% and impressive durability, showing minimal performance loss over extended operation, indicating a projected T80 lifetime of around 6785 hours. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Engineering bamboo as a multiscale platform for carbon-negative materials** — score: 0.000 The article discusses the potential of bamboo as a sustainable, multiscale platform for developing carbon-negative materials. It emphasizes the material’s rapid growth, carbon sequestration capabilities, and the importance of its hierarchical structure and chemistry in designing products that effectively store carbon and mitigate emissions, ultimately contributing to climate benefits when implemented on a large scale. Journal: *Nature Reviews Materials*
- **Detailed maps of European wetlands reveal overlooked patches of ecosystems** — score: 0.000 Recent advancements in satellite imagery analysis using machine-learning algorithms have resulted in the creation of detailed high-resolution maps of European wetlands. These maps are expected to enhance conservation efforts by highlighting previously unrecognized patches of vital ecosystems. Journal: *Nature*
- **Smuggling charges against NIH virologists trigger political uproar** — score: 0.000 The article discusses the controversy surrounding NIH virologists facing smuggling charges for transporting non-infectious viral samples in their luggage, which some experts argue posed no health risk, but may have breached import regulations. This situation has sparked significant political debate regarding biosecurity and research protocols. Journal: *Nature*

- **The science of foresight: how to future-proof your research** — score: 0.000 The article emphasizes the importance of foresight in research planning to navigate potential challenges and enhance the chances of success. It provides strategies for anticipating various outcomes at the outset of a research program, ultimately aiming to streamline the research process and mitigate future issues. Journal: *Nature*
- **Huge study finds first genetic clues for borderline personality disorder** — score: 0.000 A groundbreaking study has identified 11 genetic loci associated with borderline personality disorder through the largest genetic analysis conducted on the condition to date. This research provides important insights into the genetic factors that may contribute to the disorder, potentially guiding future treatment and intervention strategies. Journal: *Nature*
- **My job interviews for industry positions are going nowhere. How do I make myself stand out?** — score: 0.000 The article discusses a postdoctoral researcher’s challenges in securing industry positions, seeking advice on how to differentiate themselves to successfully advance beyond initial interviews. It highlights common barriers faced by academics transitioning into industry and emphasizes the importance of standout strategies in the competitive job market. Journal: *Nature*
- **Daily briefing: CRISPR gets an AI-designed upgrade** — score: 0.000 The article discusses advancements in synthetic CRISPR proteins that have been improved through artificial intelligence, leading to more efficient genome editing compared to traditional methods. Additionally, it touches on a rocky exoplanet with a unique atmosphere and explores mathematical concepts related to footballs. Journal: *Nature*
- **Daily briefing: Naked mole rat queens use a smell to stay on top** — score: 0.000 The article discusses a unique chemical used by naked mole rat queens to reinforce their dominance within colonies. Additionally, it touches on the investigation into the origins of a cyclosporidia outbreak and explores the debate on whether poverty can be eradicated without relying on economic growth. Journal: *Nature*
- **Ladder-shaped molecules for the masses** — score: 0.000 This article discusses a newly developed method that simplifies the synthesis of ladder-shaped molecules known as ladderanes, which have previously been difficult to produce. The research highlights their potential application in cycloaddition reactions, showcasing their significance for medicinal chemistry advances. Journal: *Nature Chemistry*
- **A modifying touch for metal–organic framework glasses** — score: 0.000 Researchers have discovered that incorporating alkali benzimidazolate salts into metal-organic framework glasses allows for significant modifications in their structure and properties. This advancement enhances the versatility of these materials, aligning them more closely with the tunability characteristics of traditional inorganic glasses. Journal: *Nature Chemistry*
- **Multimodal Electronic Tag for Industrial Safety: Integrated NonContact Distance Sensing and Temperature Visualization** — score: 0.000 The article discusses the development of a multimodal electronic tag designed to enhance industrial safety by integrating non-contact distance sensing with temperature visualization. This innovative technology aims to monitor hazardous environments effectively, providing real-time data to improve workplace safety. Journal: *ScienceDirect Publication: Nano Energy*
- **Machine-Learning-Optimized Bioinspired Metamaterials for Broadband Electromagnetic Energy Dissipation and Wide-Angle Microwave Absorption** — score: 0.000 This article discusses the development of bioinspired metamaterials optimized using machine learning techniques to enhance broadband electromagnetic energy dissipation and achieve effective wide-angle microwave absorption. The research highlights innovative designs that leverage natural principles for improved performance in electromagnetic applications. Journal: *ScienceDirect Publication: Nano Energy*
- **Are boldness and belligerence related?** — score: 0.000 The article explores the relationship between boldness and belligerence in stickleback fish, examining how different forms of aggression manifest in this species. Additionally, it features a discussion on the natural phenomenon of a pillar of light observed at sunset, highlighting both behavioral and environmental aspects of the natural world.

Journal: *Nature*

- **Faintest planet ever spotted from Earth has been hiding in plain sight** — score: 0.000
The article discusses the discovery of the exoplanet Beta Pictoris d, noted as the faintest planet ever observed from Earth. The detection method utilized for this planet could potentially aid in identifying other similarly dim exoplanets that have so far eluded astronomers. Journal: *Nature*
- **Moving floors keep buildings from swaying with the wind** — score: 0.000
The article discusses an innovative construction method based on ancient Japanese pagoda architecture, which employs moving floors to stabilize modern skyscrapers against wind-induced swaying. This design aims to enhance the safety and structural integrity of tall buildings in windy conditions. Journal: *Nature*
- **Oil and gas drilling is shifting to the deep sea — here's what is at stake** — score: 0.000
The article discusses how advancements in technology are enabling oil and gas drilling operations to expand into deeper oceanic regions. It highlights the importance of balancing the pursuit of fossil fuels with the need to mitigate ecological risks associated with these deep-sea explorations. Journal: *Nature*
- **New hope in the fight against cachexia — cancer's deadly co-conspirator** — score: 0.000
Research advancements are bringing new insights into cachexia, a debilitating condition that frequently affects cancer patients through severe weight loss and fatigue. Promising treatments aimed at alleviating these symptoms are being developed, signaling potential hope for improved patient outcomes. Journal: *Nature*