

Curated Research Articles

Generated: 2026-09-14 07:35

- **Operando Characterisation of SEI Formation in Ni-Rich Lithium-Ion Cells to Explore Ethylene Carbonate-Free Electrolyte Systems** — score: 1.000 The article focuses on the real-time characterization of the solid electrolyte interphase (SEI) formation in nickel-rich lithium-ion batteries, specifically investigating the effects of using electrolytes that do not contain ethylene carbonate. This research aims to improve the understanding and performance of advanced electrolyte systems in energy storage applications. Journal: *ScienceDirect Publication: Energy Storage Materials*
- **A Few-Layer Quasi-Graphite Anode With Rigid-Flexible Synergy for High-Performance Potassium-Ion Batteries** — score: 1.000 The study presents a few-layer quasi-graphite anode that enhances potassium-ion battery (KIB) performance through a novel rigid-flexible design, which alleviates stress during K⁺ intercalation and maintains a low-voltage plateau. This architecture achieves a substantial cycling stability of 1200 cycles and a reversible capacity of 279.2 mAh g⁻¹, offering a promising solution to the challenges of volume expansion and structural degradation in KIBs. Journal: *Wiley: Small Methods: Table of Contents*
- **Stress-coupled lithium transport in all-solid-state batteries** — score: 1.000 The study investigates the unique mechanical stresses experienced by cathode particles in all-solid-state batteries, revealing that uneven lithium distribution is stabilized by these stresses rather than due to slow diffusion. Utilizing X-ray imaging, the authors illustrate how this condition leads to defects and degradation in battery performance, while also demonstrating that increasing temperature can restore lithium uniformity and improve the battery's lifespan. Journal: *Joule*
- **Monolithic Host-Separator Continuum Decouples Polyiodide Confinement and Reversibility in Lithium-Iodine Batteries** — score: 1.000 The article presents a novel monolithic host-separator structure for lithium-iodine batteries that effectively separates the challenges of polyiodide confinement and redox reversibility. By combining a graphene aerogel core with a sulfonated cellulose polymer shell, the design enables reversible redox reactions while preventing detrimental polyiodide shuttling, resulting in high capacity retention and improved battery performance over extended cycles. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Rational Design and Screening of Polyhydroxy Electrolyte Additives via Artificial Intelligence Framework for Ultrastable Zinc Anodes** — score: 1.000 The article outlines an innovative AI framework that combines quantum chemistry data and graph neural networks to design and screen electrolyte additives for zinc anodes in aqueous zinc-ion batteries. By identifying hydroxyl mass density as a crucial property, inositol (INO) is optimized as an additive, significantly enhancing the cycling stability and efficiency of zinc cells, thus offering a practical pathway for advancing battery technology. Journal: *Wiley: Small Methods: Table of Contents*
- **Anion-Transferring Electrolyte Enables In Situ Construction of Uniform LiF-Rich Interphases for Long-Cycling Lithium-Sulfur Batteries** — score: 0.900 The article presents a novel electrolyte featuring tetramethylammonium (TMA⁺) cations that facilitate the in situ creation of LiF-rich interphases on both lithium and sulfur electrodes in lithium-sulfur batteries. This innovative approach not only prevents dendrite formation and side reactions but also significantly improves cycling stability, achieving 92% capacity retention after 350 cycles and a high capacity of 1039 mAh g⁻¹ over 300 cycles. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Internal Electric Field-Guided, Low-Adsorption Ferroelectric Anode Protective Layers for Sustainable Suppression of Polysulfide Side Reactions in Lithium-Sulfur Batteries** — score: 0.900 The study introduces a novel protective layer for lithium-sulfur batteries, consisting of a positively polarized ferroelectric -pvdf infused with fluorinated boron nitride nanosheets. This layer generates a strong internal electric field that enhances lithium ion transport to the anode while effectively suppressing polysulfide migration, leading to improved stability and longevity of battery performance, particularly under lean-electrolyte conditions. Journal: *Wiley: Advanced Energy Materials: Table of Contents*

- **Generalizable Mechanism-Anchored Health Management for Lithium-Ion Batteries Across Complex Degradation Trajectories** — score: 0.900 The article presents a novel health management framework for lithium-ion batteries that utilizes a degradation-sensitive charging fingerprint to enhance state-of-health (SOH) estimation and predict degradation trajectories. By combining condition-aware modeling and continual cross-dataset adaptation, the framework allows for reliable battery assessments across diverse aging conditions, enabling more effective management of battery reliability and safety in energy storage systems. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Mechanically Robust Sulfide Electrolyte Membrane Featuring In Situ Dendrite Depletion for High-Stability All-Solid-State Lithium Metal Batteries** — score: 0.900 The article presents a novel 30 μm sandwich-structured sulfide electrolyte membrane designed for all-solid-state lithium metal batteries, featuring a mechanically robust fibrous interlayer that enhances lithium ion transport while preventing dendrite formation. This structure enables long-term cycling stability, achieving over 2000 hours of stable operation and impressive performance metrics in battery cycling, thereby providing a promising approach for improving the reliability of solid-state battery technologies. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Dual-Functional Organic Molecular Layers for Decoupled Interface Engineering Enabling 50 000-Cycle Aqueous Zinc–Iodine Batteries** — score: 0.800 The study presents a dual-functional organic molecular layer (DBHQ) that enables enhanced interface engineering in aqueous zinc-iodine batteries. The DBHQ layer promotes uniform zinc deposition and prevents dendrite formation at the anode while simultaneously trapping polyiodides at the cathode to mitigate shuttling, resulting in a remarkable cycling stability of 50,000 cycles and high capacity retention, addressing critical degradation issues in these batteries. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Composite Polymer Electrolytes With Hierarchical Confinement of Anions and Solvents for Stable Solid-State Li Metal Batteries** — score: 0.800 The study introduces a novel PVDF-based composite polymer electrolyte that employs 3D MoS_2 fillers to enhance Li^+ mobility and stabilize interfacial chemistry in solid-state lithium metal batteries. This design achieves impressive ionic conductivity and Li^+ transference, while simultaneously demonstrating exceptional cycling stability in practical battery configurations, paving the way for high-performance, solvent-lean solid-state batteries. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Separator-Inspired Redox-State-Selective Confinement for Reversible Retention in Anthraquinone-Based Aqueous Soft-Gel Electrode Batteries** — score: 0.800 This review highlights the challenges faced by aqueous anthraquinone-based organic redox batteries due to the migration of active materials under different redox states. It presents innovative strategies inspired by functional separators to improve retention of these materials in soft-gel electrodes while maintaining their electrochemical performance, suggesting a shift towards a more nuanced approach in electrode design that prioritizes reversible retention and ion mobility. Future research directions are aimed at understanding the speciation of reduced states and developing standardized testing methods for enhanced stability of these systems. Journal: *Wiley: Small Methods: Table of Contents*
- **Molecular Design Strategies for High-Voltage Organic Cathodes (Adv. Energy Mater. 34/2026)** — score: 0.800 The authors propose innovative molecular design strategies to enhance organic cathode materials for Li-ion batteries, achieving a significant increase in theoretical redox potential by more than 0.6 V. This work deepens the understanding of the redox mechanisms in organic cathodes and lays the groundwork for developing advanced battery materials. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Regulating Hybrid $\text{Na}^+/\text{Zn}^{2+}$ -Ion Acetonitrile-Water Electrolyte Enables High Rate and Long-Life $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ Cathode for Zn-Ion Batteries** — score: 0.800 This study addresses the challenges of using $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ cathodes in aqueous zinc-ion batteries by developing hybrid electrolytes that combine water and acetonitrile solvents with $\text{Na}^+/\text{Zn}^{2+}$ salts. The resulting electrolyte significantly enhances the cathode’s cycling stability and rate performance, achieving impressive results like 97% capacity retention after 3000 cycles. The findings highlight the potential for hybrid electrolytes

to improve high-voltage cathodes in rechargeable aqueous zinc-ion batteries. Journal: *Wiley: Advanced Energy Materials: Table of Contents*

- **Biodegradable and Closed-Loop Recyclable Hyaluronic Acid/Alginate Gel Electrolyte for Ultra-Durable Zinc-Iodine Batteries** — score: 0.800 The article presents a novel biodegradable hydrogel electrolyte made from hyaluronic acid and sodium alginate for use in zinc-iodine batteries. This electrolyte not only enhances battery longevity, allowing for over 35,000 cycles, but also addresses environmental concerns by being both recyclable and biocompatible, enabling regeneration through simple processing methods for extended use. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **A Goldilocks-Inspired Amphiphilic Additive Orchestrates Interfacial Microenvironment Homeostasis for Stable 1.2 Ah Zinc Pouch Cells** — score: 0.800 The article presents a novel amphiphilic additive, inspired by the “Goldilocks effect” of the drug lisinopril, that enhances the stability of zinc anodes in pouch cells. By maintaining a balanced interfacial microenvironment at optimal concentrations, the additive effectively controls pH fluctuations, reduces unwanted side reactions, and promotes efficient zinc ion flow, leading to significant improvements in cycling stability and capacity retention in various cell configurations. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Lewis Acid-Enabled Functional SEI/CEI Design for Durable Lithium Metal Batteries** — score: 0.800 This article details a novel strategy utilizing tributylphosphonium tetrafluoroborate (TBPFB) as a Lewis acid to develop multifunctional inorganic interfaces on both the anode and cathode of lithium metal batteries. By effectively eliminating native oxide layers and enhancing Li⁺ transport and mechanical stability, the treatment significantly improves battery performance, resulting in extended lifespans and high capacity retention across various configurations. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **3D Printed Ordered Porous Architectures of Functional Metal Tellurides for Ultra High Mass-Loaded Ammonium-Ion Batteries** — score: 0.700 This study presents a novel approach to enhancing aqueous ammonium-ion batteries (AAIBs) by developing a 3D-printed conductive electrode made from functional metal tellurides, specifically Bi₂-xSb_xTe₃. The interconnected porous structure, crafted using selective laser melting, facilitates efficient ion transport at ultrahigh mass loadings (40 mg cm⁻²), resulting in high areal and specific capacities while improving cyclic stability through lattice modifications with Sb³⁺ ions. This advancement marks a significant step toward practical applications of next-generation energy storage solutions. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Coupling Ion-Transport Bridging with Surface Heterogeneity Healing in Polycrystalline Ultrahigh-Ni Cathodes Toward 4.6 V Halide All-Solid-State Batteries** — score: 0.600 The article explores a novel approach for enhancing the performance of ultrahigh-Ni cathodes in all-solid-state batteries by integrating ion-transport bridging with techniques to repair surface heterogeneities. This dual strategy aims to improve the electrochemical stability and efficiency of batteries operating at 4.6 V using halide materials. Journal: *ScienceDirect Publication: Energy Storage Materials*
- **Streamlined V3.5+ Electrolyte Production by Leveraging Chemical and Catalytic Reductions (Adv. Energy Mater. 34/2026)** — score: 0.600 The article discusses a novel production method for V3.5+ electrolyte in vanadium redox flow batteries, achieving a remarkable 67% reduction in processing time. It also explores the stability of the Pt/C catalyst, providing a framework to extend its life during critical transitions, ultimately confirming that the catalyst maintains its performance for over 2500 production cycles. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **A hidden leak in solids** — score: 0.600 Recent research has revealed that solid electrolytes, which are typically expected to prevent electronic conduction, may actually have some residual electronic conductivity. This unexpected behavior can lead to self-discharge in solid-state batteries, especially in thinner cells, highlighting the importance of understanding and controlling this leakage to enhance the longevity of battery performance. Journal: *Nature Energy*
- **Lithium–disulfur dichloride batteries** — score: 0.600 The article discusses an innovative approach

to lithium-sulfur batteries by introducing chlorine-mediated $\text{Li}||\text{S}_2\text{Cl}_2$ chemistry, which enhances the battery’s performance through reversible three-electron sulfur redox reactions. This advancement addresses key limitations of traditional Li–S batteries, including low voltage and poor kinetics, resulting in improved capacity and efficiency. Journal: *Nature Energy*

- **Advanced Energy Materials at 15: Advancing the Energy Transition From Fundamental Insights to Practical Technologies** — score: 0.500 The Special Issue of Advanced Energy Materials celebrates its fifteenth anniversary by showcasing a collection of 28 research articles and 10 reviews that highlight the progression from fundamental research to practical applications in energy materials. Covering areas such as photovoltaics, electrochemical storage, and data-driven discoveries, the contributions emphasize interdisciplinary collaboration and advancements in manufacturing and characterization techniques that enhance energy system efficiency and stability. The issue honors Professor Taiho Park’s significant impact on the field while acknowledging the collaborative efforts that made the collection’s publication possible. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Cross-Scale Orchestration of Sublayer Axially N-Bridged Fe Single Atoms Within Diffusion-Oriented Matrix for Efficient Oxygen Reduction** — score: 0.300 The article presents a novel nitrogen-mediated thermal activation method to develop a sublayer-engineered FeN_5 single-atom catalyst within a hollow carbon matrix, enhancing oxygen reduction reaction (ORR) performance. The design allows for efficient charge transfer and reduced *OH adsorption through atomic-level structural orchestration, while improving oxygen diffusion and transport efficiency, resulting in impressive electrochemical performance in alkaline environments and promising results for zinc-air battery applications.* Journal: *Wiley: Advanced Energy Materials: Table of Contents**
- **Nanoscopic Observation of Structural Changes After First-Firing Behavior in W/GeTe/W Ovonic Threshold Switches Using AFM Tip-Based Local Biasing (Small Methods 17/2026)** — score: 0.300 The article presents a novel local-biasing atomic force microscopy (AFM) technique that enables site-specific Ovonic threshold switching in Ge-Te chalcogenide films. By visualizing structural changes at the electrode interface following the first firing, the study uncovers a reduction in the electron-transport barrier, offering insights for the optimization of Ovonic threshold switch devices. Journal: *Wiley: Small Methods: Table of Contents*
- **Doping by degradation** — score: 0.300 The article discusses a novel p-type dopant characterized by a radical anion that decomposes post-electron transfer, facilitating a continuous doping process. This mechanism significantly enhances hole densities, improving the material’s conductivity and potential applications in electronic devices. Journal: *Nature Materials*
- **Framework Robustness Enabled by Gradient Strontium Doping for Lithium-Rich Manganese-Based Cathodes** — score: 0.300 The article discusses advancements in lithium-rich manganese-based cathodes, focusing on how gradient strontium doping enhances the structural robustness of these materials. This innovation aims to improve the performance and longevity of cathodes in energy applications, as reported in the upcoming publication in *Nano Energy*. Journal: *ScienceDirect Publication: Nano Energy*
- **Understanding solvent-free electrode viscoelastic behaviour and its effect on springback in Li-ion battery manufacture** — score: 0.200 The article investigates the viscoelastic properties of solvent-free electrodes used in lithium-ion battery manufacturing and analyzes how these properties influence the springback phenomenon during the production process. The study aims to enhance the understanding of material behaviors that could improve manufacturing efficiency and battery performance. Journal: *ScienceDirect Publication: Energy Storage Materials*
- **All-in-one Polymer additives boost excellent cycling stability of high-mass-loading cathodes in Sodium batteries** — score: 0.200 The article discusses the development of all-in-one polymer additives that significantly enhance the cycling stability of sodium battery cathodes with high mass loading. The research, published in “Energy Storage Materials,” highlights how these additives address common challenges in battery performance, promising improvements in energy storage applications. Journal: *ScienceDirect Publication: Energy Storage Materials*

- **Halogen-assisted sulfur oxidation** — score: 0.200 The article discusses advancements in lithium-sulfur batteries, highlighting a method that involves converting sulfur to disulfur dichloride through system-level engineering. This innovation allows for the S+1 oxidation state, which enhances the battery’s operating voltage and extends its lifespan, addressing long-standing limitations of traditional lithium-sulfur technologies. Journal: *Nature Energy*
- **Facile Synthesis of Pt–O–Ni Interfacial Sites on MOF-Derived Carbon Nanomaterials for Efficient Alkaline Hydrogen Evolution** — score: 0.100 The study presents a novel approach for creating Pt–O–Ni interfacial sites on nitrogen-doped carbon nanosheets derived from nickel-based metal-organic frameworks (MOFs), enhancing alkaline hydrogen evolution reactions (HER). By combining carbonization with low-temperature oxidation, the resulting catalyst achieves a remarkably low overpotential of 28 mV and maintains over 94% activity after 100 hours of electrolysis, demonstrating a significant improvement in both efficiency and stability compared to traditional catalysts. This method holds promise for advancing low-platinum electrocatalysts in sustainable energy applications. Journal: *Wiley: Small Methods: Table of Contents*
- **Light-Induced Phase Segregation in Mixed-Halide Perovskites: Reconciling Mechanistic and Thermodynamic Models** — score: 0.000 The article discusses the challenge of light-induced halide segregation in mixed-halide perovskites, highlighting the complexity of interpreting this phenomenon due to intermingling kinetic and thermodynamic factors. It advocates for employing a unified thermodynamic framework to differentiate among various mechanistic models and emphasizes the necessity for bulk-sensitive measurements and controlled experimental conditions to better understand and stabilize these materials. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Regioisomer-Induced In Situ Construction of 1D/3D Perovskite Heterojunctions for Efficient and Stable Solar Cells** — score: 0.000 The study presents a novel approach using regioisomer-guided molecular engineering to create 1D/3D perovskite heterojunctions that enhance the performance and stability of perovskite solar cells. By employing para-isonicotinamide, researchers achieved a remarkable power conversion efficiency of 26.57% while significantly improving durability against harsh environmental conditions, demonstrating the potential of isomer engineering in advancing solar cell technology. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Directed heterogeneous hydride transfer enables selective CO₂ reduction using a Janus palladium membrane electrode** — score: 0.000 The study presents a Janus palladium membrane electrode that facilitates selective CO₂ reduction to formate by leveraging directed heterogeneous hydride transfer, thus overcoming the common limitation of proton-coupled electron transfer that often leads to competing hydrogen evolution. This advancement opens new pathways for hydride-based electrochemical reactivity, enhancing the efficiency of CO₂ conversion processes. Journal: *Nature Chemistry*
- **A Click-Derived Pyridine-Silane Molecular Adhesive for Dual Covalent and Coordination Bonding at Metal-Polymer Interfaces** — score: 0.000 The article discusses the development of a bifunctional pyridine-silane adhesive (PyAAc-SiOH) that enhances adhesion between copper and liquid crystal polymers (LCPs) through dual mechanisms of covalent and coordination bonding. This adhesive exhibits robust performance, achieving excellent adhesion ratings and shear strength at low concentrations, while also enabling damage-free processing that is scalable for advanced electronic applications. Journal: *Wiley: Small Methods: Table of Contents*
- **Albumin Nanoparticle-Mediated Codelivery of Regorafenib and Paclitaxel Boosts Chemoimmunotherapy of Peritoneal Metastases** — score: 0.000 The study introduces a novel albumin nanoparticle (Alb-RP) that co-delivers regorafenib and paclitaxel to enhance treatment for colorectal peritoneal metastasis. This approach not only induces tumor cell death but also shifts macrophage phenotype from an immunosuppressive M2 state to an antitumor M1 state, significantly inhibiting tumor growth and extending survival in mouse models. The findings suggest a promising strategy to improve outcomes in metastatic colorectal cancer by combining chemotherapy with immune modulation. Journal: *Wiley: Small Methods: Table of Contents*

- **Parallelized 61-Sample Inhibition Screening Accelerated by 19F-MRI Compressed Sensing** — score: 0.000 The article discusses a novel 19F-MRI approach that enables the simultaneous screening of up to 61 drug candidates through a miniaturized honeycomb sample holder. By utilizing optimized compressed sensing techniques, this method accelerates data acquisition significantly, allowing researchers to efficiently assess ligand binding affinities in early drug discovery processes. Journal: *Wiley: Small Methods: Table of Contents*
- **Recyclable Triboelectric Nanogenerators Enabled by Biodegradable Pollen-Paper Nanoarchitectonics for Sustainable Energy Harvesting** — score: 0.000 This article details the development of a recyclable triboelectric nanogenerator (TENG) made from biodegradable pollen paper that achieves a notable power density of 5.07 W m⁻² and maintains durability with over 100,000 cycles. When incorporated into footwear, it effectively captures energy from human movement, while a novel water-assisted disassembly method allows for easy recovery and reassembly of components, ensuring environmental sustainability through rapid biodegradation within 12 days. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Electronic-Brake-Enabled Generation and Stabilization of Dynamic Active Interfaces for CO₂-to-Formate Electroreduction** — score: 0.000 The article discusses a novel method for enhancing the performance of SnO₂-based catalysts in the electrochemical reduction of CO₂ to formate. By introducing bismuth (Bi) as a dopant, researchers stabilized the crucial SnO₂/Sn interface, achieving over 93% Faradaic efficiency for formate production over extended periods, while preventing excessive reduction to metallic Sn that leads to unwanted hydrogen evolution, thus establishing new principles for catalyst design in CO₂ conversion. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Surface Lattice-Adaptive Integrity Reconstruction of Perovskite Quantum Dots for Efficient Solar Cells** — score: 0.000 The article presents a novel strategy using 3-guanidinopropionic acid (GPA) to enhance the surface lattice integrity of formamidinium lead triiodide (FAPbI₃) perovskite quantum dots, addressing issues of surface vacancies and distortions. This approach significantly improves optoelectronic properties and stability, leading to a notable increase in solar cell efficiency from 16.15% to 19.32%. Journal: *Wiley: Advanced Energy Materials: Table of Contents*
- **Author Correction: Contrasting roles of histone 3 lysine 27 demethylases in acute lymphoblastic leukaemia** — score: 0.000 The article presents a correction to previously published findings on the divergent functions of histone 3 lysine 27 demethylases in acute lymphoblastic leukaemia, highlighting the complexities in their roles and potential implications for understanding the disease's biology and treatment strategies. Journal: *Nature*
- **Put patients at the centre of medical AI governance** — score: 0.000 The article emphasizes the importance of patient involvement in the governance of medical artificial intelligence systems. It argues that incorporating patient perspectives can improve healthcare outcomes and ensure ethical standards, highlighting the need for frameworks that prioritize patient rights and needs in AI development and implementation. Journal: *Nature*
- **Nepal disaster is a wake-up call to take compound climate risks seriously** — score: 0.000 The article highlights a recent disaster in Nepal as a critical reminder of the urgency to address the interconnected risks of climate change. It emphasizes the need for comprehensive strategies to mitigate these compound risks and enhance resilience in vulnerable regions. Journal: *Nature*
- **Sideline vested interests to reform China's research** — score: 0.000 The article discusses the necessity of addressing and sidelining vested interests in order to implement effective reforms within China's research landscape. It emphasizes the challenges posed by these interests and advocates for systemic changes to promote transparency and innovation in scientific endeavors. Journal: *Nature*
- **Limit bets on clinical-trial outcomes being placed on prediction markets** — score: 0.000 The article discusses the implications of limiting betting on the outcomes of clinical trials in prediction markets, emphasizing the risks and ethical considerations involved. It explores how such restrictions could impact the integrity and utility of these markets in forecasting medical research results. Journal: *Nature*

- **The Kelvin scale’s creator William Thomson made many scientific advances** — score: 0.000 William Thomson, creator of the Kelvin scale, was a significant figure in physics, known for his innovative approaches to temperature measurement. This article highlights his broader contributions to science, including insights into the study of fossilized tracks, showcasing his influence beyond just thermodynamics. Journal: *Nature*
- **The World Bank is right to prioritize reproducibility** — score: 0.000 The article argues that the World Bank’s initiative to publish and verify raw data and code for its research enhances reproducibility in scientific studies. It calls for other organizations to adopt similar practices to improve research transparency and credibility. Journal: *Nature*
- **China’s fast-track clinical trials are in the spotlight after child deaths** — score: 0.000 Following recent child fatalities linked to rapid clinical trials in China, the government is implementing a new policy aimed at enhancing safety without stifling innovation. This response highlights the growing scrutiny surrounding the country’s expedited testing processes for medical products. Journal: *Nature*
- **Two children died from gene therapies in China: where the field goes next** — score: 0.000 The article discusses the unfortunate deaths of two children undergoing gene therapies in China, highlighting the urgent need for improved transparency and regulatory measures in the field. It emphasizes that while strengthened laws could enhance public disclosure of future incidents, the incidents may tarnish China’s reputation in genetic research. Journal: *Nature*
- **Why this neuroscientist is taking the plunge into science advocacy** — score: 0.000 Neuroscientist Stefano Cataldi is transitioning to science advocacy in response to significant funding cuts impacting research in the US. He aims to engage in policy efforts that protect and promote scientific research and integrity. Journal: *Nature*