

TRAMOS DE USO MULTIPLE

NO. DE PARTE	ANCHO (plg)	ESPESOR (plg)	Ø DE PERFORADO	LONGITUD L.F. (mm)	LONGITUD L.F. (plg)	ACABADO L.F.	LONGITUD L.M. (mm)	LONGITUD L.M. (plg)	ACABADO L.M.
TRX-22532322	2/	0.323	10.31	279	11	despuente	279	11	despuente
TRX-22532326	2/	0.323	10.31	330	13	despuente	330	13	despuente
TRX-22532330	2/	0.323	10.31	381	15	despuente	381	15	despuente
TRX-22532334	2/	0.323	10.31	432	17	despuente	432	17	despuente
TRX-22532338	2/	0.323	10.31	482	19	despuente	482	19	despuente
TRX-22532338C	2/	0.323	ciego	-	-	recto	965	38	recto
TRX-22532342	2/	0.323	10.31	533	21	despuente	533	21	despuente
TRX-22532344C	2/	0.323	ciego	-	-	recto	1118	44	recto
TRX-22532346	2/	0.323	10.31	584	23	despuente	584	23	despuente
TRX-22532346C	2/	0.323	ciego	-	-	recto	1168	46	recto
TRX-22532348C	2/	0.323	ciego	-	-	recto	1220	48	recto
TRX-22532350C	2/	0.323	ciego	-	-	recto	1270	50	recto
TRX-22532352	2/	0.323	10.31	660	26	despuente	660	26	despuente
TRX-22532352C	2/	0.323	ciego	-	-	recto	1220	56	recto
TRX-22532356	2/	0.323	10.31	711	28	despuente	711	28	despuente
TRX-22532360	2/	0.323	10.31	762	30	despuente	762	30	despuente
TRX-25032319	2/	0.323	10.31	241	9/	despuente	241	9/	despuente
TRX-25032323	2/	0.323	10.31	292	11/	despuente	292	11/	despuente
TRX-25032327	2/	0.323	10.31	343	13/	despuente	343	13/	despuente
TRX-25032331	2/	0.323	10.31	394	15/	despuente	394	15/	despuente
TRX-25032335	2/	0.323	10.31	445	17/	despuente	445	17/	despuente
TRX-25032338	2/	0.323	10.31	483	19	despuente	483	19	despuente
TRX-25032339	2/	0.323	10.31	495	19/	despuente	495	19/	despuente
TRX-25032343	2/	0.323	10.31	546	21/	despuente	546	21/	despuente
TRX-25032346	2/	0.323	10.31	584	23	recto	584	23	recto
TRX-25032347	2/	0.323	10.31	597	23/	recto	597	23/	recto
TRX-25032348C	2/	0.323	ciego	-	-	recto	1219	48	recto
TRX-25032350C	2/	0.323	ciego	-	-	recto	1270	50	recto
TRX-25032352C	2/	0.323	ciego	-	-	recto	1320	52	recto
TRX-25032353	2/	0.323	10.31	673	26/	recto	673	26/	recto
TRX-25032356	2/	0.323	10.31	711	28	recto	711	28	recto
TRX-25032356C	2/	0.323	ciego	-	-	recto	1422	56	recto
TRX-25032360	2/	0.323	10.31	762	30	recto	762	30	recto
TRX-25036031	2/	0.360	11.9	394	15/	despuente	394	15/	despuente
TRX-25036035	2/	0.360	11.9	445	17/	despuente	445	17/	despuente
TRX-25036040	2/	0.360	11.9	508	20	despuente	508	20	despuente
TRX-25036043	2/	0.360	11.9	546	21/	despuente	546	21/	despuente
TRX-25036045	2/	0.360	11.9	572	22/	despuente	572	22/	despuente
TRX-25036046	2/	0.360	11.9	584	23	despuente	584	23	despuente
TRX-25036047	2/	0.360	11.9	597	23/	despuente	597	23/	despuente
TRX-25036052	2/	0.360	11.9	660	26	recto	660	26	recto



TRAMOS DE USO MULTIPLE

NO. DE PARTE	ANCHO (plg)	ESPESOR (plg)	Ø DE PERFORADO	LONGITUD L.F. (mm)	LONGITUD L.F. (plg)	ACABADO L.F.	LONGITUD L.M. (mm)	LONGITUD L.M. (plg)	ACABADO L.M.
TRX-25036056	2/	0.360	11.9	711	28	recto	711	28	recto
TRX-25036060	2/	0.360	11.9	762	30	recto	762	30	recto
TRX-25040140	2/	0.401	11.9	508	20	recto	508	20	recto
TRX-25040156	2/	0.401	11.9	711	28	recto	711	28	recto
TRX-25040160	2/	0.401	11.9	762	30	recto	762	30	recto
TRX-25044738	2/	0.447	11.9	483	19	recto	483	19	recto
TRX-25044739	2/	0.447	11.9	495	19/	recto	495	19/	recto
TRX-25044740	2/	0.447	11.9	508	20	recto	508	20	recto
TRX-25044742	2/	0.447	11.9	533	21	recto	533	23	recto
TRX-25044746	2/	0.447	11.9	584	23	recto	584	23	recto
TRX-25044748	2/	0.447	11.9	610	24	recto	610	24	recto
TRX-25044752	2/	0.447	11.9	660	26	recto	660	26	recto
TRX-25044756	2/	0.447	11.9	711	28	recto	711	28	recto
TRX-25044760	2/	0.447	11.9	762	30	recto	762	30	recto
TRX-25044765	2/	0.447	-	825	32/	recto	825	32/	recto
TRX-701138	2/	0.433	11.9	482	19	recto	482	19	recto
TRX-701142	2/	0.433	11.9	533	21	recto	533	21	recto
TRX-701144	2/	0.433	11.9	559	22	recto	559	22	recto
TRX-701146	2/	0.433	11.9	584	23	recto	584	23	recto
TRX-701152	2/	0.433	11.9	660	26	recto	660	26	recto
TRX-145-1	3	0.499	13.5	527	20/	despunte	527	20/	despunte
TRX-1455	3	0.499	13.5	340	13 /	pe-ab recto	340	13 /	despunte
TRX-145-6	3	0.499	13.5	270	10 /	despunte	282	11 /	despunte
TRX-145-A4	3	0.499	13.5	438	17 /	despunte	438	17 /	despunte
TRX-198-A1	3	0.499	13.5	553	21 /	doblez	584	23	recto
TRX-198-A2	3	0.499	13.5	524	20 /	doblez recto	584	23	recto
TRX-521	3	0.360	11.9	495	19/	recto	495	19/	recto
TRX-522	3	0.360	11.9	470	18/	despunte	470	18/	despunte
TRX-523	3	0.360	11.9	343	13/	pe-ab recto	343	13/	pe-ab recto
TRX-30036021	3	0.360	13.5	267	10/	despunte	267	10/	despunte
TRX-30036025	3	0.360	13.5	317	12/	despunte	317	12/	despunte
TRX-30036029	3	0.360	13.5	368	14/	despunte	368	14/	despunte
TRX-30036033	3	0.360	13.5	419	16/	despunte	419	16/	despunte
TRX-30036038	3	0.360	13.5	482	19	despunte	482	19	despunte
TRX-30036042	3	0.360	13.5	533	21	recto	533	21	recto
TRX-30036046	3	0.360	13.5	584	23	recto	584	23	recto
TRX-30036047A	3	0.360	13.5	584	23	despunte	610	24	despunte
TRX-30036049A	3	0.360	13.5	610	24	despunte	635	25	despunte
TRX-30036052	3	0.360	13.5	660	26	recto	660	26	recto
TRX-30040125	3	0.401	13.5	317	12/	despunte	317	12/	despunte
TRX-30040129	3	0.401	13.5	368	14/	despunte	368	14/	despunte

TRAMOS DE USO MULTIPLE

NO. DE PARTE	ANCHO (plg)	ESPESOR (plg)	Ø DE PERFORADO	LONGITUD L.F. (mm)	LONGITUD L.F. (plg)	ACABADO L.F.	LONGITUD L.M. (mm)	LONGITUD L.M. (plg)	ACABADO L.M.
TRX-304937	3	0.499	13.5	470	18/	pe-ab recto	470	18/	pe-ab recto
TRX-304942	3	0.499	13.5	540	21/	despuente	540	21/	despuente
TRX-30044742	3	0.447	13.5	533	21	despuente	533	21	despuente
TRX-30044746	3	0.447	13.5	584	23	recto	584	23	recto
TRX-30044748	3	0.447	11.9	610	24	recto	610	24	recto
TRX-30044750	3	0.447	13.5	635	25	recto	635	25	recto
TRX-30044754	3	0.447	13.5	686	27	recto	686	27	recto
TRX-30049922	3	0.499	13.5	279	11	despuente	279	11	despuente
TRX-30049926	3	0.499	13.5	330	12	despuente	330	13	despuente
TRX-30049930	3	0.499	13.5	381	15	recto	381	15	recto
TRX-30049932	3	0.499	13.5	406	16	recto	406	16	recto
TRX-30049934	3	0.499	13.5	432	17	-	432	17	-
TRX-30049936	3	0.499	13.5	457	18	recto	457	18	recto
TRX-30049936C	3	0.499	ciego	-	-	recto	914	36	recto
TRX-30049938	3	0.499	13.5	483	19	recto	481	19	recto
TRX-30049940	3	0.499	13.5	508	20	recto	508	20	recto
TRX-30049940C	3	0.499	ciego	-	-	recto	1016	40	recto
TRX-30049942C	3	0.499	ciego	-	-	recto	1067	42	recto
TRX-30049944	3	0.499	13.5	508	20	recto	610	24	recto
TRX-30049946	3	0.499	13.5	558	22	recto	610	24	recto
TRX-30049946C	3	0.499	ciego	-	-	recto	1168	46	recto
TRX-30049948	3	0.499	13.5	558	22	recto	660	26	recto
TRX-30049948C	3	0.499	ciego	-	-	recto	1219	48	recto
TRX-30049950C	3	0.499	ciego	-	-	recto	1270	50	recto
TRX-30049952	3	0.499	13.5	660	26	recto	660	26	recto
TRX-30049956	3	0.499	13.5	711	28	recto	711	28	recto
TRX-30049959C	3	0.499	ciego	-	-	recto	1498	59	recto
TRX-30049964	3	0.499	13.5	813	32	recto	813	32	recto
TRX-30049968	3	0.499	13.5	864	34	recto	864	34	recto
TRX-30049972	3	0.499	13.5	914	36	recto	914	36	recto
TRX-30055875	3	0.558	13.5	953	37/	despuente	953	37/	despuente
TRX-303644	3	0.360	13.5	559	22	despuente	559	22	despuente
TRX-303655D	3	0.360	13.5	694	27/	doblez despuente	694	27/	doblez despuente
TRX-303659	3	0.360	13.5	400	15 /	recto	400	15 /	recto
TRX-304031	3	0.401	13.5	400	15 /	despuente	400	15 /	despuente
TRX-304036	3	0.401	13.5	460	18/	despuente	460	18/	despuente
TRX-304041	3	0.401	13.5	521	20/	pe-ab recto	521	20/	pe-ab recto
TRX-304046	3	0.401	13.5	584	23	despuente	584	23	despuente
TRX-304054D	3	0.401	13.5	687	27	doblez despuente	687	27	doblez despuente
TRX-304059	3	0.401	13.5	752	29 /	recto	752	29 /	recto
TRX-304931	3	0.499	13.5	397	15/€	despuente	397	15/€	despuente



TRAMOS DE USO MULTIPLE

NO. DE PARTE	ANCHO (plg)	ESPESOR (plg)	Ø DE PERFORADO	LONGITUD L.F. (mm)	LONGITUD L.F. (plg)	ACABADO L.F.	LONGITUD L.M. (mm)	LONGITUD L.M. (plg)	ACABADO L.M.
TRX-304946D	3	0.499	13.5	584	23	doblez despunte	584	23	doblez despunte
TRX-304948	3	0.499	13.5	610	24	despunte	610	24	despunte
TRX-304954	3	0.499	13.5	689	27/	despunte	689	27/	despunte
TRX-304955D	3	0.499	13.5	692	27/	doblez despunte	692	27/	doblez despunte
TRX-304957	3	0.499	13.5	733	28 /	despunte	733	28 /	despunte
TRX-304960	3	0.499	13.5	768	30/	recto	768	30/	recto
TRX-304972D	3	0.499	13.5	965	38	doblez despunte	965	38	doblez despunte
TRX-304974	3	0.499	13.5	938	37	recto	938	37	recto
TRX-304976	3	0.499	13.5	965	38	despunte	965	38	despunte
TRX-35049934	3/	0.499	13.5	432	17	despunte	432	17	despunte
TRX-35049938	3/	0.499	13.5	483	19	despunte	483	19	despunte
TRX-35049942	3/	0.499	13.5	533	21	despunte	533	21	despunte
TRX-35049946	3/	0.499	13.5	584	23	despunte	584	23	despunte
TRX-35049950	3/	0.499	13.5	635	25	despunte	635	25	despunte
TRX-35049952	3/	0.499	13.5	660	26	recto	660	26	recto
TRX-35049954	3/	0.499	13.5	686	27	despunte	686	27	despunte
TRX-35049972C	3/	0.499	ciego	-	-	recto	1828	72	recto
TRX-40040138	4	0.401	13.5	482	19	despunte	482	19	despunte
TRX-40040148	4	0.401	13.5	610	24	recto	610	24	recto
TRX-40040152	4	0.401	13.5	660	26	recto	660	26	recto
TRX-40044730	4	0.447	13.5	356	14	recto	406	16	recto
TRX-40044735	4	0.447	13.5	406	16	recto	483	19	recto
TRX-40044741	4	0.447	13.5	483	19	recto	559	22	recto
TRX-40044747	4	0.447	13.5	559	22	recto	635	25	recto
TRX-40044750	4	0.447	13.5	584	23	recto	686	27	recto
TRX-40044755	4	0.447	13.5	635	25	recto	762	30	recto
TRX-40044761	4	0.447	13.5	711	28	recto	838	33	recto
TRX-40049922	4	0.499	13.5	279	11	despunte	279	11	despunte
TRX-40049926	4	0.499	13.5	330	13	despunte	330	13	despunte
TRX-40049930	4	0.499	13.5	381	15	despunte	381	15	despunte
TRX-40049932	4	0.499	13.5	406	16	despunte	406	16	despunte
TRX-40049934	4	0.499	13.5	432	17	despunte	432	17	despunte
TRX-40049938	4	0.499	13.5	482	19	despunte	482	19	despunte
TRX-40049942	4	0.499	13.5	533	21	recto	533	21	recto
TRX-40049946	4	0.499	13.5	584	23	recto	584	23	recto
TRX-40049952	4	0.499	13.5	660	26	recto	660	26	recto
TRX-40049956	4	0.499	13.5	711	28	recto	711	28	recto
TRX-40049962	4	0.499	13.5	787	31	recto	787	31	recto
TRX-40049972C	4	0.499	ciego	-	-	recto	1828	72	recto