

Crash Crew Evidence and Preliminary Plan



NAME _____	DATE _____	PERIOD _____
------------	------------	--------------

1. Evidence boundary

This is a fictional classroom evidence exercise. A photograph can support a description of visible conditions. It cannot prove that a real vehicle is structurally, mechanically, electrically, or operationally safe.

One condition a photograph can support:

One conclusion a photograph cannot support:

Why a trained inspection is still needed:

2. Part or visible condition?

Model: bumper cover = part · cracked near the left light = visible condition

WORD OR PHRASE	PART	VISIBLE CONDITION	STILL UNSURE
Fender			
Creased			
Headlight assembly			
Shifted toward the wheel			
Frame is safe			

One correction I made:

3. Crash Crew evidence log

Use the licensed workbook vehicle views in Canvas. Describe only what the image supports.

VIEW OR AREA	EXACT VISIBLE CONDITION	LIKELY PART NAME; MARK CONFIRM IF UNSURE
1		
2		
3		
4		

Two additional inspection or information needs:

1.
2.

One observation I revised after a second look:

One part name I marked **confirm**, and why:

One safety conclusion I deliberately did not make:

Preliminary evidence summary for the fictional shop:

4. Preliminary part questions

Do not write real repair instructions. Record the question a trained technician would investigate and the evidence or approved information still needed.

VISIBLE CONDITION	PART/SYSTEM TO CONFIRM	REPAIR-OR-REPLACE QUESTION	EVIDENCE/PROCEDURE STILL NEEDED
1			
2			
3			

One decision a photograph cannot settle:

Who is authorized to settle it, or what approved source is needed:

5. Broad shop-process sequence

Number the broad stages. This is a process model, not a repair procedure.

STAGE	ORDER	WHY IT BELONGS THERE
Document and protect the vehicle		
Complete structural/mechanical/electrical inspection		
Follow approved repair information		
Repair or replace as authorized		
Refinish when applicable		
Calibrate or verify systems when applicable		
Complete final quality and safety checks		

One reason paint cannot automatically be the first stage:

One stage that may not apply to every vehicle, and why:

6. Changed vehicle: sensors behind the bumper

The same visible panel damage appears on a vehicle with cameras and sensors behind the bumper.

One stage or evidence habit I would keep:

One inspection question I would add:

Visible or system evidence that makes the question necessary:

One automotive occupation that would contribute next:

That person's bounded role:

Done when

- ☐ Visible evidence is separated from unproven conclusions
- ☐ Four evidence-log rows
- ☐ Three preliminary part questions
- ☐ Broad process sequence
- ☐ Changed-vehicle decision and occupation connection