

Calendar Tasks — BUGS - Billing (PROJ-0007)

Task sheet — clarified requirements Source: ERPNext project *BUGS - Billing* (PROJ-0007), Open tasks created by Administrator on 2026-07-21. **Status:** Requirements clarified with product owner. **No code changed yet. Codebase:** `shared/calendar/**` (Next.js shared calendar; pulled via `npm run copy-shared` — see `shared-calendar-changes.md`).

⚠ Reminder: the 20 modified `shared/calendar` files are overwritten by `npm run copy-shared` . Push upstream to `elbrit-dev/playground` before pulling. Build these tasks with that in mind.

Legend

- Effort:** S = <½ day · M = ~1 day · L = multi-day / needs ERP field or new write path
- Readiness:** ● Ready to build · ● Ready but coupled to another task · ● Blocked (open decision)

Summary

#	Task	Theme	Effort	Readiness
00180	BE skips HQ tour plan → Dr-visit direct	Doctor-visit flow	L	● (with 00181)
00181	POB customer list auto-narrow to Dr-visit HQ	Doctor-visit flow	M	● (with 00180)
00182	Per-employee red tick + "force visit" tag	Doctor-visit display	S	●
00183	Initial visibility = own data only + joined events	Visibility	M	●
00184	All-day event cannot be GMeet	Meeting event	S	● (part of 00185)
00185	Meeting form changes on physical/virtual	Meeting event	L	● (confirm w/ Sanjay)
00186	Event-form employee picker: search + Filters button	Event form UX	M	●
00187	Auto-share upward for any shareable event	Sharing	M	●
00188	Host marks meeting attendance (meetings only)	Meeting event	L	● (with 00185)
00189	Card shows participant avatars + "+N"	Card display	S	●

Dependency notes

- 00180 ↔ 00181** — the BE's single HQ is the territory source for both the Dr-visit flow and the POB customer narrowing. Build together.
- 00184 ⊂ 00185** — the all-day/GMeet rule is part of the physical/virtual meeting model.
- 00188 ↔ 00185** — meeting attendance depends on how physical/virtual meetings are structured.
- 00182 ↔ 00189** — both touch participant display (dialog ticks / card avatars).
- 00186** reuses the department/role derivation already built for the header filter (00183 area).

Suggested build order: 00182, 00189 (quick, self-contained) → 00183, 00187, 00186 → 00180 + 00181 (together) → **[resolve 00185 with Sanjay]** → 00185, 00184, 00188 (meeting cluster).

TASK-00180 — BE skips HQ tour plan; Dr-visit direct

****Original:**** "For the BE the HQ-tour plan need to be skipped they should directly have the Dr-visit."

Requirement

- A **BE (Business Executive)** does **not** create an HQ Tour Plan. They create the **Dr-visit directly**, on **any day** (no date gate, no pre-existing HQ tour plan required).
- A BE is always tied to **one fixed HQ**, so the HQ/territory comes from the **BE's own record** (not from a matched tour-plan event).
- The **HQ Tour Plan still exists underneath** (implicit/auto): the Dr-visit is still kept **under an HQ Tour Plan** for data + **list views** (list unchanged — Dr-visit shown grouped under HQ Tour Plan) and so hierarchy-join logic is unchanged.

- **On the calendar grid, the HQ Tour Plan is NOT rendered as its own event/card for the BE** — the BE only sees the Dr-visit.
- **Other roles unchanged:** ABM joins the BE's plan as usual; ABM's own tour plan + Dr-visit → RBM joins → as today.

Current behavior

- Dr-visit creation is gated: the "Doctor Visit plan" tag button only appears when a matching HQ Tour Plan covers the selected date (`matchedHqEvent` → `hasValidHqTourPlan`).
- `hqTerritory` is auto-populated from `matchedHqEvent.hqTerritory` , which drives the doctor list and POB customer list.

Touchpoints

- `shared/calendar/components/calendar/dialogs/add-edit-event-dialog.jsx` — gate at `~1106-1127` ; territory autofill `~1128-1139` ; tag filter `~1702-1706` ; doctor list `~1143-1153` ; customer list `~1174-1218` .
- `shared/calendar/components/calendar/mobile/MobileAddEventBar.jsx` — same gate `~34-56` , `~65` , `~106-116` (must change too, or mobile still blocks BE).
- Role detection to reuse: `currentUserRoleId` `~386-410` ; role-prefix parse `String(roleId).split("-")[0].replace(/[0-9]/g, "")` (as in `doctor-visit-dialog.jsx` `~124` , `~139-143`) → "BE" .

Acceptance criteria

- [] A BE can create a Dr-visit on any date with **no** pre-existing HQ tour plan (desktop **and** mobile).
- [] The doctor list and POB customer list filter correctly using the **BE's own HQ**.
- [] The HQ Tour Plan is **not shown as a separate event/card** on the calendar grid for the BE.
- [] **List view still shows** the Dr-visit grouped under the HQ Tour Plan.
- [] ABM/RBM join behavior is **unchanged**.

Dependencies / open questions

- Pairs with **00181** (shared HQ-territory source). Confirm exactly which employee field holds the BE's single HQ/territory.

TASK-00181 — POB customer list auto-narrow to Dr-visit HQ

****Original:**** "Customer filter is POB, need to add extra filter that is customers Territory filter."

Requirement

- The POB Customer dropdown keeps its existing scope — **the employee's customer access**.
- On top of that, **automatically narrow to the Dr-visit's HQ**. Net list = *customers the employee can access* **AND** *in the Dr-visit's HQ*.
- **Automatic** — driven by the Dr-visit's HQ. **No** manual/visible territory dropdown.
- For a BE, the Dr-visit's HQ = the BE's single fixed HQ (see 00180).

Current behavior

- Effective filter today is employee customer-access. `fetchCustomersByTerritory(hqTerritory)` exists but discards `territory__name` ; the query already selects it — so HQ narrowing isn't reliably wired.

Touchpoints

- `shared/calendar/components/calendar/module/event/services/event.service.js` — `fetchCustomersByTerritory` / `fetchAllCustomers` `~234-264` (stop discarding territory).
- `shared/calendar/components/calendar/module/event/graphql/events.query.js` — `CUSTOMER_QUERY` `~237-248` (already has `territory__name`).
- `shared/calendar/components/calendar/dialogs/add-edit-event-dialog.jsx` — customer options effect `~1174-1218` ; combobox render `~2285-2305` .

Acceptance criteria

- [] Customer list is narrowed to the Dr-visit's HQ **and** the employee's access.
- [] For a BE, the list narrows to the BE's single HQ.
- [] **No** manual territory selector is added to the form.

Dependencies: pairs with **00180**.

TASK-00182 — Per-employee red tick + "force visit" tag

****Original:**** "If the visit is force visit then we need to show the tag near that employee who done force visit and also the tick need to be red."

Requirement

- In the doctor-visit participant list (employee name + completion tick), for **only the participants who did a force visit**: change the tick from **green to red** and add a **"force visit" tag** next to that employee.
- Participants who visited normally keep the green tick and no tag.

Current behavior

- `custom_is_force_visit` is tracked **per participant** and already flows through the read mapper, but the dialog shows "Force visit" only at the **event level** (one rose badge), and per-participant ticks are **always green**. (Confirmed in the provided screenshot: both BE and ABM show green ticks.)

Touchpoints

- `shared/calendar/components/calendar/module/event/components/event-details/doctor-visit-dialog.jsx` — `resolveEmployeeParticipants` ~123-157 (doesn't read the per-participant force flag); tick render ~473-494 ; event-level badge ~448-452 ; reason block ~502-512 .
- Data already present: `shared/calendar/components/calendar/module/event/mappers/erp-to-event.js` ~108-109 .

Acceptance criteria

- [] Participant who force-visited shows a **red** tick + a **"force visit"** tag.
 - [] Participant who visited normally shows the **green** tick, no tag.
 - [] **No ERP change** required (data already flows through).
-

TASK-00183 — Initial visibility = own data only; joined events surface

****Original:**** "In the calendar the initial visibility only the logging in user initial visibility need to be visible only their data alone first."

Requirement

- On first load, show **only the logged-in user's own data** (not the whole team/hierarchy).
- The **user filter** lets you navigate into another user's calendar and see their plans/events.
- If you **join** one of another user's events, that event must then **also become visible in your own events/calendar**.

Current behavior

- Default `selectedUserId = []` (= "All") → a manager sees the whole visible hierarchy on load. The mobile inline picker already forces self; the desktop popover does not.

Touchpoints

- `shared/calendar/components/calendar/contexts/calendar-context.jsx` — default selection ~100 .
- `shared/calendar/components/calendar/contexts/calendar-context/selectors.js` — `filterCalendarEvents` ~108-208 , `matchesSelectedUsers` ~129-140 .
- `shared/calendar/components/calendar/header/user-select.jsx` — `checkedIds sync` ~107-120 , `toggleAll` ~124-127 .

Acceptance criteria

- [] On first load, only the logged-in user's own events are shown.
 - [] The filter still lets you view any other user's calendar you're allowed to see.
 - [] After joining another user's event, that event appears in your own calendar.
 - [] "All" is still reachable via the filter.
-

TASK-00184 — All-day event cannot be GMeet

****Original:**** "All day cannot be GMeet." — inside the ****Meeting**** event.

Requirement

- In a Meeting event, **All-day** and **Google Meet** are **mutually exclusive** — an all-day meeting cannot have a Google Meet.

Current behavior

- `allDay` and `enableGoogleMeet` are independent checkboxes with no cross-field rule. GMeet flag → `add_video_conferencing` in ERP.

Touchpoints

- `shared/calendar/components/calendar/dialogs/add-edit-event-dialog.jsx` — checkboxes ~1813–1837.
- `shared/calendar/components/calendar/schemas.js` — ~58–59 ; add rule to `.superRefine` ~85–180.
- `shared/calendar/components/calendar/module/event/mappers/event-to-erp.js` — GMeet mapping ~328–332 (defensive guard).

Acceptance criteria

- [] When "All day" is on, "Enable Google Meet" is disabled/cleared.
- [] Schema rejects all-day + GMeet.
- [] Mapper never requests a Meet link for an all-day meeting.

Dependency: part of **00185** (build together).

TASK-00185 — Meeting form changes on physical/virtual

****Original:**** "Physical and virtual meeting based on the selection the form need to be changed."

Requirement

- A meeting can be **physical or virtual**; the form fields change with the selection:
 - **Virtual** → Google Meet link (reuses `enableGoogleMeet`).
 - **Physical** → location/venue field.
- **OPEN DECISION (confirm with Sanjay) — do not build until resolved:**
 - Are physical vs virtual **two separate event types**, or **one Meeting event with a physical/virtual selection toggle**?
 - This decision also shapes **00184** (all-day rule) and **00188** (attendance).

Current behavior

- No physical/virtual concept exists anywhere; no venue/location field. Only the standalone `enableGoogleMeet` checkbox.

Touchpoints

- `shared/calendar/lib/calendar/form-config.js` — Meeting config ~165–195.
- `shared/calendar/components/calendar/dialogs/add-edit-event-dialog.jsx` — Meeting branch ~1797–1875.
- `shared/calendar/components/calendar/schemas.js` + `constants.js` — new `meetingMode` field + defaults.
- `event-to-erp.js` / `erp-to-event.js` — new ERP field mapping (physical venue needs a **new ERP field** — none exists today).

Acceptance criteria (draft — finalize after decision)

- [] User can mark a meeting physical or virtual.
- [] Virtual shows the Google Meet option; physical shows the location/venue field.
- [] The chosen mode persists to and reads back from ERP.

TASK-00186 — Event-form employee picker: search + Filters button

****Original:**** "For the employee search filter in the event form we need to add filter along with the search."

Requirement

- Keep the search box, and add filtering — but **NOT** the header's inline designation/department dropdowns.
- Instead: a **search box + a "Filters" button** that opens a panel where the user sets their own filters (faceted filtering, like Amazon / other apps).

Current behavior

- Event-form pickers (Employees, Allocated To, Visible To, Share) use `RHFComboboxField` → `RHFCombobox` which is **search-only**. The header picker already has inline filter dropdowns (different UI — do not copy).

Touchpoints

- `shared/calendar/components/ui/RHFCombobox.jsx` — search box ~199–203, filter predicate ~92–112.
- `shared/calendar/components/calendar/dialogs/add-edit-event-dialog.jsx` — pickers ~2069–2106, ~1997–2005.
- Department not on employee options → derive from role edges (pattern in `header/user-select.jsx` ~167–193).

Acceptance criteria

- [] Employee picker in the event form has a **Filters** button that opens a settable filter panel.
 - [] Filters apply on top of the text search.
 - [] UI is the faceted "Filters button" style, **not** the header's inline dropdowns.
-

TASK-00187 — Auto-share upward for any shareable event

Original: "Need to do the auto share for the above hierarchy automatically."

Requirement

- For **any event type** — if the event has a share option, the share happens **automatically** (no manual action), and **only upward** in the reporting hierarchy (managers above the creator: ABM → RBM → ...), **never downward** to subordinates.

Current behavior

- Upward auto-share already exists, but only for **HQ Tour Plan + Doctor Visit Plan**. Meeting/ToDo share with selected participants; Leave deliberately doesn't share.

Touchpoints

- `shared/calendar/components/calendar/dialogs/add-edit-event-dialog.jsx` — `getShareUserIds` ~515–529 , `superiorUserIds` ~457–465 .
- `shared/calendar/lib/employeeHeirachy.js` — `resolveSuperiorShareUserIds` ~183–204 (walks parent role chain).
- `shared/calendar/components/calendar/module/event/services/docshare.service.js` + `event.service.js` ~92–125 (DocShare write — already handles it).

Acceptance criteria

- [] Creating any shareable event auto-shares to superiors (upward) with **no** manual step.
 - [] Sharing **never** goes downward to subordinates.
 - [] Existing HQ-tour-plan / Dr-visit sharing still works.
-

TASK-00188 — Host marks meeting attendance (meetings only)

Original: "Meeting attendance by the host of the meeting."

Requirement

- The **host** of a meeting marks attendance of participants.
- **Meetings only** — NOT doctor visits. Meetings can be physical or virtual (see 00185).
- **No specific mechanism mandated** — implement whatever is **easiest for the host** to use.

Current behavior

- No meeting attendance exists. Meeting dialog shows a roster and a "Host" crown; the host is **derived** (highest-ranked ≥ ABM participant), not stored. Doctor-visit attendance uses per-participant `attending` but it's **self-marked** — no path for one person to mark another.

Touchpoints

- `shared/calendar/components/calendar/module/event/components/event-details/meeting-dialog.jsx` — roster ~85–113 .
- `shared/calendar/lib/meetingRoles.js` — host derivation ~59–73 .
- Doctor-visit pattern to mirror: `doctor-visit-dialog.jsx` ~473–494 ; `attending` field write `event-to-erp.js` ~300 .

Acceptance criteria

- [] The host can mark each participant present/absent for a **meeting**.
- [] Not available for doctor visits.
- [] Minimal steps for the host (easy UX).

Dependencies / open questions

- Depends on **00185** structure. Host marking *others'* attendance needs a **new write path** (today attendance is self-only). Confirm whether host identification (currently heuristic) is reliable enough or needs an explicit ERP host field.
-

TASK-00189 — Card shows participant avatars + "+N"

****Original:**** "The card view of the event need to show the + like if there is extra employee then +2 like that."

Requirement

- The event card currently shows only the creator's avatar (e.g. the "DR" circle). When another user **joins** (e.g. the ABM joins a BE's doctor visit), that joiner's **avatar/tag also appears** on the card.
- With more joiners, it collapses to a "+N" overflow (a few avatars + "+2").
- So the single avatar becomes an **avatar group of the participants who joined**.

Current behavior

- Event cards render only the creator avatar (no participant group). `AvatarGroup` already implements "+N" overflow but is only used in the header.

Touchpoints

- `shared/calendar/components/ui/avatar-group.jsx` — "+N" overflow already implemented ~16-28 .
- Card renderers: `views/month-view/month-event-badge.jsx` ~94-127 ; `views/week-and-day-view/event-block.jsx` ~69-98 ; agenda/list cards.
- Participants have no photo URL → fall back to colored initials (`getFirstLetters` , `getAvatarColorBySeed`).

Acceptance criteria

- [] Cards show an avatar group of the joined participants.
- [] Overflow beyond the max shows "+N".
- [] Avatars fall back to colored initials where no photo exists.

Open items to resolve before full build

1. **TASK-00185** — physical vs virtual: separate event types **or** one event with a toggle? (Sanjay) — blocks 00185, shapes 00184 + 00188.
2. **TASK-00180 / 00181** — exact employee field that holds the BE's single HQ/territory.
3. **TASK-00188** — is derived-host reliable, or does ERP need an explicit host field for attendance ownership?