



Bill of Materials

<Parameter Title not found>

Source Data From: HardwareWatchdog.PrjPcb
Project: HardwareWatchdog.PrjPcb

Variant: None

 Creation Date:
 29. 6. 2024.
 19:40:14

 Print Date:
 29-Jun-24
 7:40:22 PM

Footprint	Comment	Value	Designator	Description	Quantity
CAP	0.1 µF	0.1 µF	C1	CAP CER 0.1UF 50V X7R 0603	
0603_1608					
CAP	10 μF	10 μF	C2	CAP CER 10UF 35V X5R 0805	•
0805_2012					
CAP	10 nF	10 nF	C3	CAP CER 0603 10NF 100V X7R	1
0603_1608					
1.6X0.8X0.8	Green	Green	D1	LED GREEN CLEAR SMD	′
DIODES SOT	MMBD4148W-7-		D2	DIODE GEN PURP 75V 150MA SOT323	
323-3	F				
1.6X0.8X0.8	Red	Red	D3, D5	LED RED CLEAR SMD	2
LITEON LTV-	LTV-817S-TA		D4	OPTOISOLATR 5KV TRANSISTOR 4-SMD	1
817					
DIODES SOT	DMP3056L-7		IC1	MOSFET P-CH 30V 4.3A SOT23	1
23-3					
DIODES SOT	2N7002AQ-7		IC2, IC3	MOSFET N-CH 60V 180MA SOT23	2
23-3					
FINDER	FINDER 40.31		K1		· ·
40.31					
TERMINAL	POWER IN		P1	Terminal blok konektor 3,5 mm	· ·
BLOK 2					
TERMINAL	POWER OUT		P2	Terminal blok konektor 3,5 mm	· ·
BLOK 2					
TERMINAL	RELAY OUT		P3	3 pinski terminal blok konektor	1
BLOK 3					
TERMINAL	TRIGGER		P4	Terminal blok konektor 3,5 mm	1
BLOK 2					
RES	4.7 kOhms	4.7 kOhms	R1, R4	RES 4.7K OHM 1% 1/4W 0805	2
0805_2012					
RES	270 kOhms	270 kOhms	R2	RES SMD 270K OHM 1% 1/8W 0805	1
0805_2012					
RES	47 kOhms	47 kOhms	R3	RES SMD 47K OHM 1% 1/8W 0805	· ·
0805_2012					
RES	820 kOhms	820 kOhms	R5	RES SMD 820K OHM 1% 1/8W 0805	· ·
0805_2012				250 114 21 114 114 119 11 2005	
RES	330 Ohms	330 Ohms	R6	RES 1K OHM 1% 1/8W 0805	<i>'</i>
0805_2012	40.1.01		D7. D0	DEO OND 401/ 01/14 40/ 4/00/ 0000 0000	
RES	10 kOhms	10 kOhms	R7, R8	RES SMD 10K OHM 1% 1/8W 0805, RES	2
0805_2012	NESSEDD	ĺ	114	SMD 27K OHM 1% 1/8W 0805	
FP-D0008A-	NE555DR		U1	IC OSC SGL TIMER 100KHZ 8-SOIC	<i>'</i>
IPC_B	1	<u> </u>			
A		Natas			25
Approved		Notes			