








Title Zaštita od vjetrova			JUBERA d.o.o. Braće Mulić 81 71000 Sarajevo Federacija BiH Bosna i Hercegovina	
Size: A4	Number: DE-230724	Revision: 001		
Date: 16. 11. 2024.	Time: 16:54:57	Sheet 1 of 1		
File: D:\Projekti\Otvoreni\WindSwitch\hw\DE-230724\DE-230724.SchDoc				



Bill of Materials

Bill of Materials for Project [DE-230724.PrjPcb] (No PCB Document Selected)

Source Data From: DE-230724.PrjPcb
Project: DE-230724.PrjPcb
Variant: None

Creation Date: 16. 11. 2024. 16:55
Print Date: 45612 45612,70529

Footprint	Comment	LibRef	Designator	Description	Quantity
603	C0603	C0603	C1, C2, C4, C5, C8, C10	Ceramic Chip Capacitor - 25V, Ceramic Chi	6
805	C0805	C0805	C3	Ceramic Chip Capacitor - 25V	1
0,33uF X2	330nF X2	0,33uF X2	C6	Dipped Radial Multilayer Ceramic Capacitor	1
CAPPR2-5X1	22uF	EKA00AA247F0	C7	Aluminum Electrolytic Capacitor, Radial Sty	1
CAPPR5-10X	470uF	EKA00DC347E0	C9	Aluminum Electrolytic Capacitor, Radial Sty	1
ONSC-TO-220	BTA16-600	BTA08-600BW30	D1, D2, D3, D4	Triacs, Silicon Bidirectional Thyristor, 3-Pin	4
LED 3mm	STATUS_LED	LED 3mm	D5		1
SMB	1N4007	Diode 1N4007	D6, D7, D9, D11	1 Amp General Purpose Rectifier	4
LED 3mm	HOLD_LED	LED 3mm	D8		1
DO-41	9V1	Diode 1N914	D10	High Conductance Fast Diode	1
PIN-W2/E2.8	Fuse 1	Fuse 1	F1	Fuse	1
603	BLM15AG121	Inductor_SMD	L1	Inductor	1
TERMINAL B	PULSE	TERMINAL BLO	P1	Terminal blok konektor 3,5 mm	1
TERMINAL B	220Vac	TERMINAL BLO	P2, P3, P4, P5	Terminal blok konektor 3,5 mm	4
HDR1X3	ICSP	Header 3	P6	Header, 3-Pin	1
TERMINAL B	ACIN	TERMINAL BLO	P7	Terminal blok konektor 3,5 mm	1
SOT23_N	BC817	BC817	Q1	NPN General-purpose Transistor	1
ERA-0603	1K	ERAV	R1, R19	Metal Film Thermosensitive Chip Resistor, C	2
ERA-0805	220R	ERAS	R2, R3, R4, R7, R8, R9, R11, R12, R13,	Metal Film Thermosensitive Chip Resistor, C	12
HDR1X3	RPot	RPot	R5, R10	Potentiometer	2
ERA-0603	10K	ERAV	R6, R17, R20, R22	Metal Film Thermosensitive Chip Resistor, C	4
ERA-0603	470R	ERAV	R18	Metal Film Thermosensitive Chip Resistor, C	1
AXIAL-0.4	Res2	Res2	R21	Resistor	1
AXIAL-0.3	Res1	Res1	R23	Resistor	1
DIP-4	PC817	PC817	U1	4-Pin Phototransistor Optocoupler	1
DIP6	MOC3081	MOC3081	U2, U3, U4, U6	Zero-Cross Optoisolator Triac Driver	4
STM-TSSOP2	STM32F030F4P6	STM32F030F4P6	U5	ARM Cortex-M0 32-bit MCU, 16 KB Flash, 4	1
DBZ3_N	TLV803MDBZR	TLV803MDBZR	U7	Voltage Supervisor with Active-Low, Open D	1
ZZ311	REG1117-3.3	REG1117-3.3	U8	800mA and 1A Low Dropout Positive Regula	1

62

Approved	Notes