AGV-300JZ Laser SLAM Lifting Robot



(https://www.onewayrobot.com/wp-content/uploads/2024/08/1200X1200-1-1.jpg)

AGV-300JZ Laser SLAM Lifting Robot

Laser SLAM Latent Jacking Transfer Robot is an upgraded model of AGV-300J. It adopts brand-new PI industrial design. The vehicle size is optimized to be close to that of AGV-150JZ while the load capacity remains unchanged at 300 kg. In addition, the optional downward-looking QR code camera and 5G module are added, and the standard laser can support small-range reflector navigation. Furthermore, the old functions to identify various racks and move under the racks to jack them up are retained. The chassis height is reduced after integrating the jack-up mechanism.

Get a Quote

Product Details

More powerful algorithms

Shelf identification and correction, highly dynamic environment positioning and navigation, slip detection and correction, QR code secondary precise positioning, hybrid navigation, automatic tracking, and use of fifth-order Bezier curve.

Powerful material shelf identification

A variety of merchandise shelves can be identified, and it can move under shelves and lift goods. It can also identify material racks in various industries.

Smaller and more flexible

The smaller size allows for a lower chassis height with the built-in climbing mechanism, lower environmental requirements, more coverage scenarios, and fewer site restrictions.

Safer and more efficient

Dual lasers and sensors on bumper strips at the front and rear for 360° protection; 10 minutes of charging for 1 hour of operation.

New industrial design

With Oneway Robotics' new design PI language, present customers with a powerful, high-tech product with a metallic texture.



General Specifications

Technical Parameters	**Navigation method**	Laser SLAM
	Drive mode	Two-wheel differential
	Shell color	Cool Gray
	L*W*H	792mm*580mm*250mm
	Rotation diameter	910mm
	Load capacity	300kg
	Chassis ground clearance	25mm
	Jacking platform dimensions	760mm*545mm
	Maximum jacking height	60±2mm
	Jacking time	5±0. 5s
	Laser scanning height	FREE 188mm/SICK 193mm
	Network Ethernet/Wi-Fi	802.1 1 a/b/g/n/ac
	Ambient temperature& humidity range	TEMP: 0-50°C/ RH: 10-90% no compression, no condensation
	IP rating	IP20

Battery parameters	**Battery specifications**	48V/20AH (Lithium Iron Phosphate)
	Comprehensive battery life	8h
	Automatic charging parameters	54.6V/15A
	Charging time (10-80%)	<1h
	Charging method	Manual/Automatic
	Battery cycle number	>1500 times

Performance parameters	**Passability (slope/step/gap)**	<5%/5mm/30mm
	Minimum passable width	640mm
	Navigation position accuracy	±5mm
	Navigation angle accuracy	±0.5°
	Navigation speed	<1.5m/s
	Map area(single frame)	<400000m²

Related Products



AGV-CDD16 Stacker Autonomous Forklift

Comprehensive Upgrade, Flexible and Efficient

(https://www.onewayrobot.com/product/agv-cdd16-stacker-autonomous-forklift/)



AGV-CDD14 Stacker Autonomous Forklift

Narrow Aisles Exclusive, Versatile and Universal

(https://www.onewayrobot.com/product/wwagv-cdd14-small-stacker-autonomous-forklift/)

Get In Touch for More Information

Name*

Name*

WhatsApp/Phone*

WhatsApp/Phone*

Email*

Email*

Country*

Country*

Company*

Company*

Your Message*

Your Message*

Captcha Code: **776**

Captcha Code

Send

Signup our newsletter to get update information, news, insight or promotions.

Email

Sign Up

Menu

Home(https://www.onewayrobot.com/)

Products(https://www.onewayrobot.com/products/)

Solution(https://www.onewayrobot.com/property-lot-security-solutions/)

News(https://www.onewayrobot.com/news/)

Technical Support(https://www.onewayrobot.com/faq/)

Blog(https://www.onewayrobot.com/blog/)

About Us(https://www.onewayrobot.com/about-us/)

Contact Us(https://www.onewayrobot.com/contact-us/)

Products & Services

Security patrol robot

Inspection robot

Robot chassis

Get in touch

Wanglong Road No. 136 Oneway Technology Industrial Park 4,Changsha,Hunan,China

nicholaslee@onewayrobot.com(mailto:admin@onewayrobot.sg)

+86 18974809810(tel:6594244235)

+86 18974809810(https://wa.me/8618974809810)

List Item

Copyright: @ Changsha Oneway Robotics Co.,Ltd

Term of use(https://www.onewayrobot.com/term-of-use/) |
Privacy Policy(https://www.onewayrobot.com/privacy-policy/) |
Cookie Policy(https://www.onewayrobot.com/cookie-policy/)