

File permissions in Linux

Project description

The research department of my company needs to modify a few particular files and folders in the projects directory's file permissions. The level of permission that should be granted is not yet reflected in the permissions. Their system will remain secure if these permissions are checked and updated. I did the following things to finish this task:

Review file and directory information.

Check file and directory details

The code that follows shows how I used Linux commands to find out the current permissions that are in place for a particular directory in the file system.

```
researcher2@5d738f0f927b:~/projects$ ls -la
total 32
drwxr-xr-x 3 researcher2 research_team 4096 Dec  2 15:27 .
drwxr-xr-x 3 researcher2 research_team 4096 Dec  2 15:27 ..
-rw--w--- 1 researcher2 research_team  46 Dec  2 15:27 .project_x.txt
drwx--x--- 2 researcher2 research_team 4096 Dec  2 15:27 drafts
-rw-rw-rw- 1 researcher2 research_team  46 Dec  2 15:27 project_k.txt
-rw-r----- 1 researcher2 research_team  46 Dec  2 15:27 project_m.txt
-rw-rw-r-- 1 researcher2 research_team  46 Dec  2 15:27 project_r.txt
-rw-rw-r-- 1 researcher2 research_team  46 Dec  2 15:27 project_t.txt
researcher2@5d738f0f927b:~/projects$
```

The command I typed is shown on the first line of the screenshot, and the output is shown on the following lines. The code lists all contents of the `projects` directory. I used the `ls` command with the `-la` option to display a detailed listing of the file contents that also returned hidden files. The output of my command indicates that there is one directory named `drafts`, one hidden file named `.project_x.txt`, and five other project files. The 10-character string in the first column represents the permissions set on each file or directory.

Describe the permissions string

You can decipher the 10 characters to find out who has permission to access the file and what those permissions are. The characters and what they represent are as follows:

- **The first character, which can be a dot (.) or a hyphen (-), denotes the type of file.** A directory if it starts with a d. If it's a hyphen (-), it's a regular file.
- **2nd-4th characters:** These characters indicate the read (r), write (w), and execute (x) permissions for the user. When one of these characters is a hyphen (-) instead, it indicates that this permission is not granted to the user.
- **5th-7th characters:** These characters indicate the read (r), write (w), and execute (x) permissions for the group. When one of these characters is a hyphen (-) instead, it indicates that this permission is not granted for the group.
- **8th-10th characters:** These characters indicate the read (r), write (w), and execute (x) permissions for other. This owner type consists of all other users on the system apart from the user and the group. When one of these characters is a hyphen (-) instead, that indicates that this permission is not granted for other.

For example, the file permissions for `project_t.txt` are `-rw-rw-r--`. Since the first character is a hyphen (-), this indicates that `project_t.txt` is a file, not a directory. The characters in the second, fifth, and eighth positions are all rs, signifying that the user, group, and other all have read permissions. The third and sixth characters are ws, which indicates that only the user and group have write permissions. No one has execute permissions for `project_t.txt`.

Change file permissions

The company came to the conclusion that no one else should have write access to any of their files. To comply with this, I referred to the file permissions that I previously returned. I determined `project_k.txt` must have the write access removed for other.

The following code demonstrates how I used Linux commands to do this:

```
researcher2@5d738f0f927b:~/projects$ chmod o-w project_k.txt
researcher2@5d738f0f927b:~/projects$ ls -la
total 32
drwxr-xr-x 3 researcher2 research_team 4096 Dec  2 15:27 .
drwxr-xr-x 3 researcher2 research_team 4096 Dec  2 15:27 ..
-rw--w--- 1 researcher2 research_team  46 Dec  2 15:27 .project_x.txt
drwx--x--- 2 researcher2 research_team 4096 Dec  2 15:27 drafts
-rw-rw-r-- 1 researcher2 research_team  46 Dec  2 15:27 project_k.txt
-rw-r----- 1 researcher2 research_team  46 Dec  2 15:27 project_m.txt
-rw-rw-r-- 1 researcher2 research_team  46 Dec  2 15:27 project_r.txt
-rw-rw-r-- 1 researcher2 research_team  46 Dec  2 15:27 project_t.txt
researcher2@5d738f0f927b:~/projects$
```

The first two lines of the screenshot display the commands I entered, and the other lines display the output of the second command. The `chmod` command changes the permissions on files and directories. The first argument indicates what permissions should be changed, and the second argument specifies the file or directory. In this example, I removed write permissions from other for the `project_k.txt` file. After this, I used `ls -la` to review the updates I made.

Change file permissions on a hidden file

The research team at my organization recently archived `project_x.txt`. They do not want anyone to have write access to this project, but the user and group should have read access.

The following code demonstrates how I used Linux commands to change the permissions:

```
researcher2@3213bbc1d047:~/projects$ chmod u-w,g-w,g+r .project_x.txt
researcher2@3213bbc1d047:~/projects$ ls -la
total 32
drwxr-xr-x 3 researcher2 research_team 4096 Dec 20 15:36 .
drwxr-xr-x 3 researcher2 research_team 4096 Dec 20 15:36 ..
-r--r----- 1 researcher2 research_team  46 Dec 20 15:36 .project_x.txt
drwx--x--- 2 researcher2 research_team 4096 Dec 20 15:36 drafts
-rw-rw-rw- 1 researcher2 research_team  46 Dec 20 15:36 project_k.txt
-rw-r----- 1 researcher2 research_team  46 Dec 20 15:36 project_m.txt
-rw-rw-r-- 1 researcher2 research_team  46 Dec 20 15:36 project_r.txt
-rw-rw-r-- 1 researcher2 research_team  46 Dec 20 15:36 project_t.txt
researcher2@3213bbc1d047:~/projects$
```

The first two lines of the screenshot display the commands I entered, and the other lines display the output of the second command. I know `.project_x.txt` is a hidden file because it starts with a period (.). In this example, I removed write permissions from the user and group, and added read permissions to the group. I removed write permissions from the user with `u-w`. Then, I removed write permissions from the group with `g-w`, and added read permissions to the group with `g+r`.

Change directory permissions

My organization only wants the `researcher2` user to have access to the `drafts` directory and its contents. This means that no one other than `researcher2` should have execute permissions.

The following code demonstrates how I used Linux commands to change the permissions:

```
researcher2@5d738f0f927b:~/projects$ chmod g-x drafts
researcher2@5d738f0f927b:~/projects$ ls -la
total 32
drwxr-xr-x 3 researcher2 research_team 4096 Dec  2 15:27 .
drwxr-xr-x 3 researcher2 research_team 4096 Dec  2 15:27 ..
-r--r----- 1 researcher2 research_team  46 Dec  2 15:27 .project_x.txt
drwx----- 2 researcher2 research_team 4096 Dec  2 15:27 drafts
-rw-rw-r-- 1 researcher2 research_team  46 Dec  2 15:27 project_k.txt
-rw-r----- 1 researcher2 research_team  46 Dec  2 15:27 project_m.txt
-rw-rw-r-- 1 researcher2 research_team  46 Dec  2 15:27 project_r.txt
-rw-rw-r-- 1 researcher2 research_team  46 Dec  2 15:27 project_t.txt
researcher2@5d738f0f927b:~/projects$
```

The screenshot's first two lines show the commands I typed in, and the following lines show the second command's results. I previously determined that the group had execute permissions, so I used the `chmod` command to remove them. The `researcher2` user already had execute permissions, so they did not need to be added.

Summary

I changed multiple permissions to match the level of authorization my organization wanted for files and directories in the `projects` directory. The first step in this was using `ls -la` to check the permissions for the directory. This informed my decisions in the following steps. I then used the `chmod` command multiple times to change the permissions on files and directories.