

Computing GCSE Coursework

Thomas Bass
Candidate 4869
Centre 52423
OCR A453 Programming Project

Word Count 1397

Made with L^AT_EX
2016-2017

Summary

1 Objectives	4
1.1 Task 1	4
1.2 Task 2	4
1.3 Task 3	4
2 Test Plan	5
2.1 Task 1	5
2.2 Task 2	5
2.3 Task 3	6
3 Pseudocode	7
3.1 Task 1	7
3.2 Task 2	8
3.3 Task 3	8
4 Data Structure	9
4.1 Task 1	9
4.2 Task 2	9
4.3 Task 3	9
5 Development	10
5.1 Task 1	10
5.1.1 Objective 1: Take an input and verify that it is 8 or 7 numerical digits	10
start() Function	10
check() Function	11
5.1.2 Objective 2: Calculate the 8th check digit	12
Multiply the first 7 numbers alternately by 3,1	12
Total these results	12
Subtract this sum from its nearest highest multiple of 10	12
5.1.3 Objective 3: Compare this to the given 8th number, or complete the 7-digit number	12
park() Function	12
5.2 Task 2	13
5.2.1 Objective 1: Take an input and validate that it is 8 numerical digits	13
5.2.2 Objective 2: Connect to a SQL database and run a query	13
5.2.3 Objective 3: Collect and display the results	13
5.2.4 Objective 4: Update the database with the customer's order	14
5.2.5 Objective 5: Print a receipt	15
5.2.6 Objective 6: Cope with SQL errors	15
5.3 Task 3	16
5.3.1 Objective 1: Scan a database and find stock to order	16
5.3.2 Objective 2: Create a receipt of the order	16
5.3.3 Objective 3: Update the database with the updated stock level	16
5.3.4 Objective 4: Cope with any SQL errors	16
6 Testing	17
6.1 Task 1	17
Test 1: Input strings of incorrect length. If rejected, it passes	17
Test 2: Input strings of letters. If rejected, it passes	17
Test 3: Get program to run a valid input. Print out totals at each stage, and check them manually. If they are the same, it passes	17
Test 4: Run the program with a GTIN number taken from a product. If it correctly calculated and verified, it passes	18
6.2 Task 2	18
Test 1: Input strings of incorrect length. If rejected, it passes	18
Test 2: Input strings of letters. If rejected, it passes	18
Test 3: Input a valid string to search. If product found, it passes	18

Test 4: Manually check that the program has displayed the correct stock level and information. If it has, it passes.	19
Test 5: Order a quantity of the product. If the program updates the stock levels, it passes.	19
Test 6: Complete a full order. If the program displays a receipt with the correct values, it passes	19
Test 7: Provide the program with invalid values (such as ordering negative values). If the program rejects these, it passes.	19
6.3 Task 3	20
Test 1: Edit database for reduced stock. If reduced stock is identified, it passes . .	20
Test 2: Edit database for reduced stock. If a human-readable receipt is produced, it passes	20
Test 3: Complete order for reduced stock. If the database updated, it passes. . . .	20
Test 4: If the program handles SQL errors, it passes	20
7 Final Program Code	21
7.1 Task 1	21
7.2 Task 2	22
7.3 Task 3	23
8 Evaluation	24
8.1 Task 1	24
8.1.1 Objective 1: Take an input and verify that it is 8 or 7 numerical digits	24
8.1.2 Objective 2: Calculate the 8th check digit	24
8.1.3 Objective 3: Compare this to the given 8th number, or complete the 7-digit number	24
8.2 Task 2	24
8.2.1 Objective 1: Take an input and validate that it is 8 numerical digits	24
8.2.2 Objective 2: Connect to a SQL database and run a query	24
8.2.3 Objective 3: Collect and display the results	24
8.2.4 Objective 4: Update the database with the customer's order	24
8.2.5 Objective 5: Print a receipt	24
8.2.6 Objective 6: Cope with SQL errors	24
8.3 Task 3	24
8.3.1 Objective 1: Scan a database and find stock to order	24
8.3.2 Objective 2: Create a receipt of the order	25
8.3.3 Objective 3: Update the database with the updated stock level	25
8.3.4 Objective 4: Cope with any SQL errors	25

1 Objectives

1.1 Task 1

1. Take an input and verify that it is 8 or 7 numerical digits
2. Calculate the 8th check digit:
 - a Multiply the first 7 numbers alternately by 3,1
 - b Total these results
 - c Subtract this sum from its nearest highest multiple of 10
3. Compare this to the given 8th number, or complete the 7-digit number

1.2 Task 2

1. Take an input and validate that it is 8 numerical digits
2. Connect to a SQL database and run a query
3. Collect and display the results
4. Update the database with the customer's order
5. Print a receipt
6. Cope with SQL errors

1.3 Task 3

1. Scan a database and find stock to order
2. Create a receipt of the order
3. Update the database with the updated stock level
4. Cope with any SQL errors

2 Test Plan

2.1 Task 1

Test Number	Test Name	Test Data	Test Type
1	Input strings of incorrect length. If rejected, it passes	12345	Error
2	Input strings of incorrect length. If rejected, it passes	1234567890	Error
3	Input strings of letters. If rejected, it passes.	abcdefg	Error
4	Run a valid input. Print out totals at each stage, and manually check. If the calculations are correct, it passes.	13245627	Normal
5	Run the program with a GTIN number taken from a product. If it correctly calculated and verified, it passes.	01412871	Error

2.2 Task 2

Test Number	Test Name	Test Data	Test Type
1	Input strings of incorrect length. If rejected, it passes	12345	Error
2	Input strings of incorrect length. If rejected, it passes	1234567890	Error
3	Input strings of letters. If rejected, it passes.	abcdefg	Error
4	Input a valid string to search. If product found, it passes	11440529	Normal
5	Manually check that the program has displayed the correct stock level and information. If it does, it passes.	Stock info: 50 in stock for #11440529 (red paint 100ml)	Normal
6	Order a quantity of the product. If the program updates the stock levels, it passes.	Order 5 x QTY of #11440529 (red paint 100ml).	Normal
7	Complete a full order. If the program displays a receipt with the correct values, it passes. Expected total: £21.90 .	Test data: order 5 x QTY of #11440529 (red paint 100ml) AND 6 x QTY of #11509493 (blue paint 100ml).	Normal
8	Provide the program with a negative. If the program rejects this, it passes	-3 x QTY #11509493	Extreme
9	Provide the program with zero. If the program rejects this, it passes	0 x QTY #11509493	Error
10	Provide the program with more stock that available. If the program rejects this, it passes	100 x QTY #11509493	Extreme

2.3 Task 3

Test Number	Test Name	Test Data	Test Type
1	Edit database for reduced stock. If reduced stock is identified, it passes	Edit a stock level to -10 of stock level, print receipt	Normal
2	Edit database for reduced stock. If a valid receipt is produced it passes	Edit two stock levels to -10 of stock level, print receipt	Normal
3	Complete order for reduced stock. If the database updated, it passes	Manually check database after Test 2	Normal
4	Try SQL errors. If errors are all rejected, it passes	Force invalid SQL	Extreme

3 Pseudocode

3.1 Task 1

START

User INPUT choice for calculate or verify

IF Calculate:

Number Length is 7

 INPUT GTIN

 CALL Verify function

ELSE IF Verify:

 Number Length is 8

 INPUT GTIN

 CALL verify Function

ENDIF

ENDIF

Verify Function:

 IF GTIN length = Length AND is all numeric:

 For a loop of 7 by step of 2:

 total = total+(GTIN [counter]*3)

 IF counter =6:

 Round total UP to nearest multiple of 10

 result = roundedNumber - total

 If Length = 7:

 Print result

 ASK User to repeat

 ELSE

 If GTIN at position Length = result:

 Print GTIN is a valid number

 ASK User to repeat

 ELSE:

 Print GTIN is an invalid number

 ASK User to repeat

 ENDIF

 ELSE

 Multiply GTIN at position of counter+1 by 1 and add to total

 ENDIF

ELSE

 Print error and return to GTIN input

ENDIF

END

3.2 Task 2

```
START
User INPUT GTIN number
IF GTIN is numerical AND GTIN = 8 characters:
    Search Database for GTIN number
    IF result found:
        User INPUT quantity to order
        IF quantity > 0 AND quantity <= stock available
            PRINT receipt with total cost (cost per item * quantity ordered)
            Update Database with new stock (stock available a quantity ordered)
            User INPUT choice to order more items
            IF choice = yes:
                Add to order list and return to GTIN INPUT
            ELSE
                PRINT final receipt (order list) and end program
            ENDIF
        ELSE
            Return to Quantity INPUT
        ENDIF
    ELSE
        Return to GTIN INPUT
    ENDIF
ELSE
    Return to GTIN INPUT
ENDIF
END
```

3.3 Task 3

```
START
Connect to SQL Database
Search database:
    IF stock level < target stock level:
        RETURN results
PRINT results
APPEND results to order list
IF order complete:
    UPDATE database:
        stock level = target stock level
ELSE
    END
ENDIF
END
```


4 Data Structure

4.1 Task 1

Variable Name	Variable Description
ask	The choice whether the user wants to verify or calculate
gtin	The GTIN number used
length	The length the GTIN should be
total	The running total of all the multiplications
checkdig	The 8th digit in a verification
rounded	total Rounded up to the nearest 10
result	The 8th digit as the program calculates it
again	The choice of whether the user wants to run the program again

4.2 Task 2

Variable Name	Variable Description	Value
con and cur	Connections to SQL database	N/A
var	User Input GTIN number	User Defined
results	Fetchall results from SQL query	N/A (list)
product	Equal to results , reformatted	Equal to results
sizeName and sizeNameRaw	Variables used to format the name of the product	Name of product selected
QtyToOrder	User Input quantity ordered	User Defined
NewStockAvab	Variable used to update the SQL database with the new stock levels	Stock Available minus QtyToOrder
costOfOrder	Total cost of order	Price of product* QtyToOrder
currentOrderAddRaw and currentOrderAdd and currentOrder	Variables used to format and append the order to the entire list of order (to print receipt)	N/A

4.3 Task 3

Variable Name	Variable Description	Value
con and cur	Connections to SQL database	N/A
sql1	SQL command for finding reduced stock levels	SELECT* FROM Inventory WHERE StockAvab != Target Stock
results	Fetchall results from SQL query	N/A, List
toOrder	Value of how much stock needs to be ordered for each product	targetStock - stockAvab
sizeName and sizeNameRaw	Used to correctly format the product name	N/A
stockOrderAddRaw and stockOrderAdd and stockOrder	Used to format the list of the stock update order	N/A
orderList	Final order list	N/A

5 Development

5.1 Task 1

For all my development, the code was written in Python's IDLE, an integrated development environment which comes packaged with Python installs.

5.1.1 Objective 1: Take an input and verify that it is 8 or 7 numerical digits

start() Function

```
print('GCSE Controlled Assesment A453\nThomas Bass 4869\nTask 1')
def start():
    ask = input('Press [c] to calculate the 8th digit from 7 \nPress [v] to verify an 8 digit GTIN Number \n')
    if ask == 'c' or == 'C':
        length == 7
    elif ask == 'v' or == 'V':
        length == 8
    else:
        print('Error: Please enter either \'c\' or \'v\' ')
        start()
    check(length)
```

This function takes a user input of 'ask' to decide if the user wants to either calculate the 8th GTIN digit from 7 digits (choice c), or verify the 8th GTIN digit from 8 digits (choice v). If the choice is c, the program creates the variables `gtin` and `length`, and sets `length` to 7. It then calls the `check()` function carrying `length` with it.

If the choice is v, the program creates the variables `gtin` and `length`, and sets `length` to 8. It then calls the `check()` function carrying `length` with it.

The first revision produced syntax errors on line 4 and 6. This is because the variable has to be re-stated after an `or` condition. After this was corrected, the IDLE gave the following error:

```
Traceback (most recent call last):
  File "/Users/ThomasBass/GitHub/GSCE-Coursework-Python-GTIN/Task 1/FINAL/Task 1.py", line 44, in <module>
    start()
  File "/Users/ThomasBass/GitHub/GSCE-Coursework-Python-GTIN/Task 1/FINAL/Task 1.py", line 7, in start
    length == 7
NameError: name 'length' is not defined
```

This error was produced as the incorrect operators were used in lines 5 and 7. The IDLE interpreted the code to compare `length` to the number 7 (line 5) or 8 (line 7). These were then corrected to `length = 7` and `length = 8` respectively. The program then gave the following output:

```
RESTART: /Users/ThomasBass/GitHub/GSCE-Coursework-Python-GTIN/Task 1/FINAL/Task 1.py
GCSE Controlled Assesment A453
Thomas Bass 4869
Task 1
Press [c] to calculate the 8th digit from 7
Press [v] to verify an 8 digit GTIN Number
c
```

From the following code:

```
def start():    ## Main process
    ask = input('Press [c] to calculate the 8th GTIN Number from 7 numbers. \nPress [v] to verify an 8 digit GTIN
    if ask == 'c' or ask == 'C':
        gtin = 0
        length = 7
        check(length)
    elif ask == 'v' or ask == 'V':
        gtin = 0
        length = 8
        check(length)
    else: print('Error: Please enter either \'c\' or \'v\' ')
        start()
```

This shows that the `start()` function is working correctly

check() Function

```
def check(length):  
    print('Enter the', length, 'digit GTIN number')  
    gtin = input(':')  
    if len(gtin) == length:  
        total = 0  
    else:  
        print('Error: Only', length, 'numbers are allowed. Try again ')
```

This function prints a statement asking the user for the `length` length GTIN. It then takes the user input of `gtin`.

If the length of `gtin` is equal to `length` and `gtin.isnumeric` function is `True` (the variable is numerical) then it creates the variable `total`. Else, it prints an error message, and returns to the `check()` function.

The first revision gave a syntax error on line 4, as there was a missing colon. This was added, and the second revision ran, and rejected incorrect lengths, but allowed correct lengths including letters. The `math` Python library provides the `isnumeric` function that gives boolean `False` if the variable carried contains characters other than numerical. This was used as `if gtin.isnumeric() == True`. The program then gave the following output:

```
Enter the 7 digit GTIN number  
: abcdef  
Error: Only 7 numbers are allowed. Try again
```

The program worked and rejected invalid strings, but if the user had entered an invalid input, the program would reject it, but terminate the program. The code was then added after line 7 to call `check(length)` after an invalid input. `length` is carried so that the program does not have to re-start. The program then ran the following output:

```
Enter the 7 digit GTIN number  
: abcdef  
Error: Only 7 numbers are allowed. Try again  
Enter the 7 digit GTIN number  
: |
```

With the following code:

```
def check(length):  
    print('Enter the', length, 'digit GTIN number')  
    gtin = input(':')  
    if len(gtin) == length and gtin.isnumeric() == True:  
        total = 0  
    else:  
        print('Error: Only', length, 'numbers are allowed. Try again ')  
        check(length)
```

This shows that the program is correctly calling `check(length)`, and is working correctly.

5.1.2 Objective 2: Calculate the 8th check digit

Multiply the first 7 numbers alternately by 3,1

```
for counter in range(0, 7, 2):
    total = total + ((int(gtin[counter]))*3)
    total = total + ((int(gtin[counter+1]))*1)
```

This snippet starts a loop for the value of `counter`, which goes from 0 to 7, stepping by 2 each time. The counter could have gone 0 to 3 stepping by 1, but this would make it more complicated. The program then adds the following to `total` : integer of: `gtin` at position of `counter` multiplied by 3. It then adds to following to `total` : integer of `gtin` at position of `counter+1` multiplied by 1.

Total these results

The program simply adds all of these calculations to `total`

Subtract this sum from its nearest highest multiple of 10

```
if counter == 6:
    checkdig = int(gtin[length-1])
    rounded = (int(math.ceil(total / 10.0)) * 10)
    result = (rounded - total)
```

This snippet checks to see if the loop is on its final iteration (`counter = 6`). It then sets `checkdig` to the penultimate digit of `gtin`. It then creates the variable `rounded` and sets it to to the nearest highest multiple of 10 of `total`. It then creates the variable `result` and sets it to the result of `rounded - total`.

5.1.3 Objective 3: Compare this to the given 8th number, or complete the 7-digit number

```
if length == 7:
    print('Final Check Digit = ', result)
    print('Whole GTIN-8 Number = ', gtin,result)
    park()
else:
    if checkdig == result: print(gtin, 'is a Valid Number')
    else: print(gtin, 'is an Invalid Number')
    park()
```

In this section of code, if `length` equals 7, the program prints the final check digit (`result`), and also prints the whole calculated GTIN (`gtin` and `result`). It then calls the `park()` function. Else, if `checkdig` is equal to `result`, it prints that `gtin` is a valid number. Else, it prints that `gtin` is an invalid number.

park() Function

The `park()` function is used after a verification or calculation has been made, and allows the user to carry out more verifications or calculations without restarting the program.

```
def park():
    again = input('Do you want to calculate or verify another number? \n[n] No [y] Yes: ')
    if again == 'n' or again == 'N':
        sys.exit()
    elif again == 'y' or again == 'Y':
        start()
```

This program asks the user if they want to restart the program. If yet, it calls `start()` function, and if no it ends the program. The `sys` Python library provides the `.exit()` function to terminate the program. In IDLE it simply ends it, but when compiled into command line it will close the window.

5.2 Task 2

5.2.1 Objective 1: Take an input and validate that it is 8 numerical digits

```
def verify(con, cur, currentOrder):  
    var = input('Enter GTIN for the product you wish to purchase:\n> ')  
    if len(var) == 8 and var.isnumeric() == True:  
        findStock(con, cur, currentOrder, var)  
    else:  
        print('Enter a 8 digit number')  
        verify(con, cur, currentOrder)
```

This function takes the user input `var`. If it is 8 digits long and `var.isnumeric` function is True (the variable is numerical) , it calls `findStock` function, carrying `con` and `cur` (variables for SQL database connection), `currentOrder`, and `var`. Else, it prints an error message and returns to `verify()` function.

5.2.2 Objective 2: Connect to a SQL database and run a query

```
con = lite.connect('dbuse.db')  
cur = con.cursor()
```

This snippet uses the `sqlite3` library to connect to the database file `dbuse.db`.

```
def findStock(con, cur, currentOrder, var):  
    cur.execute('SELECT * FROM Inventory WHERE GTIN = ?', (var,))  
    results = cur.fetchall()      ## collects results from SQL  
    con.commit()
```

The `findStock()` function executes the SQL query to find the record in `Inventory` where GTIN is equal to `var`. It then sets the variable `results` to the results of this query.

5.2.3 Objective 3: Collect and display the results

```
for product in results:  
    if product[2] == '':  
        sizeName = ''  
    elif product[2] == 'Small' or product[2] == 'Medium' or product[2] == 'Large':  
        sizeName = product[2]  
    else:  
        sizeNameRaw = product[2], 'ml'  
        sizeName = ''.join(sizeNameRaw)  
    print(' Name: ', sizeName, product[1], '\n Price: ', product[3], '\n Stock Available: ', product[4])
```

This section of code formats the product name: If the product has no size, it displays the name. If it has a small/medium/large quantity, it appends that to the end. If it has a ml volume, it appends that to the front. It then prints the name of the product as product name, volume, price, stock available.

5.2.4 Objective 4: Update the database with the customer's order

```
def enterOrder(sizeName, product, var, results, currentOrder, cur, con):
    QtyToOrder = input('-----\nEnter Quantity to order:\n>')
    if QtyToOrder.isnumeric() == False:
        print('Enter a valid Number')
        enterOrder(sizeName, product, var, results, currentOrder, cur, con)
    elif int(QtyToOrder) > int(product[4]):
        print('Error: Not enough stock. Please order', product[4], 'or less')
        enterOrder(sizeName, product, var, results, currentOrder, con, cur)
    elif int(QtyToOrder) < 1:
        print('You can\'t order less than 1. Try again')
        enterOrder(sizeName, product, var, results, currentOrder, con, cur)
```

This section of `enterOrder()` function ensures that the customer can only order more than 1, and less than or equal the number of stock available.

```
else:
    print('Adding to order...')
    NewStockAvab = 0
    costOfOrder = float(product[3])*int(QtyToOrder)
    currentOrderAddRaw = str(QtyToOrder), 'x', str(sizeName), ' ', str(product[1]), ' (GTIN: ', str(product[0]), ') @ £',
    str(product[3]), ' = £', str(costOfOrder)
    currentOrderAdd = ''.join(currentOrderAddRaw)
    print('Added to order!')
    print('Updating Stock Levels...')
    QtyInt = int(QtyToOrder)
    NewStockAvab = str((int(product[4]) - QtyInt))
    sql = ("UPDATE INVENTORY SET STOCKAVAB = "+NewStockAvab+" WHERE GTIN LIKE '"+product[0]+"")
```

This section creates a verbose receipt, and makes an SQL query to update the database with the new stock levels.

When this was tested, it produced this output:

Receipt:
40 x 100ml Red Paint (GTIN: 11440529) @ £

The calculation for the final cost was broken as Python can not read over a line break. The line break in line 5 and 6 was stopping the full calculation. This was fixed:

```
else:
    print('Adding to order...')
    NewStockAvab = 0
    costOfOrder = float(product[3])*int(QtyToOrder)
    currentOrderAddRaw = str(QtyToOrder), 'x', str(sizeName), ' ', str(product[1]), ' (GTIN: ', str(product[0]), ') @ £', str(product[3]), ' = £', str(costOfOrder)
    currentOrderAdd = ''.join(currentOrderAddRaw)
    print('Added to order!')
    print('Updating Stock Levels...')
    QtyInt = int(QtyToOrder)
    NewStockAvab = str((int(product[4]) - QtyInt))
    sql = ("UPDATE INVENTORY SET STOCKAVAB = "+NewStockAvab+" WHERE GTIN LIKE '"+product[0]+"")
```

The program was then tested to give the following correct output:

Order another item? [Y/N]:
>n
Order finished!
Receipt:
50 x 100ml Red Paint (GTIN: 11440529) @ £1.99 = £99.5

5.2.5 Objective 5: Print a receipt

```
currentOrder.append(currentOrderAdd)
again = input('Order another item? [Y/N]:\n>')
if again == 'Y' or again == 'y':
    verify(con, cur, currentOrder)
if again == 'N' or again == 'n':
    print('Order finished!')
    print('Receipt:')
    for order in currentOrder:
        print(order)
```

5.2.6 Objective 6: Cope with SQL errors

```
except:
    print('Error: Inventory Update failed to commit.')
    currentOrder.append(currentOrderAdd+' [CANCELLED]')
    print('\n\nPLEASE ENTER \'!00\' TO ESCAPE ERROR\n\n')
    enterOrder(sizeName, product, var, results, currentOrder, cur, con)
```

If the user enters an invalid number, the `sqlite3` library may get confused, and may enter an error loop. To break this loop, the user has to force the library to send another invalid request to the database.

5.3 Task 3

5.3.1 Objective 1: Scan a database and find stock to order

```
def findStock(con, cur, stockOrder):  
    sql1 = 'SELECT * FROM Inventory WHERE StockAvab != TargetStock'  
    cur.execute(sql1)  
    results = cur.fetchall()  
    orderList = []
```

The `findStock()` function sends a SQL query to the database to find any record where the stock level does not equal the target stock level. It then sets the variable `results` to these results.

5.3.2 Objective 2: Create a receipt of the order

```
print('Low stock! Order', toOrder, 'x', product[1], 'more to fill stock')  
if product[2] == '':  
    sizeName = ''  
elif product[2] == 'Small' or product[2] == 'Medium' or product[2] == 'Large':  
    sizeName = product[2]  
else:  
    sizeNameRaw = product[2], 'ml'  
    sizeName = ''.join(sizeNameRaw)  
stockOrderAddRaw = str(toOrder), ' x ', str(sizeName), ' ', str(product[1]), ' (GTIN: ', str(product[0]), ' )'  
stockOrderAdd = ''.join(stockOrderAddRaw)  
stockOrder.append(stockOrderAdd)  
orderList.append(product[0])
```

This section is similar to Task 2 Objective 4, and formats a verbose name of the product, and adds it to the receipt list.

5.3.3 Objective 3: Update the database with the updated stock level

```
def updateStock(con, cur, stockOrder, toOrder, orderList):  
    ##print(orderList)  
    print('Updating Database...')  
    for productUpdate in orderList:  
        sql2 = "UPDATE INVENTORY SET STOCKAVAB = TARGETSTOCK WHERE GTIN LIKE '"+productUpdate+""  
        try:  
            cur.execute(sql2)  
            con.commit()  
            print('Complete #', productUpdate)  
        except:  
            print('An exception occurred.')
```

This function connects to the SQL database and updates the new stock levels. If it fails, it returns to the last function.

5.3.4 Objective 4: Cope with any SQL errors

```
except:  
    print('An exception occurred.')
```

There should not be any SQL errors, as the user does not input any information that is used directly in the SQL query. This also protects against SQL injection.

6 Testing

6.1 Task 1

Test 1: Input strings of incorrect length. If rejected, it passes

```
Enter the 8 digit GTIN number
: 12345
Error: Only 8 numbers are allowed. Try again
Enter the 8 digit GTIN number
: |
```

```
Enter the 8 digit GTIN number
: 1234567890
Error: Only 8 numbers are allowed. Try again
Enter the 8 digit GTIN number
: |
```

These show that the length verification is working.

Test 2: Input strings of letters. If rejected, it passes

```
Enter the 8 digit GTIN number
: abcdefg
Error: Only 8 numbers are allowed. Try again
Enter the 8 digit GTIN number
:
```

This shows that the numerical verification is working

Test 3: Get program to run a valid input. Print out totals at each stage, and check them manually. If they are the same, it passes

```
Enter the 8 digit GTIN number
: 13245627
total: 3
total: 6
total: 12
total: 16
total: 31
total: 37
total: 43
rounded: 50
13245627 is a Valid Number
```

$$1 \times 3 = 3$$

$$3 + 3 \times 1 = 6$$

$$6 + 2 \times 3 = 12$$

$$12 + 4 \times 1 = 16$$

$$16 + 5 \times 3 = 31$$

$$31 + 6 \times 1 = 37$$

$$37 + 2 \times 3 = 43$$

$$\text{Highest 10 of 43} = 50$$

$$50 - 43 = 7$$

$$\text{Checkdig} = 7$$

Test 4: Run the program with a GTIN number taken from a product. If it correctly calculated and verified, it passes



Enter the 8 digit GTIN number
:01412871
01412871 is a Valid Number

This shows that my program works in a real world situation, and can easily verify or calculate real GTIN codes.

6.2 Task 2

Test 1: Input strings of incorrect length. If rejected, it passes

Enter GTIN for the product you wish to purchase: > 12345 Enter a 8 digit number Enter GTIN for the product you wish to purchase: >	Enter GTIN for the product you wish to purchase: > 1234567890 Enter a 8 digit number Enter GTIN for the product you wish to purchase: >
--	---

From these, you can see that my length verification is working.

Test 2: Input strings of letters. If rejected, it passes

```
> abcdefg
Enter a 8 digit number
Enter GTIN for the product you wish to purchase:
>
```

From this, you can see that my numerical verification is working.

Test 3: Input a valid string to search. If product found, it passes

```
Enter GTIN for the product you wish to purchase:
> 11440529
Product Found!
Name: 100ml Red Paint
Price: 1.99
Stock Available: 50
-----
Enter Quantity to order:
>
```

The program successfully located a valid product

Test 4: Manually check that the program has displayed the correct stock level and information. If it has, it passes.

	GTIN	ProductName	Size	Price	StockAvab	TargetStock
	Filter	Filter	Filter	Filter	Filter	Filter
1	11440529	Red Paint	100	1.99	50	50

The program has displayed the correct information for product #11440529

Test 5: Order a quantity of the product. If the program updates the stock levels, it passes.

Enter Quantity to order:
>5
Adding to order...
Added to order!
Updating Stock Levels...
Updated

StockAvab
Filter
45

The program successfully ordered 5 of #11440529 and updated the database

Test 6: Complete a full order. If the program displays a receipt with the correct values, it passes

```
Order finished!
Receipt:
5 x 100ml Red Paint (GTIN: 11440529) @ £1.99 = £9.95
6 x 100ml Blue Paint (GTIN: 11509493) @ £1.99 = £11.94
```

The program successfully ordered the products, printed a receipt, and calculated the correct cost.

Test 7: Provide the program with invalid values (such as ordering negative values). If the program rejects these, it passes.

Enter Quantity to order: >-3 Enter a valid Number ----- Enter Quantity to order: >	Enter Quantity to order: >0 You can't order less than 1. Try again ----- Enter Quantity to order: >	Enter Quantity to order: >100 Error: Not enough stock. Please order 44 or less ----- Enter Quantity to order: >
---	--	--

This shows that the program rejects negative and 0 quantities, as well as quantities above the stock level.

6.3 Task 3

Test 1: Edit database for reduced stock. If reduced stock is identified, it passes

	GTIN	ProductName	Size	Price	StockAvab	TargetStock
	Filter	Filter	Filter	Filter	Filter	Filter
1	11440529	Red Paint	100	1.99	45	50

Low stock! Order 5 x Red Paint more to fill stock
Added to order form

This shows that the program can correctly identify a reduced stock

Test 2: Edit database for reduced stock. If a human-readable receipt is produced, it passes

1	11440529	Red Paint	100	1.99	45	50
2	11509493	Blue Paint	100	1.99	45	50

Low stock! Order 5 x Red Paint more to fill stock
Added to order form
Low stock! Order 5 x Blue Paint more to fill stock
Added to order form

~~~~~Stock Order Form~~~~~  
5 x 100ml Red Paint (GTIN: 11440529)  
5 x 100ml Blue Paint (GTIN: 11509493)  
Is the order complete? [Y/N]  
>

This shows that the program can correctly identify two reduced stock levels, and append them to a verbose receipt

**Test 3: Complete order for reduced stock. If the database updated, it passes.**

Is the order complete? [Y/N]  
>y  
Updating Database...  
Complete # 11440529  
Complete # 11509493

| StockAvab |
|-----------|
| Filter    |
| 50        |
| 50        |

This shows that the program can update the database with the new stock level

**Test 4: If the program handles SQL errors, it passes**

| StockAvab |
|-----------|
| Filter    |
| 50        |
| 50        |

The program does not allow the user to order any stock if all stock levels are up to date

## 7 Final Program Code

### 7.1 Task 1

```
import math
import sys
print('GCSE Controlled Assessment A453\nThomas Bass 4869\nTask 1')
def start():
    ask = input('Press [c] to calculate the 8th digit from 7\n'
               'Press [v] to verify an 8 digit GTIN Number \n')
    if ask == 'c' or ask == 'C':
        length = 7
    elif ask == 'v' or ask == 'V':
        length = 8
    else:
        print('Error: Please enter either \'c\' or \'v\' ')
        start()
    check(length)
def check(length):
    print('Enter the', length, 'digit GTIN number')
    gtin = input(': ')
    if len(gtin) == length and gtin.isnumeric() == True:
        total = 0
        for counter in range(0, 7, 2):
            total = total + ((int(gtin[counter]))*3)
        if counter == 6:
            checkdig = int(gtin[length-1])
            rounded = (int(math.ceil(total / 10.0)) * 10)
            result = (rounded - total)
            if length == 7:
                print('Final Check Digit = ', result)
                print('Whole GTIN-8 Number = ', gtin,result)
                park()
            else:
                if checkdig == result: print(gtin, 'is a Valid Number')
                else: print(gtin, 'is an Invalid Number')
                park()
        else:
            total = total + ((int(gtin[counter+1]))*1)
    else:
        print('Error: Only', length, 'numbers are allowed. Try again ')
        check(length)
def park():
    again = input('Do you want to calculate or verify another number?')
    '\n[n] No [y] Yes: ')
    if again == 'n' or again == 'N':
        sys.exit()
    elif again == 'y' or again == 'Y':
        start()
start()

## Imports Math and Sys libraries

## Defines 'start'

## Ask the user if they want to verify or calculate
## If user chooses to calculate
## 'length' is 7
## If user chooses to verify
## 'length' is 8
## else
## Error message
## Return to 'start'
## Call 'check' function
## Define 'check' function
## Ask the user to input the GTIN
## Input 'gtin'
## If the length of 'gtin' is equal to 'length' and 'gtin' is numeric
## 'total' is 0
## For 7 iterations, stepping 'counter' by 2
## 'total' is 'total' plus 'gtin' position 'counter' times 3
## If 'counter' is 6
## 'checkdig' is 'gtin' position 'length' -1
## 'rounded' is ceil of 'total' /10.0 * 10 (rounded up to multiple of 10)
## 'result' is 'rounded' - 'total'
## If 'length' is 7
## Print 'result'
## Print 'gtin'+result'
## Call 'park' function
## Else
## If 'checkdig' equals 'result': GTIN is valid
## Else: GTIN is invalid
## Call 'park' function
## Else
## 'total' is 'total' plus 'gtin' position 'counter'
## Else
## Print error message
## Call 'check' function
## Define 'park' function

## Ask the user to go again
## If No:
## Close program
## If Yes:
## Call 'start' function
## Call 'start' function
```

## 7.2 Task 2

```

__authors__ = ['Thomas Bass']
## Candidate Number 4869 | Centre Number 52423
## TASK 2
import sqlite3 as lite
import random
import math

currentOrder = []
con = lite.connect('dbuse.db')
cur = con.cursor()

def verify(con, cur, currentOrder):
    var = input('Enter GTIN for the product you wish to purchase:\n> ')
    if len(var) == 8 and var.isnumeric() == True:
        findStock(con, cur, currentOrder, var)
    else:
        print('Enter a 8 digit number')
        verify(con, cur, currentOrder)

def findStock(con, cur, currentOrder, var):
    cur.execute('SELECT * FROM Inventory WHERE GTIN = ?', (var,))
    results = cur.fetchall()
    con.commit()
    if results == []:
        print('No product found. Please try again')
        verify(con, cur, currentOrder)
    print('Product Found!')
    for product in results:
        if product[2] == '':
            sizeName = ''
        elif product[2] == 'Small' or product[2] == 'Medium' or product[2] == 'Large':
            sizeName = product[2]
        else:
            sizeNameRaw = product[2], 'ml'
            sizeName = "".join(sizeNameRaw)
        print(' Name: ', sizeName, product[1], '\n Price: ', product[3], '\n Stock Available: ', product[4])
        enterOrder(sizeName, product, var, results, currentOrder, cur, con)

def enterOrder(sizeName, product, var, results, currentOrder, cur, con):
    QtyToOrder = input('-----\nEnter Quantity to order:\n> ')
    if QtyToOrder.isnumeric() == False:
        print('Enter a valid Number')
        enterOrder(sizeName, product, var, results, currentOrder, cur, con)
    elif int(QtyToOrder) > int(product[4]):
        print('Error: Not enough stock. Please order', product[4], 'or less')
        enterOrder(sizeName, product, var, results, currentOrder, cur, con)
    elif int(QtyToOrder) < 1:
        print('You can\'t order less than 1. Try again')
        enterOrder(sizeName, product, var, results, currentOrder, cur, con)
    else:
        print('Adding to order...')
        NewStockAvab = 0
        costOfOrder = float(product[3])*int(QtyToOrder)
        currentOrderAddRaw = str(QtyToOrder), ' x ', str(sizeName), ' ', str(product[1]), ' (GTIN: ', str(product[0]), ') @ £', ## currentOrderAddRaw
        str(product[3]), ' = £', str(costOfOrder)
        currentOrderAdd = "".join(currentOrderAddRaw)
        print('Added to order!')
        print('Updating Stock Levels...')
        QtyInt = int(QtyToOrder)
        NewStockAvab = str((int(product[4]) - QtyInt)
        sql = ("UPDATE INVENTORY SET STOCKAVAB = '"+NewStockAvab+"' WHERE GTIN LIKE '"+product[0]+"") ## SQL query
        try:
            cur.execute(sql)
            con.commit()
            print('Updated')
        except:
            print('Error: Inventory Update failed to commit.')
            currentOrder.append(currentOrderAdd+' [CANCELLED]')
            print('\n\nPLEASE ENTER \'100\' TO ESCAPE ERROR\n\n')
            enterOrder(sizeName, product, var, results, currentOrder, cur, con)
            currentOrder.append(currentOrderAdd)
            again = input('Order another item? [Y/N]:\n> ')
            if again == 'Y' or again == 'y':
                verify(con, cur, currentOrder)
            if again == 'N' or again == 'n':
                print('Order finished!')
                print('Receipt:')
                for order in currentOrder:
                    print(order)

def ask(cur, con, currentOrder):
    askQuery = input('Press [s] to search for a product\'s GTIN number:\n> ')
    if askQuery == 's' or askQuery == 'S':
        verify(con, cur, currentOrder)
    else:
        print('Invalid Choice')
        ask(cur, con, currentOrder)

ask(cur, con, currentOrder)

```

## 7.3 Task 3

```

__authors__ = ['Thomas Bass']
## TASK 3 ##
import sqlite3 as lite
import random
import math
import sys
stockOrder = []
con = lite.connect('dbase.db')
cur = con.cursor()
def findStock(con, cur, stockOrder):
    sql1 = 'SELECT * FROM Inventory WHERE StockAvab != TargetStock'
    cur.execute(sql1)
    results = cur.fetchall()
    orderList = []
    if str(results):
        print('Stock is all up to date!')
        park()
    for product in results:
        toOrder = int(int(product[5]) - int(product[4]))
        print('Low stock! Order', toOrder, 'x', product[1], 'more to fill stock')
        if product[2] == '':
            sizeName = ''
        elif product[2] == 'Small' or product[2] == 'Medium' or product[2] == 'Large':
            sizeName = product[2]
        else:
            sizeNameRaw = product[2], 'ml'
            sizeName = ''.join(sizeNameRaw)
            stockOrderAddRaw = (str(toOrder), 'x', str(sizeName), ' ', str(product[1]), ' (GTIN: ', str(product[0]), ')')
            stockOrderAdd = ''.join(stockOrderAddRaw)
            stockOrder.append(stockOrderAdd)
            orderList.append(product[0])
        print('      Added to order form')
    print('\n-----Stock Order Form-----')
    for i in stockOrder:
        print(i)
    updateContinue = input('Is the order complete? [Y/N]\n>')
    if updateContinue == 'Y' or 'y':
        updateStock(con, cur, stockOrder, toOrder, orderList)
    else:
        findStock(con, cur, stockOrder)
def updateStock(con, cur, stockOrder, toOrder, orderList):
    print(orderList)
    print('Updating Database...')
    for productUpdate in orderList:
        sql2 = "UPDATE INVENTORY SET STOCKAVAB = TARGETSTOCK WHERE GTIN LIKE '"+productUpdate+"'"
        try:
            cur.execute(sql2)
            con.commit()
            print('Complete #', productUpdate)
        except:
            print('An exception occured.')
            findStock(con, cur, stockOrder)
def park():
    sys.exit()
ask = input('Press [s] to scan inventory stock levels\n> ')
if ask == 's' or ask == 'S':
    findStock(con, cur, stockOrder)
else:
    sys.exit()

```

```

## Imports libraries

## connects to .db
## connects to SQL
## Define findStock
## selects low stock from DBase
## executes
## collects
## Define orderList as array
## If results are a string
## Print stock up to date
## Call park
## For results loop
## math for how many to order
## message
## If product[2] is empty
## SizeName = ''
## Elif
## sizeName = product[2]
## Else
## sizeNameRaw = product[2] + ml
## sizeName = join sizeNameRaw ''
## creates order
## Join stockOrderAdd ''
## Append stockOrderAdd to stockOrder
## Append product[0] orderList
## Print added to order
## Print stock order form
## Print stockOrder
## prints order
## input updateContinue
## If updateContinue = 'y' 'Y'
## Call updateStock
## Else
## Call findStock

## Define updateStock
## Print order list
## Print updating database
## Loop in orderList
## SQL command
## try
## Execute SQL command
## Commit .db-journal
## Print completed number
## Exception
## Print exception error
## Call findStock

## Define stock
## Sys exit

## Ask input
## If ask = 's'

```

## 8 Evaluation

### 8.1 Task 1

#### 8.1.1 Objective 1: Take an input and verify that it is 8 or 7 numerical digits

The program correctly took an input of either 7 or 8 digits, and successfully verified the input to be of the correct length, and that it was numeric. Objective 1 has been met.

#### 8.1.2 Objective 2: Calculate the 8th check digit

The program successfully calculated the 8th check digit, as shown in the testing above. This was tested in a real-life scenario. Objective 2 has been met.

#### 8.1.3 Objective 3: Compare this to the given 8th number, or complete the 7-digit number

In all the testing, when a valid number was entered, the program correctly calculated and verified (if appropriate) the check digit. Objective 3 has been met.

### 8.2 Task 2

#### 8.2.1 Objective 1: Take an input and validate that it is 8 numerical digits

The program allowed the user to input the GTIN Number, and correctly verified that it was 8 digits. Objective 1 has been met.

#### 8.2.2 Objective 2: Connect to a SQL database and run a query

The program was tested to connect to a local SQL Database, and run a query to find the specified product. Objective 2 has been met.

#### 8.2.3 Objective 3: Collect and display the results

The program could correctly create an order form and print it in an easily readable format. Objective 3 has been met.

#### 8.2.4 Objective 4: Update the database with the customer's order

The program could successfully re-connect to the database to update the stock levels when the order was confirmed by the user. Objective 4 has been met.

#### 8.2.5 Objective 5: Print a receipt

The program can collate the cost of all the products, and calculate the total order cost and print a formatted receipt of the purchase. Objective 5 has been met.

#### 8.2.6 Objective 6: Cope with SQL errors

The program should not encounter any SQL errors in normal use, but I identified a bug during testing that caused the program to enter an error loop if a void value was given. This can be easily escaped by the user, by disconnecting from the database and reconnecting. This is a fault with the SQL version, and would be very complex to fix in my code. Objective 6 has been partially met.

### 8.3 Task 3

#### 8.3.1 Objective 1: Scan a database and find stock to order

The program can correctly scan for reduced stock levels, and add these to a stock order form. Objective 1 has been met.



**8.3.2 Objective 2: Create a receipt of the order**

The program can collect these orders and format them into a readable receipt for the user. Objective 2 has been met.

**8.3.3 Objective 3: Update the database with the updated stock level**

When tested with manually reduced stock, the program could update the stock after the order has been confirmed. Objective 3 has been met.

**8.3.4 Objective 4: Cope with any SQL errors**

There were no SQL errors, as none of the inputs used in the query are user-defined, so no errors are expected.