

MOBILE CHARGING ANIMATION

COVERED BY: FATEMEH NABIDOUST

GITHUB: <u>HTTPS://GITHUB.COM/ELECTRONIC-</u>

CODE

Source Code:

```
<!DOCTYPE html>
<html lang="en">
<head>

<title>electronic_Code</title>
</head>

<style>

*{

margin: 0;

padding: 0;

box-sizing: border-box;
}

body{

display: flex;

justify-content: center;

align-items: center;

min-height: 100vh;

color: white;
```

```
background-color: black;
.box{
    display: flex;
    justify-content: center;
    align-items: center;
    position: relative;
    width: 311px;
    height: 400px;
    flex-direction: column;
    border-radius: 23px;
    overflow: hidden;
    background: #0e0e1a;
.all-compunt{
   display: flex;
   position: relative;
    justify-content: center;
    align-items: center;
    height: 400px;
    width: 300px;
    flex-direction: column;
    background: #00001c;
    border-radius: 23px;
    overflow: hidden;
.rotat-color{
    width: 30rem;
    height: 10rem;
    background: linear-gradient(45deg,#ff006e,#6d00ff);
    position: absolute;
    animation: rotat 4s infinite ease-in-out;
@keyframes rotat{
    0%{
       transform: rotate(0deg);
    100%{
        transform: rotate(359deg);
.all-compunt .percent{
   position: relative;
   width: 183px;
   height: 183px;
```

```
display: flex;
        justify-content: center;
        align-items: center;
    .circle{
       width: 12rem;
       border-radius: 50%;
        z-index: 2;
   #number{
       position: absolute;
       font-size: 28px;
        font-family: cursive;
        font-weight: 600;
        z-index: 2;
    .bubble{
       width: 3rem;
        position: absolute;
       bottom: 5rem;
        animation: bubbleani 1s infinite ease-in-out;
   @keyframes bubbleani{
       0%,100%{
            opacity: 0;
       50%{
            opacity: 1;
    .img-charg img{
       width: 6rem;
       position: relative;
       bottom: -4rem;
</style>
<body>
   <div class="box">
       <div class="rotat-color"></div>
        <div class="all-compunt">
            <div class="percent">
                <img src="./circle.gif" alt="" class="circle">
                <div id="number">
                    0%
                </div>
```

```
</div>
            <img src="./bubble.png" alt="" class="bubble">
            <div class="img-charg">
                <img src="./charger.png" alt="">
            </div>
        </div>
    </div>
        const numb=document.querySelector("#number");
        let conter=0;
        setInterval(()=>{
            if(conter==100){
                clearInterval();
            else{
                conter+=1;
                numb.textContent=conter+"%";
        },200);
   </script>
</body>
</html>
```