

Fire & Burglar Resistant Safes

as per IS 550 (PART 1) : 2003



- Enhanced security with inner lining made of a thicker steel plate as compared to the outer.
- Automatic self-locking device gets activated if safe is attacked.



Technical Specifications


Model	External Dimension (mm)		
	Height	Width	Depth
FBR 575 (22")	575	490	493
FBR 675 (26")	680	555	550
FBR 800 (31")	790	639	640
FBR 1050 (41")	1060	785	705
FBR 1225 (48")	1230	785	705
FBR 1525 (60")	1530	785	705
FBR 1525DD (60")	1530	1044	705
FBR 2085 (82")	2085	990	840

Conversion Factor : 25.4 mm = 1" , 1 kg = 2.2 Lbs, 1mtr³ = 35.3 ft³


Fire Protection Cabinets

as per IS 14203 : 1999

CBRI Tested



Fire Protection Cabinet
for Paper Documents



Drawers Fitted on Extendable
Trolleys Suitable for
Storage of Post-dated Cheques



Built In Locker Unit
for Additional Confidentiality

- Provides ultimate safety for valued information accumulated over years
- 6 lever dual control key lock


Technical Specifications

	Outside		Weight
Height	Width	Depth	Kgs. Lbs
74"	32 1/2"	28"	-1133
1875mm	825mm	710mm	515 -

Conversion Factor : 25.4 mm = 1" , 1 kg = 2.2 Lbs, 1mtr³ = 35.3 ft³

Fire Resisting Filing Cabinets

as per IS 14561 : 2007



CBRI Tested
As per UL 72 Standard

- Double wall construction with a fire resisting compound in-between.
- Reinforced at vital places to withstand impact.

Technical Specifications

Overall Outside Dimensions in mm (inches)				Net Weight
Type	Height	Width	Depth	Kgs. (Approx)
4 Drawer	1572(61 ^{1/32})	541(21)	806(32)	375
3 Drawer	1210(47 ^{1/16})	541(21)	806(32)	280
2 Drawer	845(33)	541(21)	806(32)	185
1 Drawer	483(19)	541(21)	806(32)	97

Clear Inside Dimensions of Drawer Height: 289mm Width: 385mm Depth: 646mm
Volume per Drawer 0.072 m³ (2.54 ft³)

Conversion Factor : 25.4 mm = 1", 1 kg = 2.2 Lbs, 1mtr³ = 35.3 ft³