

Circlo Deploy

Automated deployment scripts for the Circlo project.

The installation takes about 10 minutes and is divided into 2 steps to begin:

1. Create a server and copy your server's IP address.
2. Create a domain where you want to install Circlo, then add a type **A** DNS record, **@** pointing to your server's IP address. Also add another type **A** DNS record, **** pointing to your server's IP address.

Quick Start (Remote Server)

To set up the environment (Docker, Git) and deploy the project on a clean Ubuntu/Debian server, run:

We recommend using instances with at least 4 GB of memory; for example, we tested on:

1. DigitalOcean: 4 GB Memory / 2 Intel vCPUs / 120 GB Disk
2. Hetzner: CX33 | x86 | 80 GB (8GB memory) - **we recommend**

```
curl -sSL https://raw.githubusercontent.com/elementarlabs/circlo-deploy/main/setup.sh | bash
```

This script will: 1. Update the system and install Docker & Git. 2. Clone this repository to `circlo-deploy`. 3. Generate secure random passwords for `.env`. 4. Provide instructions to start the containers.

Manual Installation

Before proceeding, ensure you have the following installed: - **Git** - **Docker** - **Docker Compose**

Installing Prerequisites (Ubuntu/Debian)

If you need to install these tools manually:

1. **Install Git:**

```
sudo apt update && sudo apt install -y git
```

2. **Install Docker & Docker Compose V2:**

```
# Add Docker's official GPG key:
sudo apt-get update
sudo apt-get install ca-certificates curl gnupg
sudo install -m 0755 -d /etc/apt/keyrings
curl -fsSL https://download.docker.com/linux/ubuntu/gpg | sudo gpg --dearmor -o /etc/apt/keyrings/d
sudo chmod a+r /etc/apt/keyrings/docker.gpg

# Add the repository to Apt sources:
echo \
  "deb [arch=$(dpkg --print-architecture) signed-by=/etc/apt/keyrings/docker.gpg] https://download.
  $(. /etc/os-release && echo "$VERSION_CODENAME") stable" | \
  sudo tee /etc/apt/sources.list.d/docker.list > /dev/null
sudo apt-get update

# Install Docker packages:
sudo apt-get install -y docker-ce docker-ce-cli containerd.io docker-buildx-plugin docker-compose-p
```

3. **Manage Docker as a non-root user (optional):**

```
sudo usermod -aG docker $USER
# Log out and log back in for changes to take effect.
```

Project Deployment

1. **Clone the repository:**

```
git clone https://github.com/elementarlabs/circlo-deploy.git
cd circlo-deploy
```

2. **Run the installation script:**

```
./install.sh
```

This script will: - Create `.env` from `.env.example` if it doesn't exist. - Generate random secrets for JWT and database passwords. - Ask for configuration (Domain, Locale, Email). - Pull images and start the stack.

Updating

To update the project to the latest version and apply migrations:

```
./update.sh
```

Management

- **View logs:** `docker compose logs -f` - **Stop the stack:** `docker compose down` - **Start the stack:** `docker compose up -d` - **Check status:** `docker compose ps`

Environment Configuration

Configuration is stored in the `.env` file. Key variables:

- `DOMAIN`: Your domain name (e.g., `example.com`). - `CERT\_MAIL`: Email for SSL certificate (Caddy). -
`LOCALE`: System language (`en`, `pl`, etc.). - `JWT\_SECRET`, `REDIS\_PASSWORD`,
`POSTGRES\_PASSWORD`, `CAP\_ADMIN\_KEY`: Generated automatically.