




MAIN ANT RECEPTABLE




RF Ccnector





MAIN ANT1 LB/MB
(GSM, TDSCDMA B34/39, B1/2/3/4/5/8/12/13/17/18/19/20/25/26/28/32/66, TDD 39)




MAIN ANT2 (B7, TDD B38/40/41, sub6:n78)




MAIN ANT4 (B1/4/66_B3_4RX)




OMH LPAMID
(B1/2/3/4/7/25/32/34/38/39/40/41/66, G1800/1900)



2G_PA




THERMISTER



SamSung
Confidential

TRANSCEIVER (SDR8150 V1.3 & V2.0)




U18039


V1.3 & V2.0

SUB ANT


SUB ANT1
(LB)




SUB ANT2
(MB, HB, GPS)




SUB ANT5
(sub6_n78_4RX)



SUB ANT3
(sub6:n78 Tx)




LTE ET Modulator




DRX_MHB_2
(B1/4/66_B3_B7/40_4RX)


DRX_LB
(B5/8/12/13/17/18/19/20/26/28_G850/900)



GPS





DRX_MHB_1
(B1/2/3/4/7/12/30/34/38/39/40/41/66_DCS/PCS)



SamSung
Confidential


SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPERTY INFORMATION THAT IS
SAMSUNG ELECTRONICS CO., LTD. PROPERTY
AND NOT BE LOANED TO OR REPRODUCED FOR OTHERS
EXCEPT AS AUTHORIZED BY SAMSUNG.

BT/WIFI





WIFI/BT/FM

SHIELDCAN




CCP METAL




3 in 2 SIM socket

Document No.	SDM855
Version	1.0
Revision	1.0
Author	SDM855
Check	SDM855
Approved	SDM855

SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPERTY INFORMATION THAT IS
SAMSUNG ELECTRONICS CO. PROPERTY.
DO NOT DISCLOSE TO OR REPRODUCE FROM
EXCEPT AS AUTHORIZED BY SAMSUNG.




OVP LS




AUX SW

NFC





SENSORS




PROXY AMBIENT


MST



6 AXIS SENSOR
(GYRO,ACCEL)



HALL_IC



MAGNETIC SENSOR






Dummy cap

Project Name	SDM855
Project ID	SDM855
Project Date	2019.08.27
Project Version	1.0
Project Author	SDM855
Project Reviewer	SDM855
Project Status	Completed


SM8150

(INTERFACE, GPIO)




SM8150

(POWER, GND)




(1nF/25V/0603/2203-006400) =

JTAG CONNECTOR
(3711-001713 / AXE612124)



CAUTION: PLACEMENT
Near to TP AP_USB_BOOT




PCB array JTAG

Engineer: user118	TITLE:
Access Ip: user118	
MAC CHG:	
QOS CTRL CHG:	
MPO SPOUT CHG:	
SDM855	


POWER (PM8150,PM8150C)

HW ID table(AMUX_2)

HW ID	BOARD VERSION	Value	Unit
00	APL SG Rompage AMUX.0	5.4K	
01	APL SG_REV1.1	5.1K	
02	APL SG_REV1.2	12.4K	
03	SM-APLREV1.1	18K	
04	SM-APLREV1.2	2.2K	
05	SM-APLREV1.3	39K	
06	SM-APLREV1.4	47K	
07	SM-APLREV1.5	50K	
08	SM-APLREV1.6	60K	
09	SM-APLREV1.7	80K	
10	SM-APLREV1.8	100K	
11	SM-APLREV1.9	120K	
12	SM-APLREV1.10	150K	
13	SM-APLREV1.11	180K	
14	SM-APLREV1.12	200K	
15	SM-APLREV1.13	240K	
16	SM-APLREV1.14	280K	
17	SM-APLREV1.15	330K	
18	SM-APLREV1.16	430K	
19	SM-APLREV1.17	560K	
20	SM-APLREV1.18	700K	
21	SM-APLREV1.19	1000K	
22	SM-APLREV1.20	1500K	
23	SM-APLREV1.21	2000K	
24	SM-APLREV1.22	3000K	





PM8150
(AP main PMIC)




PM8150C
(AP sub PMIC)

IF PMIC (MD05)




POWER & VOL KEY




MOTOR



Dummy Cap




Direct Charging



Battery Connector

CAMERA DECO




BOSS HOLE




TDMB FOR KOR

CAMERA




SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPERTY INFORMATION THAT IS
SAMSUNG ELECTRONICS' SOLE PROPERTY.
IT IS NOT TO BE REPRODUCED OR
TRANSMITTED IN ANY FORM OR BY ANY
MEANS, ELECTRONIC OR MECHANICAL,
INCLUDING PHOTOCOPYING, RECORDING,
OR BY ANY INFORMATION STORAGE
RETRIEVAL SYSTEM, WITHOUT
PERMISSION IN WRITING FROM
SAMSUNG ELECTRONICS CO., LTD.

C2C (Conn to Conn FPCB)




MAIN TO SUB PBA




FOD LDO

DISPLAY





DISPLAY PMIC



DISPLAY CONN.

Project Name	SAMSUNG ELECTRONICS
Project No.	SDM855
Rev. No.	1.0
Rev. Date	2015.15.70
Rev. Description	Initial Release

5G V2 MODEM




SDX50M BOOT Configuration

SAMSUNG
ELECTRONICS

QC V2Drawing Number:

SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS SAMSUNG'S
UNPUBLISHED INFORMATION AND IS
SAMSUNG'S PROPRIETARY INFORMATION.
IT IS NOT TO BE DISCLOSED TO ANY
THIRD PARTY WITHOUT THE WRITTEN
CONSENT OF SAMSUNG.


5G_V2_POWER




UCP11000-2

5G CP H/W ID table


HW ID	BOARD REVISION	Value	Mech
00	A90 5G REV0.0 BRING-UP	X	
01	A90 5G REV0.1	6.04K	
02	A90 5G REV0.2	9.1K	
03	SM-A908N REV0.3	12.4K	
04	SM-A908N REV0.4	18K	
05	SM-A908N REV0.5	22K	
06	SM-A908N REV0.5_PR	30K	
07		39K	
08		47K	
09		56K	
10		68K	
11		82K	
12		100K	
13		120K	
14		150K	
15		180K	
16		200K	
17		240K	
18		280K	
19		330K	
20		430K	
21		560K	
22		750K	
23		1000K	
24		1500K	



PMK8002
(5G CLK Buffer)



PMX50
(5G PMIC)




PM8005
(5G Sub PMIC)

Engineer:	SAMSUNG ELECTRONICS		
Drawn by:			
Revd CHK:	TITLE:	Size:	
DOC CTRL CHK:	QC_V1		
MFG ENGR CHK:			
QA CHK:	REV:	Drawing Number:	Page:


Changed by:	Date Changed:	Time Changed:	QA CHK:	REV:	Drawing Number:	Page:
-------------	---------------	---------------	---------	------	-----------------	-------

WARNING: CONFIDENTIAL
This document contains confidential information and is intended for internal use only. It is not to be distributed outside the organization without prior approval of the appropriate authority.

SUB6_TRCV




U13004



GRIP SENSOR


SUB6_B41+N41

UHB ANT1 (N78 TRX) - NEW




UHB LPAMID


UHB ANT2 (N78 PRX_4RX) -> M1-2




UHB ANT3 (N78 DRX_4RX) -> S3



UHB ANT4 (N78 DRX) -> Temporary S1



5G ET Modulator



T3	⊗
T4	⊗
T5	⊗
T6	□
T7	⊗

TOOL	DRILL SIZE
------	------------

T2	θ
----	----------

14	9
25	0

17	22
----	----

TOOL	DRILL S
------	---------

T2	θ
----	----------

14	9
15	10


16	1
17	2

TOOL	DRILL S
------	---------

T2	θ
----	----------


14	④
----	---

10	8
17	8



TOOL	DRILL SYMBOL
11	○
12	⊖
13	⊙
14	⊕
15	⊗
16	□
17	⊞

4.0 : A



Model :
Revision :
Manufacture Count :
Charge :
Contact :
Date :
Routing :
Resin :