


SM-A908N REV0.5

2019.07.03


- sheet01 : RF (1/2)
- sheet02 : RF (2/2), SDR8150
- sheet03 : BT/WIFI, SIM, Shield Can
- sheet04 : OVP LS, NFC, MST, SENSORS
- sheet05 : SM8150
- sheet06 : SM8150 POWER/GND, JTAG, UFS
- sheet07 : PM8150, PM8150C, IF PMIC(CC IC), Direct Charging
- sheet08 : AUDIO
- sheet09 : CAMERA , CAM PMIC
- sheet10 : C2C connector, Display
- sheet11 : SUB6 MODEM
- sheet12 : SUB6 POWER
- sheet13 : SUB6_RF

Project	
Product	
Part Code	SM-A908N
Rev. Code	0.5
Rev. Date	2019.07.03
Rev. By	user[swcad61]
Rev. Reason	Initial Release
Page	1


MAIN ANT RECEPTABLE




RF Ccnector




MAIN ANT1 LB/MB
(GSM, TDSCDMA B34/39, B1/2/3/4/5/8/12/13/17/18/19/20/25/26/28/32/66, TDD 39)



MAIN ANT2 (B7, TDD B38/40/41, sub6:n78)



MAIN ANT4 (B1/4/66_B3_4RX)




2G_PA

THERMISTER




LB LPAMID
(B5/8/12/13/17/18/19/20/26/28, G850/900)



U1003


OMH LPAMID
(B1/2/3/4/7/25/32/34/38/39/40/41/66, G1800/1900)



U1004


SamSung
Confidential

TRANSCEIVER (SDR8150 V1.3 & V2.0)




SUB ANT


SUB ANT1
(LB)




SUB ANT2
(MB, HB, GPS)




SUB ANT5
(sub6_n78_4RX)




SUB ANT3
(sub6:n78 Tx)



LTE ET Modulator




GPS




DRX_MHB_2
(B1/4/66_B3_B7/40_4RX)

DRX_LB
(B5/8/12/13/17/18/19/20/26/28_G850/900)




DRX_MHB_1
(B1/2/3/4/7/12/30/34/38/39/40/41/66_DCS/PCS)





SamSung
Confidential

BT/WIFI





CCP
METAL




3 in 2 SIM socket

```
user|swcad61|10.253.15.70|20190827-160023
```





SENSORS




PROXY AMBIENT


MST



6 AXIS SENSOR (GYRO,ACCEL)



HALL_IC






MAGNETIC SENSOR



user swcad61 10.253.15.70 20190827-160025


SM8150

(INTERFACE, GPIO)




SM8150

(POWER, GND)




(1nF/25V/0603/2203-006400) =

JTAG CONNECTOR
(3711-001713 / AXE612124)




CAUTION: PLACEMENT
Near to TP AP_USB_BOOT



PCB array JTAG


Engineer:	
Issue/118	
Issue/118	
Issue/118	
ISSUE CTR:	TITLE:
ISSUE CTR CTR:	SDM855
ISSUE/118 CTR:	





TDMB FOR KOR


CAMERA




```
user|swcad61|10.253.15.70|20190827-160031
```

SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPERTY INFORMATION THAT IS
SAMSUNG ELECTRONICS' SOLE PROPERTY.
IT IS NOT TO BE REPRODUCED OR
TRANSMITTED IN ANY FORM OR BY ANY
MEANS, ELECTRONIC OR MECHANICAL,
INCLUDING PHOTOCOPYING, RECORDING,
OR BY ANY INFORMATION STORAGE AND
RETRIEVAL SYSTEM, WITHOUT PERMISSION
IN WRITING FROM SAMSUNG ELECTRONICS
CORPORATION.

C2C (Conn to Conn FPCB)




MAIN TO SUB PBA




FOD LDO

DISPLAY





DISPLAY PMIC



DISPLAY CONN.

Project Name	SAMSUNG ELECTRONICS
Project No.	SDM855
Rev. No.	1.0
Rev. Date	2015.15.70
Rev. Description	Initial Release
Rev. Author	Initial Release
Rev. Checker	Initial Release
Rev. Approver	Initial Release

5G_V2_MODEM



SDX50M BOOT Configuration


SAMSUNG
ELECTRONICS

TITLE:	SI
QC_V1	818A

Drawing Number:	Re
-----------------	----

SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS SAMSUNG'S
UNPUBLISHED INFORMATION AND IS
SAMSUNG'S PROPRIETARY AND
CONFIDENTIAL INFORMATION. IT IS
NOT TO BE DISCLOSED TO ANY
THIRD PARTY WITHOUT THE
WRITTEN PERMISSION OF SAMSUNG.


5G_V2_POWER




UCP11000-2

5G CP H/W ID table


HW ID	BOARD REVISION	Value	Mech
00	A90 5G REV0.0 BRING UP	X	
01	A90 5G REV0.1	6.04K	
02	A90 5G REV0.2	9.1K	
03	SM-A908N REV0.3	12.4K	
04	SM-A908N REV0.4	18K	
05	SM-A908N REV0.5	22K	
06	SM-A908N REV0.5_PR	30K	
07		39K	
08		47K	
09		56K	
10		68K	
11		82K	
12		100K	
13		120K	
14		150K	
15		180K	
16		200K	
17		240K	
18		280K	
19		330K	
20		430K	
21		560K	
22		750K	
23		1000K	
24		1500K	



PMK8002
(5G CLK Buffer)



PMX50
(5G PMIC)




PM8005
(5G Sub PMIC)

5G CP H/W ID : 06

Engineer:	SAMSUNG ELECTRONICS		
Drawn by:			
Rad CHK:	TITLE:	QC_V1	Size:
DOC CTRL CHK:			
MFG ENGR CHK:			
QA CHK:	REV:	Drawing Number:	Page:


STANDARD CONFIDENTIAL
UNCLASSIFIED//FOR OFFICIAL USE ONLY
THIS DOCUMENT IS UNCLASSIFIED
DATE 08-01-2010 BY 60322 UCBAW/SJS/STP

SUB6_TRCV




U13004

GRIP SENSOR




SUB6_B41+N41

5G ET Modulator




UHB ANT1 (N78 TRX) - NEW




UHB LPAMID


UHB ANT2 (N78 PRX_4RX) -> M1-2



UHB ANT3 (N78 DRX_4RX) -> S3



UHB ANT4 (N78 DRX) -> Temporary S1



T3	⊙
T4	⊙
T5	⊙
T6	□
T7	⊙


TOOL	DRILL SIZE
T1	○
T2	⊗
T3	⊙
T4	⊛
T5	⊜
T6	□
T7	■

TOOL	DRILL SIZE
T1	Ø
T2	⊕
T3	⊗
T4	⊙
T5	⊛
T6	□
T7	■

TOOL	DRILL SIZE
T1	Ø
T2	⊗
T3	⊕
T4	⊗
T5	⊗
T6	□
T7	⊗

TOOL	DRILL SYMBOL
11	○
12	⊕
13	⊙
14	⊗
15	⊖
16	□
17	⊞

4.0 : A



Model :	
Revision :	
Manufacture Count :	
Charge :	
Contact :	
Date :	
Routing :	
Resin :	