








华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title SM6375_LPDDR4x			
Size D	Project <Doc>		Rev v1
Date: Thursday, August 25, 2022		Sheet 3 of 54	



华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title SM6375_CSI/DSI			
Size D	Project <Doc>		Rev v1
Date: Thursday, August 25, 2022		Sheet 4 of 55	





华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title		SM6375_WLAN/QLINK	
Size D	Project	<Doc>	Rev v1
Date:	Thursday, August 25, 2022	Sheet 5 of 54	




FAST_BOOT_SEL[2:0]	Boot options
0b000	UFS HS G1 → SD → eD1 (eD1 path-USB only)
0b001	UFS HS G1 → SD → eD1 (eD1 path-USB only)
0b010	SD → eD1 (eD1 path-SD then USB)
0b011	eMMC → SD → eD1 (eD1 path-USB only)
0b100	SD → eMMC → eD1 (eD1 path-USB only)
0b101	UFS HS G1 → eD1 (eD1 path-USB only)
0b110	UFS HS G1 → SD → eD1 (eD1 path-USB only)
0b111	eMMC → eD1 (eD1 path-USB only)

Date: Thursday, August 25, 2022 Sheet 6 of 55





SM6375_PWR3



华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title SM6375_PWR3			
Size D	Project <Doc>		Rev V1
Date: Thursday, August 25, 2022		Sheet 9 of 54	




华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title		SM6375_GND	
Size	Project	<Doc>	Rev
D			v1
Date: Thursday, August 25, 2022		Sheet 10 of 54	

[illegible]


Title	PM6375_BUCKS
-------	--------------


Date: Thursday, August 25, 2022	Sheet 13 of 55
---------------------------------	----------------

PM6375 LDO




华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title PM6375_LDOS			
Size D	Project <Doc>	Rev v1	
Date: Thursday, August 25, 2022	Sheet 14 of 55		






Flash LED Driver

国内: 贴R1706, LED1701, ANT NC; 国际: R1706 NC, LED1701 NC, ANT1761/1764上件



Flash下方地要完整且足够大，散热一定要好

OLED Driver



华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title 17.LCM_BIAS/Flash DRIVER			
Size D	Project <Doc>		Rev v1
Date: Thursday, August 25, 2022		Sheet 17 of 55	

The image displays four circuit diagrams, each representing a different method of connecting a thermistor (NTC) to a microcontroller (MCU) for temperature sensing.

- SM3675 THERM:** Shows an NTC1821 thermistor connected to the NTC pin of the MCP9208F104F08RL MCU. The other end of the thermistor is connected to a red arrow labeled [T2] CPU_THERM, indicating a connection to the CPU's temperature sensor.
- 板温 (Board Temperature):** Shows an NTC1822 thermistor connected to the NTC pin of the MCP9208F104F08RL MCU. The other end is connected to a red arrow labeled QUIET_THERM [T2], indicating a connection to a quiet temperature sensor.
- PA_THERM:** Shows an NTC1823 thermistor connected to the NTC pin of the MCP9208F104F08RL MCU. The other end is connected to a red arrow labeled PA_THERM [T2], indicating a connection to a power amplifier temperature sensor.
- CAM_FLASH_THERM:** Shows an NTC1824 thermistor connected to the NTC pin of the MCP9208F104F08RL MCU. The other end is connected to a red arrow labeled CAM_FLASH_THERM [T2], indicating a connection to a camera flash temperature sensor.

In all diagrams, the thermistor is connected to the NTC pin of the MCP9208F104F08RL MCU, and the other end is connected to a specific temperature sensor input.

[illegible]

华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title Thermal_NTC			
Size D	Project <Doc>		Rev V1
Date: Thursday, August 25, 2022		Sheet 18 of 54	

PCB layout showing various power supply regulators and their connections. The regulators are labeled as follows:

- CAMERA LDO
- TSP POWER LDO_3.3V
- VIB LDO_3V
- FingerPrint LDO_3V
- CAM AFVDD LDO_2.8V
- CAM DOVDD 1.8V
- OLED VCI 3V
- UW 8M DVDD 1.2V


The layout includes detailed circuit diagrams for each regulator, showing input/output pins, capacitors, and ground connections. A table is present in the bottom right corner:

Rev	Doc
v1	


Title	Power_External
-------	----------------

Date: Thursday, August 25, 2022	Sheet 19 of 55
---------------------------------	----------------


BATTERY CONNECTOR



PD协议




SW Charger



序号	型号	120 4220000
一		
二		

Slaver_Charger



R2108可NC,地址需更改为0x66

序号	型号	120 4220000
一		
二		


华勤通讯 Huaqin Telecom Technology Com.,Ltd

Title
Slaver_Charger_BQ25892


Size D Project <Doc> Rev V1

Date: Thursday, August 25, 2022 Sheet 21 of 54


UFS2.2+LPDDR4x




华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title 22_Memory_uMCP			
Size	Project	M17_MB_V0.1	
E			Rev v1
Date:	Thursday, August 25, 2022	Sheet	22 of 55




Earphone Microphone



Sub MIC




SPEAKER PA




序号	型号	说明
一	21A12015	503 503 Pin connected to VDD
二		

RECIVER



华勤通讯 Huaqin Telecom Technology Com.,Ltd		
Title EARPHONE/MIC/RCV/SPK		
Size D	Project <Doc>	Rev v1
Date: Thursday, August 25, 2022		Sheet 24 of 55


eCOMPASS




M-Sensor

厂家	INC ADDRESS
AKO191BC	

A + Gyro sensor



光距感



供号	型号	IPC ADDRESS
一供	TS121223	0x39
二供		


华勤通讯 Huaqin Telecom Technology Com.,Ltd

Title	SENSOR_RGB
-------	------------

Size D	Project <Doc>	Rev v1
-----------	----------------------	-----------


Date: Thursday, August 25, 2022 Sheet 25 of 55

Finger Print




华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title FP/KEY			
Size D	Project <Doc>		Rev v1
Date: Thursday, August 25, 2022		Sheet 26 of 55	

Main MONO Camera 50M




独供: BAF92-30073-0508

广角UW 8M; 兼容2M景深



独供: BB2R4-24KBJ03

微距 Camera 2M



独供: BB2R4-24KBJ03

华勤通讯 Huaqin Telecom Technology Com.,Ltd		
Title REAR_CAM		
Size D	Project <Doc>	Rev v1
Date: Thursday, August 25, 2022	Sheet 27 of 54	



Note: 1. 此为connector朝上
2. connector与Lens同侧

Title:


FRONT_CAM

Size	Project	Rev
D	<Doc>	v1

Date: Thursday, August 25, 2022 Sheet 28 of 54


华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title NC			
Size D	Project <Doc>		Rev v1
Date: Thursday, August 25, 2022		Sheet 29 of 55	

SIM_SD_CONN



华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title SIM_VIB_AudioJack_CONN			
Size D	Project <Doc>	Rev v1	
Date: Thursday, August 25, 2022		Sheet 30 of 54	

OLED/LINK



华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title 31.LINK			
Size D	Project <Doc>		Rev v1
Date: Thursday, August 25, 2022		Sheet 31 of 55	


VCHG




VBAT TEST POINT



KEYPAD







Force USB boot



UART




JTAG




华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title 32.TEST_POINT/SHIELD			
Size D	Project <Doc>		Rev V1
Date: Thursday, August 25, 2022		Sheet 32 of	55

RF NFC




NFC 匹配位置 精度要求5%



华勤通讯 Huaqin Telecom Technology Com.,Ltd		
Title RF_NFC		
Size E	Project <Doc>	Rev v1
Date: Thursday, August 25, 2022		Sheet 33 of 55


SAR_sensor



Design notice:

- 1) CS0_1 nets are differential pairs;
- 2) The width for each line, should be less than 0.1mm;
- 3) 0.2mm should be guaranteed between the ground and differential pairs;
- 4) And also, the distance between the differential line should be more than 0.2mm;
- 5) All the CSx nets should be protected by surrounding GND;

华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title SAR_sensor			
Size D	Project <Doc>		Rev v1
Date: Thursday, August 25, 2022		Sheet 34 of 55	




Title	SDR735_PWR
-------	------------


Size D	Project <Doc>	Rev v1
-----------	----------------------	-----------


Date: Thursday, August 25, 2022	Sheet 36 of 55
---------------------------------	----------------

SDR735 GND




华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title		SDR735_GND	
Size D	Project	<Doc>	Rev v1
Date: Thursday, August 25, 2022		Sheet 37 of 55	







SP4T FOR B7 B40 B41 TRX




SP2T FOR B12/B13 TX 5GPA




SP2T FOR B12B17 ENDC




SP2T FOR B28 TX



SP2T FOR B28N71 TX




SP2T FOR B8 TX




CO-PAD FOR CN/IN

SP2T FOR B20_5GPA




CO-PAD FOR CN

SP2T FOR B26 (B5B18B19W6) TX



SP2T FOR B28N71 ANT TO TXM



华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title NC_FBRX			
Size E	Project	<Doc>	Rev v1
Date: Thursday, August 25, 2022	Sheet	41 of	55

RR88643-21E_MMMB PA_MB ENDC

PCB layout diagram showing various components and connections. Key components include:

- MMMB** (Microcontroller)
- B2 TRX**, **B12 TX**, **B1 TX**, **B3 TX**, **B66 TX**, **B39 TX**, **B41 TRX**, **B40 TRX**, **B7 TX** (Transmit blocks)
- B8 TX**, **B26 TX**, **B28 ENDC TX**, **B20 TX OK**, **PA IN_LB**, **PA IN_MB**, **PA IN_LB**, **PA IN_MB**, **B38/40/41 PRX MIMO** (Receive blocks)
- CO-PAD** (Component)
- OK** (Status indicator)
- 线宽要求: 1.5mm** (Line width requirement: 1.5mm)


Legend:

- Size E**
- Project**
- Rev v1**
- Date:** Thursday, August 25, 2022
- Sheet** 42 of 55



Title	MMMB PA_MB ENDC
-------	-----------------

Size E	Project <Doc>	Rev v1
-----------	----------------------	-----------


Date: Thursday, August 25, 2022 Sheet 42 of 55




ANT1 (LB_MHB_P) to 小板



ANT2 (MHB_PM/N77_PRX_MIMO)




ANT3 (N77_PRX)




华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title			
ANT_P_PM			
Size	Project	Rev	
E	<Doc>	v1	
Date: Thursday, August 25, 2022		Sheet	44 of 55


ANT4 (LB_MHB_P)




ANT5 (MHB_DM/N77_D)



ANT6 (N77_DM_HB_DRX) to 小板




接地弹片




华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title			
ANT_D_DM			
Size	Project	Rev	
E	<Doc>	v1	
Date:	Thursday, August 25, 2022	Sheet	45 of 55


TO ANT1&ANT4



TO ANT4






华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title			
common-dip-saw			
Size	Project	<Doc>	Rev
E			v1
Date: Thursday, August 25, 2022		Sheet	46 of 55



华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title QFE5100			
Size D	Project <Doc>		Rev v1
Date: Thursday, August 25, 2022		Sheet 47 of 55	

WCN3988



华勤通讯 Huaqin Telecom Technology Com.,Ltd

Title	WCN3988
-------	---------



Size D	Project
-----------	---------

<Doc>

Date: Thursday, August 25, 2022


Sheet 48 of 55

ANT7 WiFi 2.4G & 5G_GPS










华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title GPS/WIFI_2.4G_5G/BT			
Size D	Project <Doc>		Rev v1
Date: Thursday, August 25, 2022		Sheet 49 of 55	


PRX_QLN5030_LNA BANK




華勤通訊 Huaqin Telecom Technology Co., Ltd			
Title 4/5G MHB_PA_Phase5N			
Size	Project Custom	<Doc>	Rev v1
Date: Thursday, August 25, 2022		Sheet 50 of 55	




DRX_QLN5030_LNA BANK



DRX_SFMRATOL001_DIFIM




SP2T FOR B26N71 DRX




华勤通讯 Ruagin Telecom Technology Com.,Ltd			
Title			
MXD98E2DA_VC3725			
Size	Project	Rev	
Custom	<Doc>	v1	
Date:	Thursday, August 25, 2022	Sheet	52 of 55

DRX_MIMO




华勤通讯 Ruagin Telecom Technology Com.,Ltd			
Title			
MXD98E2DA_VC3725			
Size	Project	Rev	
Custom	<Doc>	v1	
Date:	Thursday, August 25, 2022	Sheet	53 of 55


N77/78_TRX0_VC7537M



华勤通讯 Huaqin Telecom Technology Com.,Ltd		
Title N77/78_TRX0_VC7530M		
Size D	Project <Doc>	Rev v1
Date: Thursday, August 25, 2022		Sheet 54 of 55



VC1624_SP4T FOR FBRX



华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title			
VC3726			
Size	Project	<Doc>	Rev
E			v1
Date:	Thursday, August 25, 2022	Sheet	55 of 55