

SCHEMATIC,MAIN,88007_1_13M14

Title: 001.88007_1_13M14		Rev: V01
DOCUMENT NO: 88007_1_13M14_014_V01		Date: Current
CONTRACT: 00	DESIGNER: Fenghuang	
		
Sheet: Main, Number 01, 001	Sheet	1 of 01

Revision History

REV	DESCRIPTION
A	

Board Change History


SCHEMATIC MCN	HW VERSION	REVISION	DESCRIPTION OF CHANGE

REV. REVISION HISTORY2		REV. VER
DOCUMENT NO.	HWV_L_00004_0102_000	Rev. Count
DATE/REV	00	DESCRIPTION: Page length
		
Rev. No.	Rev. Number 01, 001	Sheet 2 of 00



BLOCK DIAGRAM

BLOCK DIAGRAM		REV: V01
DOCUMENT NO:	MMW_L_C094L_V01_000	Rev: Custom
COMPONENT:	00	ADDRESS: Register
		
Rev:	Rev: Rev: Rev: 01, 02, 03	Rev: 1 of 01

- into two lanes:
- The interface is configured as 2-lane plus 1-lane interfaces:
- The interface is configured as 1-lane plus 1-lane interfaces:







10











PM6350 FTS Bucks

PM6150A FTS Bucks


For LP4x VDD2



SM6350_Power Capacitor



Doc No.	009.0000776_Power Capacitor	Rev.	V10
Document No.	00000000_00000000_00000000	Rev.	Custom
Author/Rev:	00	00000000:	00000000
WINGTECH			
Doc No.	00000000_00000000_00000000	Rev.	00



Place Cin as close to PMIC as possible to achieve this requirement.
Loop inductance from (VIN_Sx to Cin + Cin to GND_Sx) must be < 3nH

VREG_S1A is REMOTE diff sense,
VREG_Sx & RMT_GND_Sx should be routed as a differential pair
Do not route VREG_Sx & RMT_GND_Sx near VIN_Sx
Do not route VREG_Sx & RMT_GND_Sx near VSW_Sx unless separated by ground shield

VREG_S2A is REMOTE diff sense,

VREG_Sx & RMT_GND_Sx should be routed as a differential pair
Do not route VREG_Sx & RMT_GND_Sx near VIN_Sx
Do not route VREG_Sx & RMT_GND_Sx near VSW_Sx unless separated by ground shield

VREG_S3A is REMOTE diff sense,
VREG_Sx & RMT_GND_Sx should be routed as a differential pair
Do not route VREG_Sx & RMT_GND_Sx near VIN_Sx
Do not route VREG_Sx & RMT_GND_Sx near VSW_Sx unless separated by ground shield


VREG_S4A is REMOTE diff sense,
VREG_Sx & RMT_GND_Sx should be routed as a differential pair
Do not route VREG_Sx & RMT_GND_Sx near VIN_Sx
Do not route VREG_Sx & RMT_GND_Sx near VSW_Sx unless separated by ground shield

S1A-2A:	FTS510	0.8V default	8000mA lpeak	8110.00mA	APC
S3A-4A:	FTS510	0.8V default	8000mA lpeak	8480mA	CX, MODEM
S5A:	HFS510	0.912V default	4000mA lpeak	3620.00mA	EBI, MX, nLDO
S6A:	HFS510	1.352V default	2000mA lpeak	1560mA	LDO
S7A:	HFS510	2.04V default	2500mA lpeak	2350mA	LDO
S8A:	FTS510	1.128V default	4000mA lpeak	1790mA	LDO, LPDDR4x

PM6115_Bucks_S1-S4

Doc No.	016.PMIC_PM6375_BUCKS1-S4	Rev.	V10
Doc Description:	PM6375_V10M1_V10M1_V10M1	Rev.	Current
Doc Owner:	MS	Doc Date:	2020/01/10
Doc No.	016.PMIC_PM6375_BUCKS1-S4	Rev.	V10

LDO Input Rail	Parent Buck	Max Current
VDD_L1_L7_L17_L18	VREG_S6	1.13
VDD_L2_L3_L4	VREG_S8	0.816
VDD_L5_L15_L19_L20_L21_L22	Ext Boost Byp	1.38
VDD_L6_L8	VREG_S5	0.906
VDD_L9_L11	VREG_S7	1.01
VDD_L10_L13_L14	VREG_S7	1.08
VDD_L12_L16	VREG_S7	0.270
VDD_L23_L24	Ext Boost Byp	1.161



Note: Place LDO input caps near to PMIC

LDO Type	Source V	default (est)	Target Pin#
L1 N600	S6A	1.2V (625)	QLN,SDR 1,2 61
L2 N300	S8A	1V (320)	SDR VDD 1,0V 63
L3 N600	S8A	1V (370)	SDR VDD 1,0V 64
L4 N300	S8A	0.928V (126)	QLINK, EBI, MIPI 39
L5 MVP50	VPH	2.96V (22)	PX 113
L6 N1200	S5A	0.624V (1040)	VDDQ, EBI 9
L7 N600	S6A	0.928V (54.2)	USB 49
L8 N300	S5A	0.664V (81)	CX 33
L9 LVP600	S7A	1.8V (754)	Sensors, WCD, TMD, PMI, MSM, QET 43
L10 LVP150	S7A	1.8V (100)	QFPROM, USB, UFS, PX 81
L11 LVP600	S7A	1.8V (925)	EMMC/VCCQ 45
L12 LVP300	S7A	1.8V (121)	OV, USB, REDRIVER 69
L13 LVP300	S7A	1.8V (204)	QPM 1.8V, BBRX, GPS 105
L14 LVP600	S7A	1.8V (650)	WCD Buck 94,93
L15 MVP150	VPH	3.128V (5.28)	USB 3.1V, DP PHY 114
L16 LVP150	S7A	1.8V (92.5)	WCSS, WCN_XO 93
L17 N300	S6A	1.304V (246)	WCN, WCSS, ADX, DAC 38
L18 N300	S6A	1.232V (133)	MIPI, VDDPX 37
L19 MVP150	VPH/BB	1.8V (60.2)	Memory, SN100, PX 126
L20 MVP150	VPH/BB	1.8V (60.2)	Memory, SN100, PX 138
L21 MVP600	VPH/BB	2.704V (0.68)	QAT, DFE, RTC, QSW 136
L22 MVP600	VPH/BB	2.96V (800)	MMC 137
L23 MVP600	VPH/BB	3.304V (591)	WCN 3.3V 41
L24 MVP600	VPH/BB	2.96V (1170)	EMMC 31


LDO L5/L9/L10/L11/L12/L13/L14/L15/L16/L19/L20/L21/L22/L23/L24 is the Pseudo-capless LDO, so can dni CAP in BOM

PSEUDO CAPLESS LDOs
P-type are psuedo-capless, cap can be at load
For CAPLESS LDOs: If decaps on the load side do not
add up to LDO spec, then install the cap close to the PMIC

B16.PM6376_LDO6		REV: V03
DOCUMENT NO:	B16_P_M6376_L116_V03	Rev: Custom
DESCRIPTION:	NO	DESCRIPTION: Negative
Date: Pending, December 15, 2021		Draw: 16 of 48

Route XTAL IN/OUT trace with length between 3mm and 10mm

Trace from pin to cap and ONE dedicated via from cap to main ground plane.
DCR < 200mOhm and ESL < 10nH
Do NOT connect to any other ground.




GND_XOADC
Skinny trace to XTAL components ground.
One dedicated via to main ground plane as close to PMIC pin as possible

Critical Layout Guidelines for Clocks (goPmicLayoutChecklist)


Coupling to any RFCLK or LNBCLK output from each aggressor should be < 50 fF.

1. SMPS components (Buck, Boost, Charger)
2. VSW_Sx traces (Buck, Boost, Charger)
3. All other RFCLK, LNBCLK
4. Any high speed digital signal
5. Any other noisy signals





Place near Flash LED and 108M CAM



TAXID: 019.PM6375_HK_IO		REV: V10
DOCUMENT NO.: 88827_1_03M14_5115_1620		Size: Custom
CONTRACT: 92	DESIGNER: Mingnola	
		
Company: Mingnola Structures, LLC, 3801		Sheet: 16 of 16



Main AVDD 2P8






CAM MAIN DVDD/1P1 1000MA




$$\text{out} = (1 + R_{2902}/R_{2904}) * 0.5V = 1.1V$$

Front/Ultra CAM AVDD



Title: 629.CAM eLDOs		REV: V11
DOCUMENT NO.: 66607_1_13M14_1116_1626		Sta: Cur
DEPARTMENT: 66	DESIGNER: Ngiragwa	
NEWINGTECH		
Date: Monday, November 25, 2012		Sheet: 06 of 06



PMK8003_CLK

630-PMK8003-00000000-00000000		Rev: 1.0
00000000-00	PMK8003-00000000-00000000	Rev: 1.0
00000000	00000000	Rev: 1.0
630-PMK8003-00000000-00000000		Rev: 1.0

MEMORY/STORAGE_uMCP: POWER_GND

--- BSMEMORY_STORAGE_uMCP_POWER_VIO	
DOCUMENT NO:	BSMCP_1_STORAGE_VIO_VIO
DATE:	2023-11-15
STATUS:	OK
REMARKS:	OK
LIVINGTECH	
DATE: 2023-11-15	Sheet 14 of 14

035_Master Charger_SYV69		REV: V10
DOCUMENT NO.: 80007_1_13M14_1115_0620		Size: D
DEPARTMENT: 88	DESIGNER: Ningqiu	
WINGTECH		
DATE: Monday, November 15, 2021	Sheet	55 of 66

100.Customer_RFI

LTR		REVISIONS	
DESCRIPTION		DATE	APPROVED
A	INITIAL RELEASE		

File: 100.Customer_RFI

REV: V10

DOCUMENT NO: 00001_1000_1110_100

Rev: Custom

COMPONENT: 000010000000

REVISION: 00000000 - 00000000




Rev: 00000000 10.000000


Sheet 00 of 00

VERSION	1	EDITED BY	LAST_EDITOR	LAST EDIT DATE	2-23-2007_10:06
---------	---	-----------	-------------	----------------	-----------------


FOR SPK




AW88261: C6642 =22nf, C6639=1.0uf, R6624 NF, R6616 NF, R6617 NF,
AW882639: C6642 NF, C6639 NF, R6624=0R, R6616=4.7K, R6617=4.7K,




FOR REC



AW88261: C6641 =22nf, C6640=1.0uf, R6625 NF, R6622 NF, R6623 NF,
AW882638: C6641 NF, C6640 NF, R6625=0R, R6622=4.7K, R6623=4.7K,



File:	066_SPK	Rev:	V10
DOCUMENT NO.:	066_SPK_V10_000	Date:	Custom
DATE/REVISED:	00	DESIGNED:	Wingtech
Drawn:	Wingtech	Drawn:	Wingtech




067_RECEIVER		REV: V10
DOCUMENT NO.: 067_RECEIVER_V10_V10	Rev: Custom	
DATE: 01	DESIGNED: Hengshu	
		
Drawn: Hengshu, November 12, 2021	Sheet: 27	of 48




[illegible]

FILE#	068_MIC	REV#	V10
DOCUMENT NO.:	88887_1_128114_1118_5620	Size	Custom
DEPARTMENT:	06	DESIGNER:	Ningdehua
WINGTEC			
Date:	Monday, November 15, 2021	Sheet	06 of 04

69_Earphone




B6901/6903 use SZ1005K102CTF-XM
Bead;1000ohm;200mA;0.8ohm;0603;0.95mm




Title: 069_EARPHONE		REV: V10
DOCUMENT NO.: 00007_130M14_110_0020		Size: Custom
DEPARTMENT: 00	DESIGNER: Ninghua	
WINGTEC		
Date: Monday, November 15, 2021	Sheet 09 of 04	

070_Battery/Sidekey


BATTERY SLAVER CONNECTOR




BATTERY MASTER CONNECTOR



BAT I2C




POWER KEY /VOL KEY





FORCE DOWNLOAD


FILE#	070_BATTERY/SIDESKY	REV#	V10	
DOCUMENT NO.:	00007_1_13M14_1115_1620		Size	Custom
DEPARTMENT:	00	DESIGNER:	Mingteck	
				
Date:	Monday, November 15, 2021		Sheet	70 of 64




072_LCD/CTP IF



LCD-BACKLIGHT& Gate Drive




Main LCM CMF




Main LCM


Reserve for TSP



Reserve for VCI




Reserve for TP




072_LCD/CTP/F		REV: V10
DOCUMENT NO.: 88887_1_2014_1115_1020		Size: Custom
COMPONENT: 00	DESIGNER: Mingwei	
WINGTECH		
Date: Monday, November 15, 2021	Sheet	72 of 68

073_Smart Cap Divider Charger




073_SLAVE_CHARGER_SCHEMATIC	
DOCUMENT NO.	073_SLAVE_CHARGER_SCHEMATIC
DATE	2023-12-01
DESIGNED BY	Wingtech
REVIEWED BY	Wingtech
DATE	2023-12-01
REV	1.0


41_CAMERA IF Main Camera 108M




Wide Camera 8M



Front Camera 16M




Macro Camera 2M



FILE	076_CAMERA IF	REV	V10
DOCUMENT NO.	076F_CAMERA_1101_1000	Rev	Current
DATE/REV	01	DESCRIPTION	Wingtech
Drawn	Shanghai, November 12, 2021	Sheet	70 of 80

Flash LED


[illegible][illegible][illegible]

U.S.A.	078_LEDFlashVibrator	REV: V10
DOCUMENT NO.:	00007_1_030114_1115_1020	Size Custom
DEPARTMENT:	00	DESIGNER: Nigroline
WINGTEC		
Calcutta	Monday, November 15, 2021	Sheet 70 of 64


Title	000_FingerPrint	REV: V10
DOCUMENT NO.:	00007_E_13M14_1116_0020	Size Custom
DEPARTMENT:	00	DESIGNER: Nergines
Date:	Monday, November 15, 2021	Sheet 80 of 84

082_SENSORS


M-SENSOR



FRONT ALS SENSOR




Accerometer + Gyro Sensor Optional



- depending on the connection of the INT1 pin when the device is powered up:
- INT1 pin floating (internal pull-down): I2C/MIPI I3CSM both active, see Figure 13
 - INT1 pin connected to VDD_IO: only MIPI I3CSM active, see Figure 14

SAR SENSOR




India & China SKU SAR SENSOR not SMT




Default SMT R8221

Doc No.	082_SENSORS	Rev.	V10
Doc/Rev ID:	082F_1000M_1101_0000	Doc.	Custom
DATE/REV:	00	DESIGNED:	Wingtech
Drawn	00	Drawn	00


084_SIM/SD IF



T_Card



DETECT



NAME: _____	
DATE: _____	CLASS: _____
BY: _____	NO. _____

HIGH when Tray inserted

00174	004_SM/SD F	REV: V10
DOCUMENT NO.:	00007_1_10014_1115_1020	Size Customer
DEPARTMENT:	00	DESIGNER: Nigulova
		
Date:	Monday, November 15, 2021	Sheet 04 of 04


SIDEKEY




9008 DOWNLOAD



USB




Battery




UART




JTAG




MARK/Shield/Lable/PCB




Hole



HW_ID Version




Board ID




006_Testpoint/Shielding/GND		REV: V10
DOCUMENT NO.: 00007_1_00014_1115_1020	Size Custom	
DEPARTMENT: 00	DESIGNER: Ningbo	
		
Date: Monday, November 15, 2021	Sheet 06 of 04	


087_Sub PCB IF / USB IF



AUDIO CAP




USB IF



File#	067_Sub PCB F / USB F	REV: V10
DOCUMENT NO.:	00007_1_130114_1115_1620	Size Custom
DEPARTMENT:	SS	DESIGNER: Ninghua
		
Date:	Monday, November 15, 2021	Sheet 87 of 88

101.RF_Block




REVISIONS			
LTR	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE		

Title	101_RF_Block		REV	V00
DOCUMENT NO.	00007_1_100104_1110_0000		Size	Customer
COMPANY	WINGTECH KA		DESIGNER	Xiao Wei
				
Date	Monday, November 15, 2021		Sheet	101 of 104

VERSION	EDITED BY	LAST EDIT DATE
1	LAST_EDITOR	2-23-2007_10:08

102.RF_Transceiver_SDR735 WMSS




REVISIONS			
LTR	DESCRIPTION	DATE	APPROVED

Title: 162.RF_Transceiver_SDR735 WMS		REV: V01
DOCUMENT NO.: 88807_1_13M14_910_600		Size: Custom
COMPONENT = WINGTECH-SA		CRONOME = Kue Wild
		
Date: Monday, November 15, 2021	Sheet: 102 of 112	

VERSION	EDITED BY	LAST EDIT DATE
1	LAST_EDITOR	2-23-2007_10:08

103.RF_Transceiver_SDR735_TRX



REVISIONS			
LTR	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE		



Title: 103.RF_Transceiver_SDR735_TRX		REV: V10
DOCUMENT NO.: 00002_1_C0M14_V110_0020		Size: Custom
COMPANY: WINGTECH-XX		DESIGNER: Xia W01
		
Date: Monday, November 15, 2021	Sheet: 103 of 158	


VERSION	1	EDITED BY	LAST_EDITOR	LAST EDIT DATE	2-23-2007_10:08
---------	---	-----------	-------------	----------------	-----------------

105.RF_Transceiver_SDR735_GND



File: 105.RF_Transceiver_SDR735_GND		Rev: V10
Document ID: 8007_1309A_V10_103		Rev: D
Department: WINGTECH-BA		Designer: Xun Wei
Date: Monday, November 15, 2021		Sheet: 105 of 106

106.RF_Transceiver_SDR735_Power



VDDAL Max current (mA)	VDDAM Max current (mA)		
VDDAL_DiG0 115.2mA	VDDAM_RX_E 27.6mA		
VDDAL_DiG_1 28.8mA	VDDAM_RX_C 56.4mA		
VDDAL_DiG_2 19.2mA	VDDAM_RX_D 54mA	VDD_CX Max current (mA)	
VDDAL_DiG_XO 14.4mA	VDDAM_RX_A 120mA	VDD_C 316.45mA	
VDDAL_GPS_L1 26.4mA	VDDAM_RX_B 56.76mA	VDD_CX 316.45mA	VDDAH Max current (mA)
VDDAL_GPS_L5 26.4mA	VDDAM_FBRX 32.4mA	Total (mA)632.9mA	VDDAH_0 10.8mA
VDDAL_ICOM 6mA	VDDAM_RX0 126mA	VDD_PHY/IMX Max current (mA)	VDDAH_FBRX 12mA
VDDAL_RX0 60mA	VDDAM_RX1 126mA	VDD_MX 32.4mA	VDDAH_1 20.4mA
VDDAL_RX1 84mA	VDDAM_RX2 126mA	VDDMX_TX 24mA	VDDAH_TX0 40.2mA
VDDAL_RX2 60mA	VDDAM_RX_0 60mA	VDD_PHY 90mA	VDDAH_TX1 40.2mA
VDDAL_RX 6mA	VDDAM_RX_1 84mA	Total (mA)137mA	VDDAH_TX0_1 24mA
VDDAL_TX0_1 78.32mA	VDDAM_TX0_1 54.6mA	VDD_PX/PMX Max current (mA)	VDDAH_TX1_1 24mA
VDDAL_TX1_1 62.72mA	VDDAM_TX1_1 36mA	VDD_PX 3.6mA	Total (mA)77mA
VDDAL_TX0 14.27mA	VDDAM_TX0 21mA	VDD_PXM 3.6mA	
VDDAL_TX1 14.27mA	VDDAM_TX1 21mA	Total (mA)6mA	
Total (mA)333mA	VDDAM_XO 6mA		
8	Total (mA)550mA	7	6

File	REV: V10
DOCUMENT NO.: Bridge Name = 88887_1_13N14_1115	8888 D
DEPARTMENT: DEPARTMENT - SF_X2m	DESIGNER: DESIGNER - XAF


WUINGTECH

Doc: Pass Modif Date: Monday, November 13, 2006 2:06 of 256


107.APT_QET4101/6105

REVISIONS		DATE	APPROVED
LTN	DESCRIPTION		
A	INITIAL RELEASE		

QET4101_CH0



QET6105_CH1



File: 107.APT_Module		Rev: V10
Document No.: 107.APT_Module_V10_V10		Rev: Custom
Component: 107.APT_Module		Author: Sun Wei
Date: Monday, November 15, 2011		Sheet: 107 of 108

VERSION	1	EDITED BY	LAST EDIT DATE
		LAST_EDITOR	2-23-2007_10:06

MMPA for NR L+M+HB



B41 TRX SAW

B40 TRX SAW


B34/39 TX



Title		REV: V10
DOCUMENT NO.: Design Name = 88007 I_13M14_1115		8800 D
DEPARTMENT:	DEPARTMENT = REF_X2	DESIGNER: DESIGNER = XAM614
		
Date:	Print Modify Date = Monday, November 12 2006 1:09 of 154	


110.MMPA Phase5N

MMPA for NR



Title		REV: V30	
DOCUMENT NO: Design Name = 80007_1_13M14_1115		SARO D	
DEPARTMENT: DEPARTMENT - RF_X/xx		DESIGNER: XA000	
			
			
Date: Page Modify Date = Monday, November		12/06/11 110 of 156	

111.PRX LNA QLN5030#0





Title		REV: V10
DOCUMENT NO.: Design Name = 88897_I_13M14_1115		8888 D
DEPARTMENT: DEPARTMENT - RF_X/m	DESIGNER: DESIGNER - XA	

WINGTECH

Doc: Pass Modifi Doc: s Monday, November 12, 2001 11:11 of 154

112.TXM_VC7925-21M




TXM PA IN

Title		REV: V10
DOCUMENT NO: Design Name = 88887_I_13N14_1115		8888 D
DEPARTMENT	DEPARTMENT = RF_X/m	DESIGNER DESIGNER = XAE
		
Date	Page Modify Date = Monday, November 1, 2004	1/2004 122 of 156


Title		REV: V30	
DOCUMENT NO: Design Name = 88887_I_13ME14_1115		SARO D	
DEPARTMENT: DEPARTMENT - RF_X/as		DESIGNER: DESIGNER - XA0316	
Date	Page Modify Date = Monday, November	12/08/11	113 of 116

114.MHB_MIMO

DRX MIMO SP4T










B41 DRXM



B1 DRXM




File	REV: V10
DOCUMENT NO.	Shanghai Pinner - B0007_1_130114_1113
DEPARTMENT	DEPARTMENT - RF_Xin
DESIGNER	WANGJIE
DATE	2014-11-13

115.DRX HFQSWREUA-434&QLN5030


Title		REV: V30	
DOCUMENT NO.: Design Name = 80007-1_13M14_1115		8000 D	
DEPARTMENT: DEPARTMENT = RF_X/na		DESIGNER: DESIGNER = XABA	
			
Date: Page Modify Date = Monday, November 15, 2010 11:15 of 156			

116.ASDIV_FBRX

ANT0 LMH TRX






ANT4 LBMH DRX



ANT2 MHB PRXM



FBRX



File	REV: V10
DOCUMENT NO.	RevEngg_Planes - B00077_1_130414_1110
DEPARTMENT	DESIGN/TEST - RF_Xm
DESIGNER	WUJINGTECH
DATE	2014-11-10

ANT7 UHB DRXM SPDT





Title		REV: V10	
DOCUMENT NO.: Design Name = 88887_1_13N14_1115		SHEET D	
DEPARTMENT:	DEPARTMENT - RF_X/m	DESIGNER:	DESIGNER - XAB
			
Date: 08/04/2012		Drawn/Modified Date: Monday, November 12, 2012	
120001		117 of 156	

135.WWAN ANT PART1


ANT4

DRX:4G/5G LE
PRXM:4G MHI
TRX:ENDC MHI



ANT5

N77/N78 PRI AN



ANTO

N77/N78 PRI ANT



ANT1

N77/N78 PRI ANT



主板接地弹片



File	REV: V10
DOCUMENT NO.: Bridge Name = 88007_1_13N14_1115	8800 D
DEPARTMENT: DEPARTMENT - SF_X2m	DESIGNER: DESIGNER - XAF



WUJINGTECH

Doc: Pass Modif Date: Monday, November 13, 2006 1:25 of 156

136.WWAN_ANT_PART2


ANT2

MHB PRX MIMO





ANT3

N77/N78 PRI MIMO ANT




ANT7

MHB DRX MIMO



File	REV: V10
DOCUMENT NO.	RevEng: Pinner - 888877_1_138104_1110
DEPARTMENT	DESIGNER: VLSI/14
DESIGNER	DESIGNER: VLSI/14
DATE	10/10/14


144.Connectivity_ANT




Title		REV: V1.0
DOCUMENT NO.: Design Name = 88887_1_130414_1113		0000 0
DEPARTMENT	DEPARTMENT = RF_Xin	DESIGNER: HUIJUNLIE - Y.LIN144
WINGTECH		
Page Monthly Date = Monthly, Year		REV: 1st of 1st

145.Connectivity_WCN3988





WLAN 5G



WLAN 2.4G





WLAN CH0 TRIP




File	Rev
145.Connectivity_WCN3988	1.0
Document No.	Rev
145.Connectivity_WCN3988	1.0
Department	Rev
145.Connectivity_WCN3988	1.0
Page	1 of 1

150.GPS




Title		REV: V10	
DOCUMENT NO: Design Name = 88007_I_12M14_1115		8800 D	
DEPARTMENT DEPARTMENT = RF_XC/m		DESIGNER DESIGNER = XAB/ai	
			
Date: Page Modify Date = Monday, November		15/06/11 250 of 254	

152.NFC_SN110T



File:	REV: V10
DOCUMENT NO:	RevEng: RevEng - 000001_1_130114_1110
DEPARTMENT:	DESIGN: REV: 0
DESIGNER:	DESIGNER: Y. L. LIAO
DATE:	10/20/2010



Title	
Author	
Check	
Drawn	
Scale	
Material	
Part	
Quantity	
Unit	
Price	
Total	