

MTK Platform Series Mobile Phone Brush Guide

- Overview of MTK Platform Series Mobile Phone
- Brushing Guide
 - Content introduction
 - applicable models
- Backup
- Brushing
 - Tool download
 - MTK driver installation
 - brush machine method
 - Brushing Mode 1
 - Brushing Mode 2
 - Brushing Mode 3
- Attention and reminder

Change information

2018-06-12 MTK Platform Series Mobile Phone Brush Guide V06

- Change content: Add the brushing method of Redmi 6 and Redmi 6A. See brushing method 3 for details

Overview

Content introduction

This document is the MTK platform series product brush machine guide, mainly introduces the MTK platform brush machine tool SP Flash Tool usage.

Applicable model

Redmi Mobile Phone 1, Redmi Mobile Phone 1S Mobile 3G/4G Edition, Redmi Note Mobile/Unicom 3G Edition, Redmi Note2, Redmi Note3 Dual Netcom, Redmi Pro, Redmi Note4, Redmi Note4X High Edition, Xiaomi Tablet 3, Redmi 6, Redmi 6A

Special reminder: Xiaomi Tablet 3 does not have BL lock, and you can also use MIFlash to brush the machine directly through fastboot mode.

Backup

Make sure that the user data is effectively backed up before brushing the machine

According to different situations of users, it can guide or help users to complete data backup.

Cloud backup: Back up the address book, SMS and photos through Xiaomi account, which is the safest backup method for the above important data. Because it is based on cloud technology, it performs best in backup security and ease of use. After the data is uploaded successfully, log in to official website, millet cloud to confirm the integrity of the data. The website is <http://i.mi.com/>

Local Backup: Backup the system settings, account numbers and program data through the backup function of "backup and reset" of the mobile phone. However, since the backup files are stored in the mobile phone where the SD card cannot be removed, there will be certain risks after the swiping action, so the customer should be guided to save the backup files in the local space of the customer's computer as much as possible.

Brush machine

Tools download

SP Flash Tool Brush Tool, search for "MTK Brush Tool" in the knowledge base. The tool is divided into three versions, and the adaptation relationship is as follows:


SP Flash方法	SP Flash Tool	版本	适用机型
刷机方式1	红米Note2版	v5.1504.0	红米1, 红米1S移动版, 红米Note3G版, 红米Note2
刷机方式2	红米Note4版	v5.1612.0	红米Note3双网通, 红米Pro, 红米Note4, 红米Note4X高配, 小米平板3
刷机方式3	红米6版	V5.1812.0	红米6, 红米6A

MTK driver installation

Automatic installation: After decompressing the DT tool compressed package, click the folders of "Driver", "MTK" and "Driver_Auto_Installer_v1.1236.00" in turn, then double-click to run the "Install" script to start installing the driver, and select "Always install this driver software" in the pop-up Windows security warning window.



Manual Installation: Turn on Computer Device Manager, connect the phone in the shutdown state to the PC, and observe the new port that appears under the Device Manager Ports directory. Click immediately after discovering the port, then select "Update Driver" with the right mouse button, and then manually point the driver search path to the "SP_Drivers_v1. 5" path in the MTK folder. After confirmation, the installation driver will be automatically searched under this path, and the mobile phone can be disconnected after installation.



Brushing method

Brush mode 1

Tool version: V5.1504.0


Applicable models: Redmi Mobile Phone 1, Redmi Mobile Phone 1S Mobile 3G/4G Edition,




Redmi Note Mobile/Unicom 3G Edition, Redmi Note2 Step 1: Open the SP Flash Tool Brush Tool,

click "Download Agent", and select
Choose "MTK_AllInOne_DA. bin";

Step 2: Click "Scattering-loading" and select the directory to the
"MT6795_Android_Scatter.txt" file under the "images" folder in the brush package
corresponding to the model;

Step 3: Drop down the brush mode menu, select "Firmware Upgrade", and then click "Download".
After the interface turns gray, you can connect the mobile phone to brush the machine (note: the
connected mobile phone needs to be turned off), wait for the yellow progress bar to reach 100%, and
the window of "Download OK" pops up in the interface, which means that the brush is successful.





Brushing mode 2

Tool version: v5.1612.0

Applicable models: Redmi Note3 Dual Netcom, Redmi Pro, Redmi Note4, Redmi Note4X High Edition, Xiaomi Tablet 3 Brush Package Preparation-Redmi Note3 Dual Netcom


First, unzip "Checksum_Redmi Note3" into the "signed_bin" folder in the "images" file of the line brush package;

Then copy the file "MT6795_Android_scatter.txt" in the "images" folder to the "signed_bin" folder;

After that, double-clicking "Checksum_Gen.exe" will pop up a command window to automatically generate the "Checksum.ini" file. Preparation of Brush Bag-Redmi Pro, Redmi Note4, Redmi Note4X High Edition

First, decompress "Checksum_Redmi Pro & Redmi Note4" into the "images" folder in the line brush bag;

After that, double-clicking "Checksum_Gen.exe" will pop up a command window to automatically generate the "Checksum.ini" file, as shown in the following figure:



```
finished:100% 102053140/102053140

Total roms: 18

preloader      = efaf
recovery       = c0ee
md1img         = 6bd6
md1dsp         = 86af
md1arn7        = 37a2
md3img         = a279
scp1           = c8eb
scp2           = c8eb
lk             = e3fd
lk2            = e3fd
boot           = 9f48
logo           = 81c2
tee1           = bd74
tee2           = bd74
cust           = 0
system         = d1c2
cache          = 9c92
userdata       = 7c1
Write ini to: .\Checksum.ini
请按任意键继续...
```

Millet Tablet 3 Brush Machine

Package Can Use Brush

Machine Directly

Step 1: Open the SP Flash Tool Brushing Tool, and click "Download Agent" to select the DA file corresponding to the model:

Xiaomi Tablet 3 chooses

MTK_AllInOne_DA Redmi Note3 Dual


Netcom chooses DA_Note3

Redmi Pro, Redmi Note4 and Redmi Note4X high-profile editions choose DA_Note4 & Pro

Step 2: Click "Scatterer-Loading" and select the file "MTXXXX_Android_scatter.txt" in the brush package


(Redmi Note3 Double Netcom needs to select the txt file under the "signed_bin" folder). After selection, the tool will pop up the Processing interface, and wait for the progress bar to finish before proceeding to the next operation;

Step 3: Select to change the brushing mode to "Firmware Upgrade", click "Download" to connect the mobile phone in the shutdown state, and then start brushing. After being prompted "Download OK", it means that the brushing is successful, and it can be started after disconnection. See the following illustration for details:



Step 2: Click "Configuration File" and select the "MTXXXXX_Android_scatter.txt" file in the brushing package. After selection, the tool will pop up the Processing interface, and wait for the progress bar to finish before proceeding to the next operation;

Step 3: Click "Verify File" and select "auth_sv5. auth" under the Tools folder



connect the mobile phone in the turned on state to the PC by pressing and holding the volume button. At this time, the tool will pop up the Xiaomi account login window, and log in to the Xiaomi account with deep brushing permission to start normal brushing (after the first login is completed, you can choose automatic login later)



When waiting for the brush to be completed, the prompt window of download completion will pop



Attention and reminder

Brushing the machine is risky, so the operation should be careful. Before brushing the machine, you must guide or help the user to do a good job of data backup.