

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

Revision History

SCHEMATIC MCN	HW VERSION	REVISION	DESCRIPTION OF CHANGE
K3	EVT1.0	A	PRELIMINARY VERSION RELEASE



DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20
CHECKED: Yang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

COMPANY: HQ			
TITLE: QL880_MB_SCH_V1.0_160520			
CODE:	SIZE: D	DRAWING NO:	REV: V1.0
SCALE: <Scale>			SHEET: 1 OF 38

6

5

4

3

2

1

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

D

C

B

A

D

C

B

A

iREPAIR



DRAWN: Wang Huan(BB), Mao Wenhui(RB)	DATED: 2016/04/20
CHECKED: Yang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

COMPANY: HQ			
TITLE: QL880_MB_SCH_V1.0_160520			
CODE:	SIZE: D	DRAWING NO:	REV: V1.0
SCALE:		SHEET: 2 OF 38	

REVISION RECORD			
LTR	ECD NO:	APPROVED:	DATE:

MSM8952 GPIO Configuration For QRD8952

MSM8952 GPIO Configuration For QRD8952					
GPIO_0	LCD_RST_N	GPIO_41	NC	GPIO_82	FM_DATA
GPIO_1	NC	GPIO_42	ACCL_INT1_N	GPIO_83	BT_CTL
GPIO_2	AUDIO_SWITCH_EN	GPIO_43	ALSP_INT_N	GPIO_84	BT_DATA
GPIO_3	NC	GPIO_44	NC	GPIO_85	KEY_VOL_UP_N
GPIO_4	UART_MSM_TX	GPIO_45	GYRO_INT_N	GPIO_86	NC
GPIO_5	UART_MSM_RX	GPIO_46	HALL_INT_N	GPIO_87	NC
GPIO_6	WSA_I2C_SDA	GPIO_47	NC	GPIO_88	NC
GPIO_7	WSA_I2C_SCL	GPIO_48	FP_INT_N	GPIO_89	NC
GPIO_8	NC	GPIO_49	UIM_BATT_ALM	GPIO_90	NC
GPIO_9	WSA_WCD_INTR	GPIO_50	FORCE_USB_BOOT	GPIO_91	NC
GPIO_10	TP_I2C_SDA	GPIO_51	UIM1_DATA	GPIO_92	NC
GPIO_11	TP_I2C_SCL	GPIO_52	UIM1_CLK	GPIO_93	KEY_HOME
GPIO_12	NFC_PWR_REQ	GPIO_53	UIM1_RESET	GPIO_94	WSA_IO_DATA
GPIO_13	MCAM2_ID	GPIO_54	UIM1_PRESENT	GPIO_95	WSA_IO_CLK
GPIO_14	SENSOR_I2C_SDA	GPIO_55	UIM2_DATA	GPIO_96	NFC_SPI_ESE_MOSI
GPIO_15	SENSOR_I2C_SCL	GPIO_56	UIM2_CLK	GPIO_97	NFC_SPI_ESE_MISO
GPIO_16	NFC_DISABLE	GPIO_57	UIM2_RESET	GPIO_98	NFC_SPI_ESE_SS
GPIO_17	NFC_IRQ	GPIO_58	UIM2_PRESENT	GPIO_99	NFC_SPI_ESE_CLK
GPIO_18	NFC_I2C_SDA	GPIO_59	LCD_ID0	GPIO_100	GRFC0_SEL
GPIO_19	NFC_I2C_SCL	GPIO_60	MCAM1_ID	GPIO_101	GRFC1_SEL
GPIO_20	FP_SPI_MOSI	GPIO_61	NC	GPIO_102	GRFC2_SEL
GPIO_21	FP_SPI_MISO	GPIO_62	FP_RST_N	GPIO_103	GRFC3_SEL
GPIO_22	FP_SPI_CS	GPIO_63	NC	GPIO_104	GRFC4_SEL
GPIO_23	FP_SPI_CLK	GPIO_64	TP_RST_N	GPIO_105	GRFC5_SEL
GPIO_24	LCD_TE	GPIO_65	TP_INT_N	GPIO_106	GRFC6_SEL
GPIO_25	WSA_MCLK	GPIO_66	GP_PDM_A0	GPIO_107	GRFC7_SEL
GPIO_26	CAM_MCLK0	GPIO_67	SDCARD_DET_N	GPIO_108	GRFC8_SEL
GPIO_27	CAM_MCLK1	GPIO_68	WSA_EN	GPIO_109	NC
GPIO_28	CAM_MCLK2	GPIO_69	CDC_PDM_CLK	GPIO_110	NC
GPIO_29	CAM_I2C_SDA0	GPIO_70	CDC_PDM_SYNC	GPIO_111	GRFC11_SEL
GPIO_30	CAM_I2C_SCL0	GPIO_71	CDC_PDM_TX	GPIO_112	NC
GPIO_31	CAM_I2C_SDA1	GPIO_72	CDC_PDM_RX0	GPIO_113	GRFC13_SEL
GPIO_32	CAM_I2C_SDA1	GPIO_73	CDC_PDM_RX1	GPIO_114	NC
GPIO_33	NC	GPIO_74	CDC_PDM_RX2	GPIO_115	NC
GPIO_34	FLASH_STROBE_NOW	GPIO_75	BT_SSB1	GPIO_116	EXT_GPS_LNA_EN
GPIO_35	MCAM1_PWDN	GPIO_76	WL_CMD_DATA_2	GPIO_117	CHO_GSM_TX_PHASE_DO
GPIO_36	MCAM1_RST_N	GPIO_77	WL_CMD_DATA_1	GPIO_118	RFFE1_CLK
GPIO_37	MCAM2_PWDN	GPIO_78	WL_CMD_DATA_0	GPIO_119	RFFE1_DATA
GPIO_38	MCAM2_RST_N	GPIO_79	WL_CMD_SET	GPIO_120	RFFE2_CLK
GPIO_39	SCAM_PWDN	GPIO_80	WL_CMD_CLK	GPIO_121	RFFE2_DATA
GPIO_40	SCAM_RST_N	GPIO_81	FM_SSB1	GPIO_122	RFFE4_CLK

GPIO_123	RFFE4_DATA
GPIO_124	RFFE5_CLK
GPIO_125	RFFE5_DATA
GPIO_126	NC
GPIO_127	NC
GPIO_128	SCAM_ID
GPIO_129	NFC_FWDL_REQ
GPIO_130	NC
GPIO_131	NC
GPIO_132	MAG_RST_N
GPIO_133	REAR_CAMERA_LDO_EN

PMI8952 GPIO/MPP Configuration For QRD8952

PMI8952 GPIO/MPP Configuration For QRD8952			
GPIO_1	NC	MPP_1	NC
GPIO_2	NC	MPP_2	GREEN_LED
		MPP_3	NC
		MPP_4	FLASH_STROBE_NOW

PM8952 GPIO/MPP Configuration For QRD8952

PM8952 GPIO/MPP Configuration For QRD8952			
GPIO_1	NC	MPP_1	VDD_PX_BIAS_MPP_1
GPIO_2	NC	MPP_2	PA_THERM1
GPIO_3	UIM_BATT_ALM	MPP_3	VREF_DAC_MPP_3
GPIO_4	NC	MPP_4	BOARD_THERM
GPIO_5	NFC_CLK_REQ		
GPIO_6	NC		
GPIO_7	NC		
GPIO_8	NC		


DRAWN: Wang Huan(BB), Mao Wenfu(RF)		DATED: 2016/04/20		 QL880_MB_SCH_V1.0_160520	
CHECKED: ang Junli(BB),Zhang Ruofeng(RF)		DATED: 2016/05/20			
QUALITY CONTROL:		DATED:			
RELEASED:		DATED:			
		SCALE:		SHEET: 3 OF 38	

D D



COMPANY:		HQ	
TITLE:		QL880_MB_SCH_V1.0_160520	
CODE:	SIZE: D	DRAWING NO:	REV: V1.0
SCALE:		SHEET: 4 OF 38	

MSM8937 MIPI and RF Control







COMPANY: HQ			
TITLE: QL880_MB_SCH_V1.0_160520			
CODE:	SIZE: D	DRAWING NO:	REV: V1.0
SCALE:		SHEET: 5 OF 38	

DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20
CHECKED: Yang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

MSM8937 GPIO

Note: Asterisks (*) indicate modem power management (MPM) wake-up pins




HW ID

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

		COMPANY:				HQ					
		TITLE:									
		QL880_MB_SCH_V1.0_160520									
DRAWN: Wang Huan(BB), Mao Weirui(RF)		DATED: 2016/04/20		CODE:		SIZE: D		DRAWING NO:		REV: V1.0	
CHECKED: Yang Jun(BB),Zhang Ruofeng(RF)		DATED: 2016/05/20									
QUALITY CONTROL:		DATED:									
RELEASED:		DATED:		SCALE:				SHEET: 6 OF 38			

MSM8937 POWER1



REVISION RECORD			
TR	ECO NO:	APPROVED:	DATE:

		COMPANY: HQ			
		TITLE: QL880_MB_SCH_V1.0_160520			
DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20				
CHECKED: Yang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20	CODE:	SIZE:	DRAWING NO:	REV:
QUALITY CONTROL:			D		V1.0
RELEASED:	DATED:	SCALE:			SHEET: 7 OF 38

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



11:SMB1351




		COMPANY: HQ									
		TITLE: QL880_MB_SCH_V1.0_160520									
DRAWN: Wang Huan(BB), Mao Wenhui(RF)		DATED: 2016/04/20		CODE:		SIZE: D		DRAWING NO:		REV: V1.0	
CHECKED: Yang Junli(BB),Zhang Ruofeng(RF)		DATED: 2016/05/20									
QUALITY CONTROL:		DATED:									
RELEASED:		DATED:		SCALE:				SHEET: 11 OF 38			

13: PMI8952_CONTROL

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



RT1301 is for CPU surface temperature detect




RT1303 is used for PMI surface temperature detect

PMI8952 INTERFACE

		COMPANY: HQ			
		TITLE: QL880_MB_SCH_V1.0_160520			
DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20				
CHECKED: Yang Junli(BB),Zhang Rusong(RF)	DATED: 2016/05/20	CODE:	SIZE:	DRAWING NO:	REV:
QUALITY CONTROL:	DATED:	D			V1.0
RELEASED:	DATED:	SCALE:			SHEET: 13 OF 38

PM8937 Control and MPP/Clock




REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

COMPANY:		HQ	
TITLE: QL880_MB_SCH_V1.0_160520			
CODE:	SIZE: D	DRAWING NO:	REV: V1.0
SCALE:		SHEET: 14 OF 38	

DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20
CHECKED: Yang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

PM8937 LDO circuits

1			
REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




PSEUDO CAPLESS LDOs
L4*, L6, L8*, L9*, L10, L11*, L12, L14, L15, L17*, L18, L22, L23
L4*, L8*, L9*, L11*, L17*, still need validation as Pseudo-capless
L5, L7, L13, L16 have internal PMIC Loads and require local CAPs.

DRAWN: Wang Huan(BB), Mao Wenhui(RF)				COMPANY: HQ			
CHECKED: Yang Junli(BB),Zhang Ruofeng(RF)				TITLE: QL880_MB_SCH_V1.0_160520			
QUALITY CONTROL:				CODE:	SIZE:	DRAWING NO:	REV:
RELEASED:				D			V1.0
DATED:				SCALE:			
DATED:				SHEET: 16 OF 38			

HEADSET JACK

REVISION RECORD			
TR	ECO NO:	APPROVED:	DATE:



		COMPANY: HQ			
		TITLE: QL880_MB_SCH_V1.0_160520			
DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20	CODE: D	SIZE:	DRAWING NO:	REV: V1.0
CHECKED: ang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20				
QUALITY CONTROL:	DATED:				
RELEASED:	DATED:				
		SCALE:		SHEET: 19 OF 38	

DTV

REVISION RECORD			
LTR	ECD NO.	APPROVED:	DATE:

iREPAIR



COMPANY: HQ			
TITLE: QL880_MB_SCH_V1.0_160520			
CODE:	SIZE: D	DRAWING NO:	REV: V1.0
SCALE:		SHEET: 20 OF 38	

DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20
CHECKED: Yang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

D

C

B

A


D

C


B

A

		COMPANY:					
		HQ					
		TITLE:					
		QL880_MB_SCH_V1.0_160520					
DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20						
CHECKED: Yang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20	CODE:	SIZE:	DRAWING NO:			REV:
QUALITY CONTROL:	DATED:	D			V1.0		
RELEASED:	DATED:	SCALE:				SHEET: 21 OF 38	




REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




IIC ADDRESS 0x68

COMPASS AK09912C




ALS+PS

IIC ADDRESS 0x49 (WRITE:0x92; READ:0x93)



I2C ADDRESS 0x68


A+G



COMPANY:		HQ	
TITLE: QL880_MB_SCH_V1.0_160520			
CODE:	SIZE: D	DRAWING NO:	REV: V1.0
SCALE:		SHEET: 22 OF 38	


CAMERA

Front Camera 5MP






Note: If best EMI practices are followed for MIPI CSI/DSI signals, there is no need for common mode choke filters. You may choose to have placeholders for common mode depending upon your design constraints. Extreme care must be taken that no stubs are created by doing so.


Main Camera 13MP



LCD interface and backlight




Capitable for TP 3.0V




COMPANY:		HQ			
TITLE:		QL880_MB_SCH_V1.0_160520			
CODE:	SIZE:	DRAWING NO:		REV:	
	D	1		V1.0	
SCALE:			SHEET: 23 OF 38		

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



DOUBLE SIM AND ONE SD CARD







Main and slave board link-FPC



Keys



Battery Connector



Signal	Description
KPSNS0	Volume Up
PM_RST_N	Volume Down
KYPD_PWR_N	PWER_ON
PM_RST_N + KYPD_PWR_N	Hardware Reset

DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20
CHECKED: Yang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

COMPANY:		HQ	
TITLE: QL880_MB_SCH_V1.0_160520			
CODE:	SIZE: D	DRAWING NO: 1	REV: V1.0
SCALE:		SHEET: 24 / 28	

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

D

C

B

A

D

C


B

A


		COMPANY: HQ						
		TITLE: QL880_MB_SCH_V1.0_160520						
		DRAWN: Wang Huan(BB), Mao Wenhui(RF)		DATED: 2016/04/20				
		CHECKED: Junli(BB),Zhang Ruofeng(RF)		DATED: 2016/05/20				
		QUALITY CONTROL:		DATED:				
RELEASED:		DATED:		CODE:	SIZE: D	DRAWING NO:		REV: V1.0
				SCALE:			SHEET: 25 Of 38	

COMPANY:		HQ	
TITLE:		QL880_MB_SCH_V1.0_160520	
CODE:	SIZE: D	DRAWING NO:	REV: V1.0
SCALE:		SHEET: 26 OF 38	

DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20
CHECKED: ang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20
QUALITY CONTROL:	DATED:
RELEASED:	DATED:




REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



28: TRX_HB

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



COMPANY: HQ			
TITLE: QL880_MB_SCH_V1.0_160520			
CHECKED: Yang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20	CODE:	REV: V1.0
QUALITY CONTROL:	DATED:	SIZE: D	DRAWING NO:
RELEASED:	DATED:	SCALE:	SHEET: 28 OF 38

29: TRX_LB_MB

D

C

B


A

D

C

B

A




REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20
CHECKED: Wang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

COMPANY: HQ			
TITLE: QL880_MB_SCH_V1.0_160520			
CODE:	SIZE: D	DRAWING NO:	REV: V1.0
SCALE:			SHEET: 29 OF 38

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

30: DIVERSITY_ANT




DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20
CHECKED: Yang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

COMPANY:		HQ	
TITLE: QL880_MB_SCH_V1.0_160520			
CODE:	SIZE: D	DRAWING NO:	REV: V1.0
SCALE:		SHEET: 30 OF 38	


REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

31: DRX_HB

DRX_B41A(2496~2570) or B41 China



DRX_B38/41B(2550~2655)/B40(China&EMEA)



COMPANY: HQ			
TITLE: QL880_MB_SCH_V1.0_160520			
DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20	CODE:	SIZE: D
CHECKED: Yang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20	DRAWING NO:	REV: V1.0
QUALITY CONTROL:	DATED:	SCALE:	
RELEASED:	DATED:	SHEET: 31 OF 38	

E

7


4

היה

4

1

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



Share the same pad

Share the same pad


DRX_B12/17(for LatAM&US)/B20(for EMEA)

B13: SAFFB751MAA0F0A

DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20
CHECKED: Yang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

COMPANY:				HQ	
TITLE: QL880_MB_SCH_V1.0_160520					
CODE:		SIZE: D		DRAWING NO:	
SCALE:				SHEET: 32 OF 38	
				REV:	
				V1.0	

33: WTR2965 0#



CODE:	SIZE: D	DRAWING NO:	REV: V1.0
SCALE:		SHEET: 33 OF 38	

6

5

4

3

2

1

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

D

C

B

A

D

C

B

A

iREPAIR




DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20
CHECKED: Yang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

COMPANY: HQ			
TITLE: QL880_MB_SCH_V1.0_160520			
CODE:	SIZE: D	DRAWING NO:	REV: V1.0
SCALE:			SHEET: 34 OF 38

REVISION RECORD			
LTR	ECD NO:	APPROVED:	DATE:

35: QFE2101




		COMPANY: HQ			
		TITLE: QL880_MB_SCH_V1.0_160520			
DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20				
CHECKED: Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20	CODE:	SIZE:	DRAWING NO:	REV:
QUALITY CONTROL:	DATED:	D			V1.0
RELEASED:	DATED:	SCALE:			SHEET: 35 OF 38

36 £ ° WIFI_2.4G_5G




sar-sensor



	D		7-110
SCALE:		SHEET: 36 OF 38	

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:


37: GPS



		COMPANY: HQ			
		TITLE: QL880_MB_SCH_V1.0_160520			
DRAWN: Wang Huan(BB), Mao Wenhui(RF)	DATED: 2016/04/20				
CHECKED: ang Junli(BB),Zhang Ruofeng(RF)	DATED: 2016/05/20	CODE:	SIZE: D	DRAWING NO:	REV: V1.0
QUALITY CONTROL:	DATED:				
RELEASED:	DATED:	SCALE:		SHEET: 37 OF 38	

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

38 £ ° WCN3660B



Pin37,44,38 single ground

COMPANY:

HQ

TITLE:

QL880_MB_SCH_V1.0_160520

DRAWN

Wang Huan(BB), Mao Wenhui(RF)

2016/04/20

CHECKE

Yang Junli(BB),Zhang Ruofeng(RF)

QUALITY CONTROL:

DATED:

CODE:

SIZE:

DRAWING NO.

REV-

D

M1 0

SCALE:

SHEET: 38 OF 38