

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A	SAMSUNG CONFIDENTIAL THIS DOCUMENT CONTAINS CONFIDENTIAL PROPRIETARY INFORMATION THAT IS SAMSUNG ELECTRONICS CO.'S PROPERTY. DO NOT DISCLOSE TO OR DUPLICATE FOR OTHERS EXCEPT AS AUTHORIZED BY SAMSUNG.														
B															
C															
D															
E															
F															
G															
H															
I															
J															
K															
L															
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

SM-A245M

SM-A245M_COMMON

2022.12.13




- Sheet01 : GSM / WCDMA / LTE
- Sheet02 : TRANSCEIVER, SUB ANT
- Sheet03 : CONNECTIVITY(BT/WIFI/FM), NFC
- Sheet04 : AP(MT6789)
- Sheet05 : AP(POWER), MEM(uMCP)
- Sheet06 : PMIC(MT6366), IF PMIC
- Sheet07 : AUDIO Codec, SENSOR, SIM, SD
- Sheet08 : CAMERA
- Sheet09 : DISPLAY PMIC, C2C


Engineer:			
Drawn by:			
REV CHG:			
DOC CTRL CHG:			
MFG ENGR CHG:			
TITLE:			Size
A24_LTE_NEXT_G			

Changed by:	Date Changed:	Time Changed:	QA CHG:	REV	Drawing Number:	Page
000001						1



MAIN ANT2

MID/ HIGH BAND





UCP4000-2







Thermister



PCB array JTAG


(ADC RANGE 0.05 - 1.45V)				
	R1	R2	Aux_V	HWID
A237 REV0.6 Bringup	NC	100K	0.05	00
A237 REV0.1 DV1	750K	100K	0.21	01
A24 Bringup REV0.0	332K	100K	0.42	02
A24 OCTA REV0.0A	300K	160K	0.62	03
A24 REV0.1(DV1)	120K	100K	0.82	04
A24 REV0.2(DV2)	100K	130K	1.02	05
A24 REV0.3(PV1)	100K	220K	1.24	06
	100K	422K	1.45	
	HHP8447			




H	NFC_USE
L	NFC_UNUSE

H	MCU_USE
L	MCU_UNUSE


Engineer	A24_LTE NEXT_G
Drawn by:	
Checked by:	




PMIC (MT6366)




PMIC LDO Decap




IF_PMIC(SM5714)




DIRECT CHARGER (HL7132)




PMIC VCDT




@REV01 A33 BAT 0823




VOL KEY




AUDIO & SENSOR PART




SPK AMP




MAIN MIC



EAR MIC




2nd MIC




RCV CONTACT

SENSOR






AMBIENT SENSOR




SENSOR LDO


DUAL SIM / T-FLASH (3in3)




@REV01 0823




@REV01 0823



ACC&GYRO SENSOR



MAGNETIC SENSOR




PWR & SIDE FPS


SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPRIETARY INFORMATION THAT IS
SAMSUNG ELECTRONICS CO.'S PROPERTY.
DO NOT DISCLOSE TO OR DUPLICATE FOR OTHERS
EXCEPT AS AUTHORIZED BY SAMSUNG.

CAMERA


CAM_VDDIO_1P8
FCAM_DVDD_1P2
SOC8000
FCAM_AVDD_2P8




RCAM1_50M(OIS_40PIN)




RCAM2_5M_UW (30pin)_GC5035
COPY FROM SM-A12_LTE



RCAM2_2M_MACRO (24pin)_GC02M1




**FRONT_13M CAMERA
(NEW - IMX258)**




OIS MCU @ STM -> Renesas

CAM PMIC




COPY FROM SM-A13_LTE



RCAM3_DVDD	RCAM2_AVDD
------------	------------

RCAM3_DVDD	RCAM2_AVDD
------------	------------


SM-A245M
Common



Q6001 : soldering in the same direction as the figure

JTRG4000

JTRG4001



SM-A245M
Common

LED6000 : mount the same image direction

