

SM-A236U/W/A2360
Common

2022.06.09

- Sheet01 : GSM / WCDMA / LTE / NR RF**
- Sheet02 : TRANSCEIVER, SUB ANT**
- Sheet03 : CONNECTIVITY(BT/WIFI/FM), NFC**
- Sheet04 : AP(SM6375)**
- Sheet05 : AP(POWER), MEM(uMCP)**
- Sheet06 : PMIC(PM6375,PMR735A), IF PMIC**
- Sheet07 : AUDIO Codec, SENSOR, SIM, SD**
- Sheet08 : CAMERA**
- Sheet09 : DISPLAY PMIC, C2C**

SUB ANT1
LMHB DRX

ENDC MHB LFEMiD

GRIP SENSOR1(HB)

LB LFEMiD

ENDC LMHB MMB

SUB ANT3
N78/N79 TRX

ANT1004

ANT1003

ANT1005

F1007

U1027

U1025


Legend:

- HK : SMD
- Others : NC


UHB N78 PA

N79 PA (CHN Only)

TRANSCEIVER(SDR735)




Coupling SW



LTE	NR	LTE PA	NR PA
LB	LB	ENDC MMBB	LB L-PAMiD
LB	MB	LB L-PAMiD	ENDC MMBB
LB	HB	LB L-PAMiD	ENDC MMBB
LB	UHB	LB L-PAMiD	UHB PA

APT0


LB LPAMID / OMH LPAMID



LTE	NR	LTE PA	NR PA
MB	LB	ENDC MMBB	LB L-PAMiD
MB	MB	OMH L-PAMiD	ENDC MMBB
MB	HB	OMH L-PAMiD	ENDC MMBB
MB	UHB	OMH L-PAMiD	UHB PA



APT1

ENDC MMBB / UHB LPAMIF




SUB ANT2

MB DRX MIMO, N78 PRX MIMO
GPS, WIFI




SUB ANT3

MB PRX MIMO




SUB ANT4


HB PRX MIMO
N79 PRX MIMO




SUB ANT5

HB DRX MIMO
N78/N79 DRX MIMO






GPS L1 / GNSS/BEIDOU





LCD SMR gasket





NFC

VREG_L12A_1P8 VDD_NF










COPY FROM SM-A33



OVP




CLOCK GEN



PMIC (PMR735A)

HW ID	REV	VALUE	COMMENT
00	Bring-up	12K	
01	Rev00	20K	PRE_PV1
02	Rev01	30K	RF_TEST
03	Rev02	51K	PRE_PV2
04	Rev02A	68K	TEST
05	Rev02B	82K	PRE_PV2_VOIS
06	Rev03	100K	PV1
07	Rev03A	120K	PV1_ANT_SW
08	Rev04_0A	150K	PV2
09		200K	
10			



VOL KEY


Engineer:	A23_5G_Global		
Drawn by:			
R&D Code:	TITLE:	POWER/MOTI/KEY	
SDO: L3/4, CHM:			
MRG SERIAL CODE:			
QA Code:	REV:	Drawing Number:	




SENSOR



DUAL SIM / T-FLASH (3in3)




Changed by:	Date Changed:	Time Changed:	QA CHK:	REV:	Drawing Number:	Page:
-------------	---------------	---------------	---------	------	-----------------	-------



The schematic diagram illustrates the FCAM module interfaced to the SOC7800. The SOC7800 chip is shown with its pins connected to various FCAM components. Power supply connections include CAM_VDDO_1P8, FCAM_VDDO_1P2, FCAM_AVDD_2P8, and FCAM_AGNDD. Signal connections include FCAM_RST_N, FCAM_MIPI_D3_N, FCAM_MIPI_D3_P, FCAM_MIPI_D1_N, FCAM_MIPI_D1_P, FCAM_MIPI_CLK_N, FCAM_MIPI_CLK_P, FCAM_MCLK, and FCAM_AF_EEP_IC2_SCL_1P8. The diagram also shows the connection of the FCAM module to the SOC7800 via the FCAM_MCLK signal.

RCAM1_50M(OIS_40PIN)


[illegible]

The schematic diagram illustrates the power management for the VPH PWR and VPH PWR sections. It includes the following components and connections:


- VPH PWR Section:**
 - U904S:** A voltage regulator with VPH PWR input, VPH PWR output, and VPH PWR ground connections.
 - U904S:** A voltage regulator with VPH PWR input, VPH PWR output, and VPH PWR ground connections.
 - U904S:** A voltage regulator with VPH PWR input, VPH PWR output, and VPH PWR ground connections.
- VPH PWR Section:**
 - U904S:** A voltage regulator with VPH PWR input, VPH PWR output, and VPH PWR ground connections.
 - U904S:** A voltage regulator with VPH PWR input, VPH PWR output, and VPH PWR ground connections.
 - U904S:** A voltage regulator with VPH PWR input, VPH PWR output, and VPH PWR ground connections.

MCU(STM -> RENESAS)


CAM PMIC



COPY FROM SM-A13_LTE




RCAM2_AVDD




RCAM3_4_AVDD

Changed by:	Date Changed:	Time Changed:	QA CHK:	REV	Drawing Number:	Page
-------------	---------------	---------------	---------	-----	-----------------	------



BOTH HOLE




SM-A236U_SUB_REV05(Qorvo)


MAIN ANTENNA1 (LB)




MAIN ANTENNA1 (X-GND)




MAIN ANTENNA2 (MB, HB)



MAIN ANTENNA2 (X-GND)




GRIP SENSOR2




MAIN FPCB

Pin map : 1028




SUB Region




Region TABLE (R1001)

ID	Region	VALUE	COMMENT
1	GLOBAL	12K	PV2 ~
2	NA	1M	PV2 ~


EARJACK



BAT_THM




MOTOR




(3712-001626)


IF CONN




MIC



SPK




GLOBAL



BOSS HOLE




GASKET



INSIK MARK



SM-A236U/W/A2360
Common



SM-A236U/W/A2360
Common

