

A STAR KOR REV0.6

2018.05.12 SMD

SHEET 01 : MAIN RF FRONT-END

SHEET 02 : TRCV, APT, DIVERSITY RF FRONT-END

SHEET 03 : SENSORS, BT/WIFI/FM, NFC

SHEET 04 : AP (SDM660)

SHEET 05 : PMIC, IF-PMIC


SHEET 06 : SD/SIM SOCKET, MEMORY, INTERFACE

SHEET 07 : CAMERA, DISPLAY


SHEET 08 : AUDIO

Page No.	1
Sheet No.	1
Rev. No.	0.6
Rev. Date	2018.05.12
Rev. By	user87
Rev. Reason	SM-G855 REV06
Rev. Status	Rev. 0.6
Rev. Date	2018.05.12
Rev. By	user87
Rev. Reason	SM-G855 REV06
Rev. Status	Rev. 0.6


RF PART 1




HIGH BAND ANT



LOW-MID BAND ANT




FBRX



GND CONTACT

MAIN CA FEMID




MMMB PA

2G : EGSM / DCS / PCS / GSM850

3G : B1 / 2 / 4 / 5 / 8 / BC0 / TD-A/F


LTE : B1 / 2 / 3 / 4 / 5 / 8 / 12 / 13 / 17 / 18 / 19 / 20 / 26 / 28 / 34 / 39 / 66




B28 DPX

RF PART 2



SUB1 ANT



LDS ANTENNA




X-GND SW



SUB2 ANT(inc. GPS)

STAR ROUTING




U2029 SDR660

SDR660 RF TRANCEIVER

PA Thermister

QFE2101 APT MODULATOR

EUR : B2,B4/66 EUR : SFHG60BA002
CHN : B34/39 CHN : SFWG00DB002



HIGH BAND PA



FDD LTE: B7
TDD LTE: B38 / 40 / 41

DRX LFEM


Part No.	SAMSUNG
Rev.	001
Doc. No.	SDM660_REV00
Doc. Title	SDM660_REV00
Doc. Date	2018.05.11
Doc. Ver.	001

SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPERTY INFORMATION THAT IS
SAMSUNG ELECTRONICS CO., LIMITED
IN NOT BE LOANED, REPRODUCED OR
DISCLOSED TO ANY OTHER PARTY
EXCEPT AS AUTHORIZED BY SAMSUNG.


SENSOR





Proxy + RGB Sensor



SVC LED (COMMON ANODE)





ACC&GYRO SENSOR




HALL IC

MAGNETIC SENSOR







BTP POWER




HOME_BTP INTERFACE







GPS / GNSS/BEIDOU





WIFI/BT/FM



NFC






NFC TVDDI DCDC




PROJECT NO.	SENSOR, WIFI/BT/GPS/NFC
DESIGNER	SM-C9000_REV00
DATE	20180511-075021
REVISION	


UCP4000-4 SDM660 (4/4)




UCP4000-3 SDM660 (3/4)





UCP4000-2 SDM660 (2/4)




UCP4000-1 SDM660 (1/4)



PCB JTAG



JTAG CONNECTOR



REGION


REGION	1	2	3	4	5	6
CHN	NC	NC	NC	NC	NC	SHORT
IND	NC	NC	NC	NC	NC	SHORT
THA	NC	NC	NC	NC	NC	SHORT
SEA	NC	NC	NC	NC	NC	SHORT
ROW	SHORT	NC	NC	NC	NC	NC






PCB H/W Revision

REV	DATE	DESCRIPTION
REV0.0	11.01.11	Initial Release
REV0.1	11.01.11	Initial Release
REV0.2	11.01.11	Initial Release
REV0.3	11.01.11	Initial Release
REV0.4	11.01.11	Initial Release
REV0.5	11.01.11	Initial Release
REV0.6	11.01.11	Initial Release
REV0.7	11.01.11	Initial Release
REV0.8	11.01.11	Initial Release
REV0.9	11.01.11	Initial Release





REV	DATE	DESCRIPTION
REV0.0	11.01.11	Initial Release
REV0.1	11.01.11	Initial Release
REV0.2	11.01.11	Initial Release
REV0.3	11.01.11	Initial Release
REV0.4	11.01.11	Initial Release
REV0.5	11.01.11	Initial Release
REV0.6	11.01.11	Initial Release
REV0.7	11.01.11	Initial Release
REV0.8	11.01.11	Initial Release
REV0.9	11.01.11	Initial Release

REV	DATE	DESCRIPTION
REV0.0	11.01.11	Initial Release
REV0.1	11.01.11	Initial Release
REV0.2	11.01.11	Initial Release
REV0.3	11.01.11	Initial Release
REV0.4	11.01.11	Initial Release
REV0.5	11.01.11	Initial Release
REV0.6	11.01.11	Initial Release
REV0.7	11.01.11	Initial Release
REV0.8	11.01.11	Initial Release
REV0.9	11.01.11	Initial Release





DISPLAY





Engineer:	CAMERA, DISPLAY, MH
Drawn by:	
Rev'd CDR:	
DOC CTRB. CDR:	
MPD APPROV. CDR:	
QA CDR:	SM-G885S_REV06
Design Number:	

SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPERTY INFORMATION THAT IS
SAMSUNG ELECTRONICS CO., PROPERTY
AND NOT BE LOANED TO OR REPRODUCED FOR OTHERS
EXCEPT AS AUTHORIZED BY SAMSUNG.



AUDIO

Ear MIC




Voicewakeup IC

SPK I/V SENSING BOOST AMP




SUB MIC


SPK



RCV




TDMB_for KOR



AUDIO	
VDD_1.8V	SM-C8000_REV00
VDD_1.2V	SM-C8000_REV00
VDD_0.9V	SM-C8000_REV00
VDD_0.6V	SM-C8000_REV00

Model : SM-G885S
Revision : REV06
Manufacture Count : 150EA
Charge : 엄주훈
Contact : 010-9914-9738
Date : 2018.05.12
Routing : 0
Resin : 0

VX_Setup(2018-04-10)_HHP



BOARD's DRILL SCHEDULE / 2018-4-25 (1-2)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.09	9119	TH
T3	①	0.3	121	TH
T4	⊕	0.3	48	NTH
T5	⊗	1.55	1	TH
T6	□	1.6	2	TH
T7	⊞	2.9	4	TH

BOARD's DRILL SCHEDULE / 2018-4-25 (6-7)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.09	8645	TH
T2	⊖	0.2	1775	TH
T3	①	0.3	121	TH
T4	⊕	0.3	48	NTH
T5	⊗	1.55	1	TH
T6	□	1.6	2	TH
T7	⊞	2.9	4	TH

BOARD's DRILL SCHEDULE / 2018-4-25 (2-3)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.09	10245	TH
T3	①	0.3	121	TH
T4	⊕	0.3	48	NTH
T5	⊗	1.55	1	TH
T6	□	1.6	2	TH
T7	⊞	2.9	4	TH

BOARD's DRILL SCHEDULE / 2018-4-25 (7-8)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.09	9382	TH
T3	①	0.3	121	TH
T4	⊕	0.3	48	NTH
T5	⊗	1.55	1	TH
T6	□	1.6	2	TH
T7	⊞	2.9	4	TH

BOARD's DRILL SCHEDULE / 2018-4-25 (3-4)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.09	9079	TH
T3	①	0.3	121	TH
T4	⊕	0.3	48	NTH
T5	⊗	1.55	1	TH
T6	□	1.6	2	TH
T7	⊞	2.9	4	TH

BOARD's DRILL SCHEDULE / 2018-4-25 (8-9)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.09	11797	TH
T3	①	0.3	121	TH
T4	⊕	0.3	48	NTH
T5	⊗	1.55	1	TH
T6	□	1.6	2	TH
T7	⊞	2.9	4	TH

BOARD's DRILL SCHEDULE / 2018-4-25 (4-5)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.09	6972	TH
T2	⊖	0.2	1775	TH
T3	①	0.3	121	TH
T4	⊕	0.3	48	NTH
T5	⊗	1.55	1	TH
T6	□	1.6	2	TH
T7	⊞	2.9	4	TH

BOARD's DRILL SCHEDULE / 2018-4-25 (9-10)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.09	10726	TH
T3	①	0.3	121	TH
T4	⊕	0.3	48	NTH
T5	⊗	1.55	1	TH
T6	□	1.6	2	TH
T7	⊞	2.9	4	TH


BOARD's DRILL SCHEDULE / 2018-4-25 (5-6)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T2	⊖	0.2	1775	TH
T3	①	0.3	121	TH
T4	⊕	0.3	48	NTH
T5	⊗	1.55	1	TH
T6	□	1.6	2	TH
T7	⊞	2.9	4	TH

THE USB DESIGN GUIDE OBSERVANCE

Model : SM-G885S
Revision : REV06
Manufacture Count : 150EA
Charge : 엄주훈
Contact : 010-9914-9738
Date : 2018.05.12
Routing : 0
Resin : 0

VX_Setup(2018-04-10)_HHP



BOARD.a DRILL SCHEDULE \ 2018-4-25 (1-2)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.08	8119	TH
T3	①	0.2	121	TH
T4	⊕	0.2	48	NTH
T5	⊗	1.25	1	TH
T6	□	1.6	2	TH
T7	⊠	2.9	4	TH

BOARD.a DRILL SCHEDULE \ 2018-4-25 (2-2)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.08	10249	TH
T3	①	0.2	121	TH
T4	⊕	0.2	48	NTH
T5	⊗	1.25	1	TH
T6	□	1.6	2	TH
T7	⊠	2.9	4	TH

BOARD.a DRILL SCHEDULE \ 2018-4-25 (3-4)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.08	9079	TH
T3	①	0.2	121	TH
T4	⊕	0.2	48	NTH
T5	⊗	1.25	1	TH
T6	□	1.6	2	TH
T7	⊠	2.9	4	TH

BOARD.a DRILL SCHEDULE \ 2018-4-25 (4-2)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.08	6972	TH
T3	①	0.2	121	TH
T4	⊕	0.2	48	NTH
T5	⊗	1.25	1	TH
T6	□	1.6	2	TH
T7	⊠	2.9	4	TH

BOARD.a DRILL SCHEDULE \ 2018-4-25 (5-6)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T3	①	0.2	121	TH
T4	⊕	0.2	48	NTH
T5	⊗	1.25	1	TH
T6	□	1.6	2	TH
T7	⊠	2.9	4	TH

BOARD.a DRILL SCHEDULE \ 2018-4-25 (6-7)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.08	8842	TH
T3	①	0.2	121	TH
T4	⊕	0.2	48	NTH
T5	⊗	1.25	1	TH
T6	□	1.6	2	TH
T7	⊠	2.9	4	TH

BOARD.a DRILL SCHEDULE \ 2018-4-25 (7-8)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.08	9382	TH
T3	①	0.2	121	TH
T4	⊕	0.2	48	NTH
T5	⊗	1.25	1	TH
T6	□	1.6	2	TH
T7	⊠	2.9	4	TH

BOARD.a DRILL SCHEDULE \ 2018-4-25 (8-9)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.08	11292	TH
T3	①	0.2	121	TH
T4	⊕	0.2	48	NTH
T5	⊗	1.25	1	TH
T6	□	1.6	2	TH
T7	⊠	2.9	4	TH

BOARD.a DRILL SCHEDULE \ 2018-4-25 (9-10)

TOOL	DRILL SYMBOL	DRILL SIZE(mm)	COUNT	PLATED
T1	○	0.08	10228	TH
T3	①	0.2	121	TH
T4	⊕	0.2	48	NTH
T5	⊗	1.25	1	TH
T6	□	1.6	2	TH
T7	⊠	2.9	4	TH

THE USB DESIGN GUIDE OBSERVANCE