

6

5

4

3

2

1

REVISION RECORD

LTN	ECO NO.	APPROVED	DATE

SDM636 GPIO Configuration For Starlord

GPIO_0	FP_SPI_MISO	GPIO_50	NFC_CLKREQ	GPIO_100	NC
GPIO_1	FP_SPI_MOSI	GPIO_51	QLINK_REQUEST	GPIO_101	FP_RESET_N
GPIO_2	FP_SPI_SCLK	GPIO_52	QLINK_ENABLE	GPIO_102	WLAN_SW_CTRL
GPIO_3	I2C_TP_CS_N	GPIO_53	NC	GPIO_103	LCD_ID
GPIO_4	TS_I2C_SDA	GPIO_54	NC	GPIO_104	USB_PHY_PS
GPIO_5	TS_I2C_SCL	GPIO_55	NC	GPIO_105	WMSS_RESET
GPIO_6	ESE_SPI_MISO	GPIO_56	NC	GPIO_106	MSS_LTE_C0XM_TXD
GPIO_7	ESE_SPI_MOSI	GPIO_57	NC	GPIO_107	MSS_LTE_C0XM_RXD
GPIO_8	ESE_SPI_SCLK	GPIO_58	NC	GPIO_108	WSA_SPKR_SD_N_1
GPIO_9	ESE_SPI_CS_N	GPIO_59	NC	GPIO_109	NC
GPIO_10	BT_UART_CTS_N	GPIO_60	NC	GPIO_110	WSA_DATA
GPIO_11	BT_UART_RFR_N	GPIO_61	RFFE1_DATA	GPIO_111	WSA_CLK
GPIO_12	BT_UART_TX_N	GPIO_62	RFFE1_CLK	GPIO_112	RCM_MARKER2
GPIO_13	BT_UART_RX_N	GPIO_63	RFFE2_DATA	GPIO_113	NC
GPIO_14	NFC_I2C_SDA	GPIO_64	RFFE2_CLK	GPIO_114	NC
GPIO_15	NFC_I2C_SCL	GPIO_65	RFFE3_DATA	GPIO_115	NC
GPIO_16	DEBUG_UART_TX	GPIO_66	RFFE3_CLK	GPIO_116	NC
GPIO_17	DEBUG_UART_RX	GPIO_67	RFFE4_DATA	GPIO_117	NC
GPIO_18	SHARED_I2C_SDA	GPIO_68	RFFE4_CLK	GPIO_118	NC
GPIO_19	SHARED_I2C_SCL	GPIO_69	RFFE5_DATA	GPIO_119	NC
GPIO_20	NC	GPIO_70	RFFE5_CLK	GPIO_120	NC
GPIO_21	NC	GPIO_71	RFFE6_CLK	GPIO_121	NC
GPIO_22	NC	GPIO_72	RFFE6_DATA	GPIO_122	NC
GPIO_23	NC	GPIO_73	UIM2_DATA		
GPIO_24	NC	GPIO_74	UIM2_CLK	LPI_0	SSC_I2C_1_SDA
GPIO_25	NC	GPIO_75	UIM2_RESET	LPI_1	SSC_I2C_1_SCL
GPIO_26	NC	GPIO_76	UIM2_PRESENT	LPI_2	SSC_SPI1_MISO
GPIO_27	NC	GPIO_77	UIM1_DATA	LPI_3	SSC_SPI1_MOSI
GPIO_28	CAM_MCLK0	GPIO_78	UIM1_CLK	LPI_4	SSC_SPI1_SCLK
GPIO_29	CAM_MCLK1	GPIO_79	UIM1_RESET	LPI_5	SSC_SPI1_CS0_N
GPIO_30	CAM_MCLK2	GPIO_80	UIM1_PRESENT	LPI_6	NC
GPIO_31	CAM_MCLK3	GPIO_81	ACCEL_INT	LPI_7	NC
GPIO_32	CCI_I2C_SDA0	GPIO_82	GYRO_INT	LPI_8	TS_SPI_MISO
GPIO_33	CCI_I2C_SCL0	GPIO_83	MAG_DRDY_INT	LPI_9	TS_SPI_MOSI
GPIO_34	CCI_I2C_SDA1	GPIO_84	NFC_ENABLE	LPI_10	TS_SPI_SCLK
GPIO_35	CCI_I2C_SCL1	GPIO_85	NFC_DWL_REQ	LPI_11	TS_SPI_CS_N
GPIO_36	NC	GPIO_86	NFC_IRQ	LPI_12	LPI_UART_1_TX
GPIO_37	CAM2_RST_N	GPIO_87	NC	LPI_13	LPI_UART_1_RX
GPIO_38	NC	GPIO_88	TS_TESET_M	LPI_14	LPI_UART2_TX
GPIO_39	FL_STROBE_TRIG	GPIO_89	TS_INT_N	LPI_15	LPI_UART2_RX
GPIO_40	NC	GPIO_90	MDP_VSYNC_P	LPI_16	NC
GPIO_41	NC	GPIO_91	LCD0_RESET_N	LPI_17	NC
GPIO_42	NC	GPIO_92	ALSPG_INT_N	LPI_18	SWR_TX_CLK
GPIO_43	FROCED_USB_BOOT_POLARITY	GPIO_93	FP_INT_N1	LPI_19	SWR_TX_DATA1
GPIO_44	NC	GPIO_94	FP_INT_N2	LPI_20	SWR_TX_DATA2
GPIO_45	CAM1_RST_N	GPIO_95	NC	LPI_21	SWR_RX_CLK
GPIO_46	DVDD1_IP2_EN	GPIO_96	NC	LPI_22	SWR_RX_DATA1
GPIO_47	CAM0_RST_N	GPIO_97	RCM_MARKER1	LPI_23	SWR_RX_DATA2
GPIO_48	WCSS_PMR_REQ	GPIO_98	NC	LPI_24	CODEC_RST_N
GPIO_49	NC	GPIO_99	SD_CARD_DET_N	LPI_25	NC

LPI_26	NC
LPI_27	NC
LPI_28	NC
LPI_29	NC
LPI_30	LPI_QCA_SB_DATA
LPI_31	LPI_QCA_SB_CLK

PM6150

GPIO_01	NC
GPIO_02	NC
GPIO_03	SMB_STAT
GPIO_04	NC
GPIO_05	SLB
GPIO_06	SD_CARD_DET_N
GPIO_07	NFC_SLEEP_CLK
GPIO_08	NC
GPIO_09	FMB1
GPIO_10	FMB2
AMUX_THERM1	Option_1
AMUX_THERM2	MSM_THERM
AMUX_THERM3	SMB_THERM
AMUX_THERM4	CONN_THERM

PM6150L

GPIO_01	AOSS_SLEEP_INDICATOR
GPIO_02	KYPD_VOLP_N
GPIO_03	DVDD_IP2_EN
GPIO_04	AVDD1_2P8_EN
GPIO_05	CAM_FLASH_THERM
GPIO_06	NC
GPIO_07	SLB
GPIO_08	NC
GPIO_09	AVDD0_2P8_EN
GPIO_10	QUIET_THERM
GPIO_11	NC
GPIO_12	NC
AMUX_THERM1	EMMC_THERM
AMUX_THERM2	PA_THERM0
AMUX_THERM3	NC






COMPANY:

<Company Name>

TITLE:




<Title>

DRAWN:	<Drawn By>	DATED:	<Drawn Date>	CODE:	SIZE:	DRAWING NO:	REV:
CHECKED:	<Checked By>	DATED:	<Checked Date>				
QUALITY CONTROL:	<QC By>	DATED:	<QC Date>	<Code>	A0	<Drawing Number>	<Revision>
RELEASED:	<Released By>	DATED:	<Release Date>	SCALE:	<Scale>	SHEET:	22







SM6150 DECAPs

REVISION RECORD			
LTR	ECO NO	APPROVED	DATE



DRAWN: <Drawn By>		DATED: <Drawn Date>		CODE: <Code>		SIZE: A0		DRAWING NO: <Drawing Number>		REV: <Revision>	
CHECKED: <Checked By>		DATED: <Checked Date>		CODE: <Code>		SIZE: A0		DRAWING NO: <Drawing Number>		REV: <Revision>	
QUALITY CONTROL: <QC By>		DATED: <QC Date>		CODE: <Code>		SIZE: A0		DRAWING NO: <Drawing Number>		REV: <Revision>	
RELEASED: <Released By>		DATED: <Release Date>		CODE: <Code>		SIZE: A0		DRAWING NO: <Drawing Number>		REV: <Revision>	

REVISION RECORD			
LTB	EXD MS	APPROVED	DATE



COMPANY: <Company Name>			
TITLE: <Title>			
DRAWN: <Drawn By>	DATED: <Drawn Date>	CODE: <Code>	
CHECKED: <Checked By>	DATED: <Checked Date>	SIZE: A0	DRAWING NO: <Drawing Number>
QUALITY CONTROL: <QC By>	DATED: <QC Date>	SCALE: <Scale>	REV: 22
RELEASED: <Released By>	DATED: <Release Date>	SHEET: 86	

D

C

B




A

D

C

B

A



DRAWN: <Drawn By>		DATED: <Drawn Date>		CODE:		SIZE:		DRAWING NO:		REV:	
CHECKED: <Checked By>		DATED: <Checked Date>		CODE:		SIZE:		DRAWING NO:		REV:	
QUALITY CONTROL: <QC By>		DATED: <QC Date>		CODE:		SIZE:		DRAWING NO:		REV:	
RELEASED: <Released By>		DATED: <Release Date>		CODE:		SIZE:		DRAWING NO:		REV:	







COMPANY: <Company Name>

TITLE: <Title>

SCALE: <Scale>

SHEET: 9# 22


REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




		COMPANY: <Company Name>			
		TITLE: <Title>			
DRAWN: <Drawn By>	DATED: <Drawn Date>				
CHECKED: <Checked By>	DATED: <Checked Date>	CODE:	SIZE:	DRAWING NO:	REV:
QUALITY CONTROL: <QC By>	DATED: <QC Date>	<Code>	A0	<Drawing Number><Revision>	
RELEASED: <Released By>	DATED: <Release Date>	SCALE: <Scale>			SHEET: 10 22

A

LCM






Flash Light



Note 62-3: Reserve a capacitor (27pF) on camera's MCLK and shunt it to GND to prevent GPS de-sense.







		COMPANY: <Company Name>			
		TITLE: <Title>			
DRAWN: <Drawn By>	DATE: <Drawn Date>				
CHECKED: <Checked By>	DATE: <Checked Date>	CODE:	SIZE:	DRAWING NO:	REV:
QUALITY CONTROL: <QC By>	DATE: <QC Date>	<Code>	A0	<Drawing Number>	<Revision>
RELEASED: <Released By>	DATE: <Release Date>	SCALE: <Scale>	SHEET: 12 22		

REVISION RECORD			
LTN	ECO NO.	APPROVED	DATE








COMPANY:		<Company Name>	
TITLE:		<Title>	
DRAWN: <Drawn By>	DATE: <Drawn Date>	CODE:	SIZE:
CHECKED: <Checked By>	DATE: <Checked Date>	DRAWING NO:	
QUALITY CONTROL: <QC By>	DATE: <QC Date>	REV:	
RELEASED: <Released By>	DATE: <Release Date>	SCALE: <Scale>	
SHEET: 18		22	

REVISION RECORD			
LTR	ECO NO	APPROVED	DATE



COMPANY: <Company Name>			
TITLE: <Title>			
DRAWN: <Drawn By>	DATE: <Drawn Date>	CODE:	SIZE:
CHECKED: <Checked By>	DATE: <Checked Date>	DRAWING NO:	
QUALITY CONTROL: <QC By>	DATE: <QC Date>	REV:	
RELEASED: <Released By>	DATE: <Release Date>	SCALE: <Scale>	

REVISION RECORD			
LTR.	ECO NO.	APPROVED:	DATE:




Each QPHY pair shall be routed in a channel together isolated from other QPHY pairs with surrounding gnd

QPHY_ETDAC_TEST

		COMPANY: <Company Name>			
		TITLE: <Title>			
DRAWN: <Drawn By>	DATED: <Drawn Date>				
CHECKED: <Checked By>	DATED: <Checked Date>				
QUALITY CONTROL: <QC Date>	DATED: <QC Date>	CODE: <Code>	SIZE: A0	DRAWING NO: <Drawing Number>	REV: <Revision>
RELEASED: <Released By>	DATED: <Release Date>				
		SCALE: <Scale>		SHEET: 18	22

REVISION RECORD			
LT#	ECO NO.	APPROVED	DATE




COMPANY: <Company Name>			
TITLE: <Title>			
DESIGN: <Drawn By>	DATE: <Drawn Date>		
CHECKED: <Checked By>	DATE: <Checked Date>		
QUALITY CONTROL: <QC By>	DATE: <QC Date>		
RELEASED: <Released By>	DATE: <Release Date>		
		CODE: <Code>	SIZE: A0
		DRAWING NO: <Drawing Number>	
		REV: <Revision>	
		SCALE: <Scale>	
		SHEET: 16 22	

D

B

B



TXM-RF5212A

REVISION RECORD			
LTR	ECO NO.	APPROVED:	DATE:

D

D

C


C

B

B

A


A



COMPANY: <Company Name>

TITLE: <Title>

DRAWN: <Drawn By>	DATED: <Drawn Date>	CODE:	SIZE:	DRAWING NO:	REV:
CHECKED: <Checked By>	DATED: <Checked Date>	<Code>	A0	<Drawing Number>	<Revision>
QUALITY CONTROL: <QC By>	DATED: <QC Date>				
RELEASED: <Release By>	DATED: <Release Date>				




REVISION RECORD			
LTR	ECO NO	APPROVED	DATE

COMPANY: <Company Name>			
TITLE: <Title>			
DRAWN: <Drawn By>	DATED: <Drawn Date>	CODE: <Code>	SIZE: A0
CHECKED: <Checked By>	DATED: <Checked Date>	DRAWING NO. <Drawing Number>	
QUALITY CONTROL: <QC By>	DATED: <QC Date>	Revision: <Revision>	
RELEASED: <Released By>	DATED: <Release Date>	SCALE: <Scale>	SHEET: 20 22


REVISION RECORD			
LTR	ECO NO.	APPROVED	DATE

GPS


High rejection saw




FM



GPS_2G_5G_ANT



2G_5G_WLAN



COMPANY: <Company Name>			
TITLE: <Title>			
DRAWN: <Drawn By>	DATED: <Drawn Date>	CODE: <Code>	
CHECKED: <Checked By>	DATED: <Checked Date>	SIZE: A0	DRAWING NO: <Drawing Number>
QUALITY CONTROL: <QC By>	DATED: <QC Date>	REV: <Revision>	
RELEASED: <Released By>	DATED: <Release Date>	SCALE: <Scale>	SHEET: 28 22

