



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A	SAMSUNG CONFIDENTIAL THIS DOCUMENT CONTAINS CONFIDENTIAL PROPRIETARY INFORMATION THAT IS SAMSUNG ELECTRONICS CO.'S PROPERTY. DO NOT DISCLOSE TO OR DUPLICATE FOR OTHERS EXCEPT AS AUTHORIZED BY SAMSUNG.														
B															
C	SM-M127F_REV0.3														
D	SM-M127F/G F127G Common														
E	2020.11.13														
F															
G	sheet01 : GSM / WCDMA / LTE RF														
H	sheet02 : TRANCEIVER, DRX														
I	sheet03 : SENSORS, CONNECTIVITY														
J	sheet04 : EXYNOS3830(NACHO)														
K	sheet05 : PMIC(Main,IF), KEY, MOTOR, eMCP, SD/SIM														
L	sheet06 : AUDIO, DISPLAY, LCD FPCB CON														
	sheet07 : CAMERA														
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

										Engineer:							
										Drawn by:							
										RED CHK:		TITLE:		Size:			
										DOC CTRL CHK:		A30					
										MFG ENGR CHK:							
										QA CHK:		REV:		Drawing Number:		Page:	
										Changed by:		Date Changed:		Time Changed:			
										user83							
																6	

	SWA	GLOBAL
FDD	1/ 3/ 5/ 7/ 8	1/ 2/ 3/ 4/ 5/ 7/ 8/ 12/ 17/ 20/ 26/ 28/ 66
TDD	38/ 40/ 41	38/ 40/ 41
3G	1/ 5/ 8	1/ 2/ 4/ 5/ 8
2G	850 /900 /1800 /1900	850 /900 /1800 /1900





1









Figure 10 shows the AP_THM pin connection. The AP_THM pin is connected to VDD_IP8_AP through a 10kΩ resistor. A 100nF capacitor is connected between the AP_THM pin and ground. The output of the AP_THM pin is labeled AP_THM.

VDD_1P8_AP

20200728
IPFPMC_ICC PU 2.2K (SL/SI, SM)

REG101
REG102

FG_IPF_PMC_SCL_1P8
FG_IPF_PMC_SDA_1P8

CAM_VDDIO_1P8

REG103
REG104

ICAM_1 3 4_FCAM_AF_KEP_FCAM5_ICC_SCL_1P8
ICAM_1 3 4_FCAM_AF_KEP_FCAM5_ICC_SDA_1P8

VDD_1P8_AP

REG105
REG106

GRIP_ICC_SCL_1P8
GRIP_ICC_SDA_1P8
GRIP_IPB_SCL_1P8
GRIP_IPB_SDA_1P8

CAM_VDDIO_1P8

REG107
REG108

ICAM1_SENSOR_ICC_SCL_1P8
ICAM1_SENSOR_ICC_SDA_1P8

VDD_1P8_AP

REG109
REG110

BLIC_ICC_SCL_1P8
BLIC_ICC_SDA_1P8

CAM_VDDIO_1P8

REG111
REG112

ICAM2_3_4_SENSOR_ICC_SCL_1P8
ICAM2_3_4_SENSOR_ICC_SDA_1P8

VDD_1P8_AP

REG113
REG114

SPK_AMP_ICC_SCL_1P8
SPK_AMP_ICC_SDA_1P8

VDD_NFC_PVDD_1P8

REG115
REG116

NFC_ICC_SCL_1P8
NFC_ICC_SDA_1P8

VDD_SENSOR_1P8

REG117
REG118

SENSOR_SCL_1P8
SENSOR_SDA_1P8

AP Decap





IF_PMIC

[illegible]


BLIC

20200730


Remove TSP_TA TR by IFPMIC SM review




MAIN FPCB_PART (78pin) 6.5" HD+ TFT V-CUT




AUDIO_PART




SPK AMP




RCV CONTACT



MAIN MIC



Sub MIC






Ear MIC


Engineer:			
Drawn by:			
R&D CHK:	TITLE:		Size:
DOC CTRL CHK:			
MFG ENGR CHK:			
QA CHK:	REV:	Drawing Number:	Page: 6/7





CAMERA MIPI SWITCH





2020 M12 REV03 Block Diagram 20.12.14














SM-F127G

