



8.3 级维修

8-1. 框图




8-2.主板图


8-2-1.主板顶部



8-2-2.底部



8-2-3. 设备



↑示波器




↑数字万用表



↑电源供电器



↑+字螺丝刀，ESD 安全镊子




↑8960 和光谱分析器





↑焊接熨斗


8-3.故障排除流程图


8-3-1 开机







8-3-2. 初始化










8-3-3. 无服务










8-3-4.SIM1 部分






8-3-6.充电部分







8-3-7.6Axics 传感器






8-3-8.扬声器部分








SPK




8-3-9.接收器部分







8-3-10.BT/WIFI







8-4-11.GPS







GPS / GNSS






8-3-12.液晶显示屏







OCTA CONN




HD OCTA DC-DC










8-3-13.13M 摄像头







LDO_CAM_SENSOR_A2P8








8-3-14.VT 摄像头









8-3-15.TSP







OCTA CONN




TSP LDO







8-3-16.耳机插口




8-3-17.电机








Haptic Driver




MOTOR LDO(150mA)




8-3-18. GSM 850、900、1800、1900 / LTE FDD BAND 1、3、7 / LTE TDD BAND 38、39、40、41 / TDSCDMA B34/B39 接收器



8-3-19. GSM 850、900、1800、1900 / LTE FDD BAND 1、3、7 / LTE TDD BAND 38、39、40、41 / TD-SCDMA B34/B39 发射器





-故障处（顶部视图）

●：故障

	1	2	3	4	5	6	7	8	9	10	11	12	13	14
A														
B														
C	●													●
D	●							●	●	●	●	●	●	●
E	●	●	●	●	●	●	●	●	●	●	●	●	●	●
F	●					●	●							●
G	●					●	●							●
H	●					●	●							●
I	●					●	●							●
J	●					●	●							●
K	●					●	●							●
L	●					●	●							●
M	●					●	●							●
N	●					●	●							●
P	●					●	●							●
R	●					●	●							●
T	●					●	●							●
U	●					●	●							●
V	●					●	●							●
W	●					●	●							●
Y	●					●	●							●
AA						●	●							
AB						●	●							

UME400

The diagram is a complex wiring schematic for the UCP300 unit. It consists of a large grid of components, each represented by a small square box. The boxes are arranged in a grid that is approximately 30 units wide and 40 units high. Each box contains a label, often a part number or a functional description, such as 'RELAY', 'DIODE', 'TRANSISTOR', 'RESISTOR', 'CAPACITOR', 'INDUCTOR', 'MOTOR', 'PUMP', 'VALVE', 'SOLENOID', 'ACTUATOR', 'SENSOR', 'SWITCH', 'BUTTON', 'KEYPAD', 'DISPLAY', 'LED', 'LAMP', 'BULB', 'FUSE', 'CIRCUIT BREAKER', 'CONTACTOR', 'RELAY', 'DIODE', 'TRANSISTOR', 'RESISTOR', 'CAPACITOR', 'INDUCTOR', 'MOTOR', 'PUMP', 'VALVE', 'SOLENOID', 'ACTUATOR', 'SENSOR', 'SWITCH', 'BUTTON', 'KEYPAD', 'DISPLAY', 'LED', 'LAMP', 'BULB', 'FUSE', 'CIRCUIT BREAKER'. The boxes are connected by lines, representing the electrical wiring. The connections are made between specific terminals or pins on the components. The diagram is color-coded, with different colors used to highlight different sections or types of components. The overall layout is organized and systematic, allowing for easy identification and troubleshooting of the unit's internal components.

UCP300

	1	2	3	4	5	6	7	8	9	10	11	12	13	14
A														
B														
C										●				
D							●	●						
E						●								
F				●		●								
G														
H	●			●					●					●
J									●					
K						●	●					●		
L					●	●	●		●					
M														●
N														
P											●			

U400