

[A5] SM-A500G/DS REV1.1_SIM BOM

2014.11.04.

sheet01 : RF PAM

sheet02 : WTR1605L or WTR1605(TRANCEIVER), BT/WIFI, GPS, NFC

sheet03 : MSM8916 or MSM8216(AP)


sheet04 : PM8916(PMIC),eMCP

sheet05 : AUDIO, SUB PBA CONNECTOR

sheet06 : 5" HD OCTA, CAM PART, SD CARD, MOT

sheet07 : SENSOR, Charger, MUIC


Engineer	
Drawn by	
Check by	
DOC. CTRL. CHK	
RFID ENGINT. CHK	
QA CHK	
REV	
Drawing Number	
Sheet	
QIB	



MODE	PA_ON B7/B40	PA_R0
HPM	H	L
LPM	H	H

MODE	CTL
RF2	H
RF1	L

B7/B40 TRX



DIVERSITY (W-B1,5,8 / LTE-B1,3,5,7,8,20,40)

```
user120|swcad120|10.252.41.253|20141104-185952
```

RF Transceiver



```
user120|swcad120|10.252.41.253|20141104-185954
```

Figure 10 shows the pin connections for the CH3003 module. The module has 16 pins. The connections are as follows:



- Pin 1: VDD1 (5V)
- Pin 2: VDD2 (5V)
- Pin 3: VDD3 (5V)
- Pin 4: VDD4 (5V)
- Pin 5: VDD5 (5V)
- Pin 6: VDD6 (5V)
- Pin 7: VDD7 (5V)
- Pin 8: VDD8 (5V)
- Pin 9: VDD9 (5V)
- Pin 10: VDD10 (5V)
- Pin 11: VDD11 (5V)
- Pin 12: VDD12 (5V)
- Pin 13: VDD13 (5V)
- Pin 14: VDD14 (5V)
- Pin 15: VDD15 (5V)
- Pin 16: VDD16 (5V)

The connections to the USB FET SV CON B and A are as follows:


- USB FET SV CON B: VDD1, VDD2, VDD3, VDD4, VDD5, VDD6, VDD7, VDD8, VDD9, VDD10, VDD11, VDD12, VDD13, VDD14, VDD15, VDD16
- USB FET SV CON A: VDD1, VDD2, VDD3, VDD4, VDD5, VDD6, VDD7, VDD8, VDD9, VDD10, VDD11, VDD12, VDD13, VDD14, VDD15, VDD16

The connections to the MUC DM JTAG B and A are as follows:

- MUC DM JTAG B: VDD1, VDD2, VDD3, VDD4, VDD5, VDD6, VDD7, VDD8, VDD9, VDD10, VDD11, VDD12, VDD13, VDD14, VDD15, VDD16
- MUC DM JTAG A: VDD1, VDD2, VDD3, VDD4, VDD5, VDD6, VDD7, VDD8, VDD9, VDD10, VDD11, VDD12, VDD13, VDD14, VDD15, VDD16




Solder Bridge



UCP3000-1
MSM8916-6



UCP3000-2
MSM8916-6



B40 PLACE O/X		DUAL_SIM_DET	
High	B40 X	High	Dual
Low	B40 O	Low	Single

A5 Global	B40_SEL	SIM_SEL
SM-A500G/DS	0	1
SM-A500G/SS	0	0

PMIC PART

OSC4000
CXK6182000GMR700
19.2MHz OSC




U4000
PM8916

UME4000
KMR310001M-B611




BATTERY B to B CON

Project	POWER
Doc No.	SM-A500F(A5 EUR LTE)
Doc Ver.	1.0
Doc Date	2014.11.04
Doc By	104-185955

AUDIO PART





IF SUB PBA CONNECTOR



CAMERA PART


5M VT CAM



MAIN CAM A LDO

MAIN CAM CORE LDO


VT CAM LDO




MAIN CAM EMI FILTER

VT CAM EMI FILTER

SIM / SD CARD PART




TRAY NANO SIM1 SOCKET




TRAY HYBRID(SIM2/SD) SOCKET

DISPLAY PART




OCTA CONN




HD OCTA DC-DC

OCTA LDO



TSP LDO

MOTOR PART



Haptic Driver

MOTOR LDO(150mA)

Engineer:	CAMERA / LCD / SIM,SD CON		
Drawn by:			
Rev. Chg.:	TITLE:	Rev. No.	
SDG CTRL. CHG.:	SM-A500F(A5 EUR LTE)		
INFO ENG. CHG.:			
QA CHG.:	REV.	Drawing Number:	Rev. No.

MUIC

FLASH LED


IF PMIC (RT5033 @ Richtek)
(Charger / Fuel Gauge / Flash LED / CAM DCDC)

Proximity Detector

Proximity LDO

ACC+MAG SENSOR

			○	
			○	
			○	
			○	
			○	
			○	
			⊖	
			○	
			○	
			○	
			○	
			○	
			⊕	
			⊕	
			⊗	
			□	
			☒	
			田	
			+	



.....