

SDM450 GPIO Configuration For QRD450+PMI632


GPIO_134	BOM
----------	-----

PMI632 GPIO/MPP Configuration

PM8953 GPIO/MPP Configuration

GPIO TABLE


Title	Page Name = Page Name_0000	V31
-------	----------------------------	-----



iREPAIR


FILE	Page Name = 01_02040002	REV	1.0
DOCUMENT NO.	Design Name = 010001_1_000001_000001	DATE	2000/01/01
DESIGNER	DESIGNER	DESIGNER	DESIGNER
DATE	DATE	DATE	DATE







iREPAIR








iREPAIR










FILE	Placa Mono e Placa Stereo	10/10
DOCUMENT NO.	Design Name + SERIAL + DATA	000000
REVISION	001	000000
DATE	2020-10-10	10-10-20

iREPAIR





Sheet	Page Name	Page Name	Page
1/1	Design Name	Design Name	1/1
Author	Design Name	Design Name	Design Name
Department	Department	Department	Department
Project	Project	Project	Project


iREPAIR







REPAIR




Battery Connector



USB_IF



7134	Page Name = Page Name .JPG	VER
DOCUMENT NO.:	Design Name = 88618_1_SIMULA_20080817.JPG	
DEPARTMENT	DEPARTMENT = WWSOTEC	DESIGNER = YAMASHIMUN
		
DATE:	Page Modify Date = Thursday, August 14, 2008	22:47:53



FILE	Page Name = Page Name	Page 1/1
DOCUMENT NO.	Design Name = 00000_1_00000_00000	00000_00
REVISION	Design Name = 00000_1_00000_00000	00000_00
DATE	Print Date, Time & Location, Report	2000-01-01 10:00:00


IREPAIR





[illegible]

Note: EURO/US compatible design,
Default US type



LCD-Connector



LCD-BACKLIGHT



Common Mode Filter




IRCPAIR

FILE	Page Name	Page Name	Page
DOCUMENT	Design Name	Design Name	Design Name
DESIGNER	DESIGNER	DESIGNER	DESIGNER
DATE	DATE	DATE	DATE




Main Camera


CAD note: Ensure the DGMID to main-GND directly and robustly




Front Camera



CAM DVDD 1P2




CAM AVDD 2P8



iREPAIR



Flash






iREPAIR

FILE	Page Name = Page Name	Page 1/1
DOCUMENT NO.	Design Name = 00000_1_00000_00000	00000/00
DATE	2000-00-00	000000




Fingerprint CONNECT



FILE	Page Name	Page Name	Page
DOCUMENT NO.	Design Name	Design Name	Design Name
DESIGNER	DESIGNER	DESIGNER	DESIGNER
DATE	DATE	DATE	DATE

iREPAIR







iREPAIR




USB




KEYS




DOWNLOAD




JTAG CONNECTOR




UART




BATTERY



LOGIC




GND



iREPAIR



Sub Board Connector




OVP

Change C4803 25V



防 燒 M O S




NOT TO BE USED, COPIED, REPRODUCED OR STORED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF QUALCOMM TECHNOLOGIES, INC. THIS DOCUMENT CONTAINS QUALCOMM PROPRIETARY INFORMATION. IT IS UNCLASSIFIED AND UNCONTROLLED EXCEPT FOR THE INFORMATION CONTAINED HEREIN. IT IS THE PROPERTY OF QUALCOMM TECHNOLOGIES, INC. AND IS NOT TO BE DISCLOSED TO ANY OTHER PARTY WITHOUT THE WRITTEN PERMISSION OF QUALCOMM TECHNOLOGIES, INC.	QUALCOMM QUALCOMM Technologies, Inc. 3501 La Jolla Village Drive San Diego, CA 92161-1674 USA	QUALCOMM Technologies, Inc. 3501 La Jolla Village Drive San Diego, CA 92161-1674 USA
THIS SCHEMATIC IS A QUALCOMM TECHNOLOGIES, INC. PROPERTY. IT IS UNCLASSIFIED AND UNCONTROLLED EXCEPT FOR THE INFORMATION CONTAINED HEREIN. IT IS THE PROPERTY OF QUALCOMM TECHNOLOGIES, INC. AND IS NOT TO BE DISCLOSED TO ANY OTHER PARTY WITHOUT THE WRITTEN PERMISSION OF QUALCOMM TECHNOLOGIES, INC.	THIS SCHEMATIC IS A QUALCOMM TECHNOLOGIES, INC. PROPERTY. IT IS UNCLASSIFIED AND UNCONTROLLED EXCEPT FOR THE INFORMATION CONTAINED HEREIN. IT IS THE PROPERTY OF QUALCOMM TECHNOLOGIES, INC. AND IS NOT TO BE DISCLOSED TO ANY OTHER PARTY WITHOUT THE WRITTEN PERMISSION OF QUALCOMM TECHNOLOGIES, INC.	THIS SCHEMATIC IS A QUALCOMM TECHNOLOGIES, INC. PROPERTY. IT IS UNCLASSIFIED AND UNCONTROLLED EXCEPT FOR THE INFORMATION CONTAINED HEREIN. IT IS THE PROPERTY OF QUALCOMM TECHNOLOGIES, INC. AND IS NOT TO BE DISCLOSED TO ANY OTHER PARTY WITHOUT THE WRITTEN PERMISSION OF QUALCOMM TECHNOLOGIES, INC.

iREPAIR







ACCELEROMETER+GYRO



Magnetic Sensor



ALS/PROXIMITY SENSOR/LED indicator



LEDA_3V3






iREPAIR



ITEM	REVISION	DATE	BY
001	001	00/00/00	0000
002	002	00/00/00	0000
003	003	00/00/00	0000
004	004	00/00/00	0000
005	005	00/00/00	0000
006	006	00/00/00	0000
007	007	00/00/00	0000
008	008	00/00/00	0000
009	009	00/00/00	0000
010	010	00/00/00	0000
011	011	00/00/00	0000
012	012	00/00/00	0000
013	013	00/00/00	0000
014	014	00/00/00	0000
015	015	00/00/00	0000
016	016	00/00/00	0000
017	017	00/00/00	0000
018	018	00/00/00	0000
019	019	00/00/00	0000
020	020	00/00/00	0000
021	021	00/00/00	0000
022	022	00/00/00	0000
023	023	00/00/00	0000
024	024	00/00/00	0000
025	025	00/00/00	0000
026	026	00/00/00	0000
027	027	00/00/00	0000
028	028	00/00/00	0000
029	029	00/00/00	0000
030	030	00/00/00	0000
031	031	00/00/00	0000
032	032	00/00/00	0000
033	033	00/00/00	0000
034	034	00/00/00	0000
035	035	00/00/00	0000
036	036	00/00/00	0000
037	037	00/00/00	0000
038	038	00/00/00	0000
039	039	00/00/00	0000
040	040	00/00/00	0000
041	041	00/00/00	0000
042	042	00/00/00	0000
043	043	00/00/00	0000
044	044	00/00/00	0000
045	045	00/00/00	0000
046	046	00/00/00	0000
047	047	00/00/00	0000
048	048	00/00/00	0000
049	049	00/00/00	0000
050	050	00/00/00	0000
051	051	00/00/00	0000
052	052	00/00/00	0000
053	053	00/00/00	0000
054	054	00/00/00	0000
055	055	00/00/00	0000
056	056	00/00/00	0000
057	057	00/00/00	0000
058	058	00/00/00	0000
059	059	00/00/00	0000
060	060	00/00/00	0000
061	061	00/00/00	0000
062	062	00/00/00	0000
063	063	00/00/00	0000
064	064	00/00/00	0000
065	065	00/00/00	0000
066	066	00/00/00	0000
067	067	00/00/00	0000
068	068	00/00/00	0000
069	069	00/00/00	0000
070	070	00/00/00	0000
071	071	00/00/00	0000
072	072	00/00/00	0000
073	073	00/00/00	0000
074	074	00/00/00	0000
075	075	00/00/00	0000
076	076	00/00/00	0000
077	077	00/00/00	0000
078	078	00/00/00	0000
079	079	00/00/00	0000
080	080	00/00/00	0000
081	081	00/00/00	0000
082	082	00/00/00	0000
083	083	00/00/00	0000
084	084	00/00/00	0000
085	085	00/00/00	0000
086	086	00/00/00	0000
087	087	00/00/00	0000
088	088	00/00/00	0000
089	089	00/00/00	0000
090	090	00/00/00	0000
091	091	00/00/00	0000
092	092	00/00/00	0000
093	093	00/00/00	0000
094	094	00/00/00	0000
095	095	00/00/00	0000
096	096	00/00/00	0000
097	097	00/00/00	0000
098	098	00/00/00	0000
099	099	00/00/00	0000
100	100	00/00/00	0000

iREPAIR






WIRE	WIRING 3: CONNECTION WIRE 3	WIRE	WIRE
WIRE	WIRING 3: CONNECTION WIRE 3	WIRE	WIRE
WIRE	WIRING 3: CONNECTION WIRE 3	WIRE	WIRE
WIRE	WIRING 3: CONNECTION WIRE 3	WIRE	WIRE

iREPAIR






FILE	REPAIRMAN VOLTAGE TESTER	REV	001
DESCRIPTION	REPAIRMAN VOLTAGE TESTER	REV	001
DATE	2023-01-01	REV	001
DESIGNED BY	REPAIRMAN	REV	001
CHECKED BY	REPAIRMAN	REV	001

iREPAIR











FILE	REVISION	DATE	BY
001	001	01/01/2010	001
002	002	01/01/2010	002
003	003	01/01/2010	003
004	004	01/01/2010	004
005	005	01/01/2010	005
006	006	01/01/2010	006
007	007	01/01/2010	007
008	008	01/01/2010	008
009	009	01/01/2010	009
010	010	01/01/2010	010

iREPAIR









FILE	WTR0-PRX-AMB-CA-01-01-01	REV	01
DOCUMENT NO.	WTR0-PRX-AMB-CA-01-01-01	REV	01
DATE	2019/01/01	REV	01
DESIGNED BY	WTR0-PRX-AMB-CA-01-01-01	REV	01
DATE	2019/01/01	REV	01

IREPAIR






FILE	WTR0_PRX_MLB6_CAT_02_02_03	REV	001
DOCUMENT NO.	WTR0_PRX_MLB6_CAT_02_02_03	REV	001
DATE	2013-02-03	REV	001
DESIGNED BY	WTR0_PRX_MLB6_CAT_02_02_03	REV	001
DATE	2013-02-03	REV	001

IREPAIR





FILE	REVISION	DATE	BY
DOCUMENT NO.	REVISION	DATE	BY
REVISION	REVISION	DATE	BY
REVISION	REVISION	DATE	BY

IREPAIR







iREPAIR

FILE	REPAIRMAN AND CAT 0000	REV	001
DOCUMENT NO.	REPAIRMAN AND CAT 0000	REV	001
REVISION	REPAIRMAN AND CAT 0000	REV	001
REVISION	REPAIRMAN AND CAT 0000	REV	001



RF Port

Power








FILE	RFPORTS.MXD	REV	001
DATE	10/10/2010	REV	001
DESIGNED BY	INGENIERO DE PROYECTO	REV	001
CHECKED BY	INGENIERO DE PROYECTO	REV	001
APPROVED BY	INGENIERO DE PROYECTO	REV	001
DATE	10/10/2010	REV	001

iREPAIR









iRCPAIR



111a	3054327-WYTRON 405 CA平台電腦	Box 1/33
DOCUMENT NO.:	WIRETECH 34 110-SC001	Box 2
DEPARTMENT:	Shanghai Hardware	DESCRIPTION: 100-0-0000
		

iREPAIR




FILE	WTR0_DRX_MLB6_CAT_02_02_03	REV	001
DOCUMENT NO.	WTR0_DRX_MLB6_CAT_02_02_03	REV	001
DATE	2013-02-03	REV	001
DESIGNED BY	WTR0_DRX_MLB6_CAT_02_02_03	REV	001
DATE	2013-02-03	REV	001

iREPAIR




11)a	SOM833-SWTR835 u8u CAT7 (台灣總匯)	REV: V32
DOCUMENT NO.:	W827834-SH-HSP-SCH835	SIZE: D
DEPARTMENT:	Shanghai hardware	DATE: 2008-10-20
		
Unit A:	303, 303-008	



FILE	Page Name = 77.MCM_2012	REV	001
DOCUMENT NO.	Design Name = MTC0800_1_000001_2012	DESIGNER	000001
REVISION	REVISION	REVISION	REVISION
DATE	DATE	DATE	DATE

iREPAIR









FILE	REPAIR-TECHNICAL-DOC-001-001	REV	001
DESCRIPTION	REPAIR-TECHNICAL-DOC-001-001	REV	001
REVISION	REVISION-001-001	REV	001
DATE	2023-01-01	REV	001

iREPAIR







iREPAIR



FILE	REPAIR-POWER-AC-1-01-01-01	REV	01
DOCUMENT NO.	REPAIR-POWER-AC-1-01-01-01	REV	01
DATE	2023-01-01	REV	01
DESIGNED BY	REPAIR-POWER-AC-1-01-01-01	REV	01
CHECKED BY	REPAIR-POWER-AC-1-01-01-01	REV	01
APPROVED BY	REPAIR-POWER-AC-1-01-01-01	REV	01

IREPAIR





FILE	REPAIR-POWER-5V-5A-01-01-01	REV	01
DOCUMENT NO.	REPAIR-POWER-5V-5A-01-01-01	REV	01
DATE	2023-01-01	DATE	2023-01-01

iREPAIR

