

SM-A426U REV03A

2021.02.01

- Sheet01 : GSM / WCDMA / LTE / NR(N41) RF**
- Sheet02 : TRANSCEIVER, SUB ANT**
- Sheet03 : CONNECTIVITY(BT/WIFI/FM), NFC**
- Sheet04 : AP(SM6350-INTERFACE,GPIO)**
- Sheet05 : AP(POWER), MEM(uMCP)**
- Sheet06 : PMIC(PM6350,PM6150A), IF PMIC**
- Sheet07 : AUDIO Codec, SENSOR, SIM, SD**
- Sheet08 : CAMERA, DISPLAY PMIC**
- Sheet09 : DISPLAY, C2C**

Engineer:			
Drawn by:			
R&D CHK:	TITLE:		Size:
DOC CTRL CHK:	A42 mmW		
MFG ENGR CHK:			
QA CHK:	REV:	Drawing Number:	Page:
			0


RF PART 1

2G: 850/900/1800/1900
3G: W1/2/4/5/8
CDMA: BC0/1/10
LTE: B1/[2]/3/[4]/5/7/12/13/14/20/[25]/26/29/30/[66]/71
B38/39/40/[41]/46/[48]
FR1: [N2]/N5/[N41]/[N48]/[N66]/N71/[N77]/[N78]
FR2: n260/n261


LB L-PAMiD

2G: 850/900
3G: W5/8
CDMA: BC0/10
LTE: B5/12/13/14/20/25/29/71
NR: N5/N71






MAIN ANT1 LB/MB(N2/N5/N66/N71) TRX n41 PRX MIMO n48/n77/n78 PRX MIMO



MAIN ANT2 HB(N41) TRX N41 TX (N41+MB ENDC)



MAIN ANT3 n2/n66 PRX MIMO








THERMISTOR

MHB L-PAMiD


2G: 1800/1900
3G: W1/2/4
CDMA: BC1
LTE: B1/2/3/4/7/25/30/38/39/40/41/66
NR: N2/N41/N66


Revision	A42 mmW
Product Name	RF PAMiD
Part Number	RF PAMiD
Rev. Description	
Rev. Number	







GPS L1 / GNSS/BEIDOU







Engineer:	A42 mmW TITLE: POWER/MOT/KEY			Sheet
Drawn by:				
Read Code:				
CHK LTRK Code:				
MPG Short Code:				
QIR Code:	REV	Drawing Number:		





SENSOR



DUAL SIM / T-FLASH (3in2)







Changed by: user20	Date Changed: Thursday, June 18, 2015	Time Changed: 10:18:28 am	QA CHK:	REV	Drawing Number:	Page: 1
14		15		16		

