


GT-P1000_MAIN_REV1.2_0924_BOM

2010.09.24

sheet01 : 2.5G RF, TRANCEIVER, 3G RF
sheet02 : BT / WIFI, GPS
sheet03 : XMM6160 CP, SIM/T-FLASH , MOVINAND
sheet04 : AUDIO part
sheet05 : IF CON, KEY, LED, MicroUSB, MHL part
sheet06 : S5PC110 AP
sheet07 : AP PMIC, CHARGER, BATT CON
sheet08 : LCD Part, TSP, CAMERA, Senors, CMC623


Program			
Customer No.		Title	
Product Code			
Customer Name		P1000_MAIN_REV1.2	
Part Name	Qty	Issuing Version	Sheet 0/8



<2.5G QUAD PAM + ASM>


<SAW BANK>

<TRANSCIVER>





<DC DC CONVERTER FOR 3G PAD >


<Switchable ANT IC>




<Touch Sensor>




<3G PAM Band1 2100>






<3G PAM Band2 1900>




<3G PAM Band8 900>






WARNING: CONFIDENTIAL
 This document contains confidential information. It is not to be distributed outside the company without the express written permission of the company.




U302

PMB9801






LEVEL SHIFTER




BOOT MODE


	TRIG IN	RAW MON	RAW MONO	AUDIO IN1
Logic AND Test Mode	L	L	H	L
Flash Memory Mode	L	H	H	H




SIM Connector



T-Flash Connector





16G MovinAND





JTAG

Audio PART


MIC BIAS CIRCUIT




SPK PAD



POWER/VOLUME KEY




3.5PI EARJACK & / MOTOR Conn.




AUDIO CODEC (WM8994)

Engineer	AUDIO
TITLE	P1000_MAIN_REV1.2
DATE	4/11
DESIGNED BY	DESIGNED BY
CHECKED BY	CHECKED BY
DATE	DATE



Model :
Revision :
Manufacture Count :
Charge :
Contact :
Date :
Routing :
Resin :



Model :
Revision :
Manufacture Count :
Charge :
Contact :
Date :
Routing :
Resin :

