




RF PART 1

MAIN ANT1

LMB_PRX




LB L-PAMiD



MAIN ANT2

HB_PRX



N78 DRX MIMO


MHB L-PAMiD



MAIN ANT3

n78 PRX MIMO
n7/n41 PRX MIMO


n7/n41 PRX MIMO





2G	850/ 900/ 1800 / 1900	MIMO(4x4) 4G	B7/ 38/ 41
3G	W1/ 2/ 4/ 5/ 8	MIMO(4x4) NR	n7/ 41/ 78
FDD	B1 / 2/ 3/ 4/ 5/ 7/ 8/ 12/ 17/ 20/ 26/ 28/ 66	SRS	1T4R, n41/ 78
TDD	B38/ 40/ 41	UL CA	3C, 7C, 38C, 40C
NR	n1/ 3/ 5/ 7/ 8/ 20/ 28/ 38/ 40/ 41/ 66/ 78	HPUE	not support

SUB ANT1



LMHB_DRX (MB Anchor)
n7/n41_DRX



LB LFEM




RF PART 2




TRANSCEIVER (S5525)

APT MODULATOR




LTE




NR1

CCP




GASKET




SUB ANT2

N78 PRX




N78 LPAMID

GPS




SUB ANT3

N78 DRX



N78


WIFI



GPS_L5


SUB ANT4



HB DRX MIMO





B41

B7







I2C PU RESISTOR







PIN			Function	
XCLKOUTS	XRSOUT_N	XOM	1st Boot	2nd Boot
0	0	0	UFS	USB
0	1	X	USB	---
1	0	0	SD	USB

BOOT CONFIGURATIONS

SYSTEM CLOCK







SOC THERMISTOR



English:	M54 5G		
User:			
Drawn by:			
User:			
Head Clerk:			
TITLE:	AP		Size:
DWG CTRL CHK:			
DRG Detail Cmk:			
Qd CHK:			
REV	Drawing Number:		Page:


PMIC

MAIN PMIC







AP HW REV


REV	R1(Kohm)	R2(Kohm)	AP
0	NC	0	R00
1	430	50	R01
2	390	62	R01A
3	390	51	R02
4	230	130	R02A
5	300	150	R03
6	270	180	R03
7	240	210	
8	210	240	
9	180	270	
10	150	300	




SUB PMIC




IF PMIC




DIRECT CHARGER




OVP




MOT DRV




BATTERY CON




VOLUME KEY






CAMERA


RCAM1_108M OIS(40PIN)




RCAM3_2M_MACRO_CAMERA(24PIN)




RCAM2_SUPER WIDE_8M CAMERA(30pin)




FRONT_32M CAMERA (32PIN)




CAM PMIC



RCAM1_DVDD




RCAM1_AF





RCAM3_AVDD

RCAM2_AVDD

DECO CONTACT



MAIN FPCB



Changed by: user20	Date Changed: Thursday, June 18, 2015	Time Change: 10:18:28 am
-----------------------	--	-----------------------------

