


8. Level 3 Repair


8-1. Block Diagram

SM-P901_BLOCK_DIAGRAM




8-2. PCB Diagrams

8-2-1. Top




8-2-2. Bottom



8-3. Flow Chart of Troubleshooting

Equipments



↑ Oscilloscope




↑ Digital Multimeter



↑ Power Supply



↑ + driver, ESD Safe Tweezer






↑ 8960 & Spectrum Analyzer




↑ Soldering iron





8-3-1. Power On








8-3-2. Initial










8-3-3. Charging Part








8-3-4. Microphone Part




8-3-5. Speaker Part




8-3-6. BT Part











8-3-7. WIFI Part









8-3-8. GPS Part





8-3-9. LCD







8-3-10. TSP












8-3-11. 8M CAM









8-3-12. 2M CAM















8-3-14. MHL




8-3-15. S-PEN









8-3-16. GSM850/ WCDMA Band5 RX




CONTINUO
US RX ON
RF INPUT : 4408CH
AMP : -50dBm




8-3-17. GSM900/ WCDMA Band8 RX




CONTINUOUS RX ON
RF INPUT : 3013CH
AMP : -50dBm



8-3-18. GSM1800 RX





CONTINUOUS RX ON
RF INPUT : 698CH
AMP : -50dBm



8-3-19. GSM1900/ WCDMA Band2 RX


CONTINUOUS RX ON
RF INPUT : 9880CH
AMP : -50dBm






8-3-20. WCDMA Band1 RX


CONTINUOUS RX ON
RF INPUT : 10700CH
AMP : -50dBm






8-3-21. GSM850/ GSM900 TX


CONTINUOUS TX ON CONDITION
TX POWER DAC:14500 CODE
APPLIED
GSM850 CH : 190
GSM900 CH : 62
RBW : 100KHz
VBW : 100KHz
SPAN : 10MHz
REF LEV. : 10dBm
ATT. : 20dB







8-3-22. GSM1800/ GSM1900 TX

CONTINUOUS TX ON CONDITION
TX POWER DAC:14500 CODE
APPLIED
DCS CH : 685
PCS CH : 661
RBW : 100KHz
VBW : 100KHz
SPAN : 10MHz
REF LEV. : 10dBm
ATT. : 20dB







8-3-23. WCDMA BAND1 TX




CONTINUOUS TX ON CONDITION
TX POWER DAC:14500 CODE
APPLIED
WCDMA Band1 CH : 10700
RBW : 100KHz
VBW : 100KHz
SPAN : 10MHz
REF LEV. : 10dBm
ATT. : 20dB




8-3-24. WCDMA BAND2 TX




CONTINUOUS TX ON CONDITION
 TX POWER DAC:14500 CODE
 APPLIED
 WCDMA Band2 CH : 9880
 RBW : 100KHz
 VBW : 100KHz
 SPAN : 10MHz
 REF LEV. : 10dBm
 ATT. : 20dB




8-3-25. WCDMA BAND5 TX



CONTINUOUS TX ON CONDITION
TX POWER DAC:14500 CODE
APPLIED
WCDMA Band5 CH : 4408
RBW : 100KHz
VBW : 100KHz
SPAN : 10MHz
REF LEV. : 10dBm
ATT. : 20dB



8-3-26. WCDMA BAND8 TX



CONTINUOUS TX ON CONDITION
TX POWER DAC:14500 CODE
APPLIED
WCDMA Band8 CH : 3013
RBW : 100KHz
VBW : 100KHz
SPAN : 10MHz
REF LEV. : 10dBm
ATT. : 20dB

