

A7-2018_REV0.3

SM - A750FN

2018.08.28

sheet01 : GSM / WCDMA / LTE RF

sheet02 : TRANCEIVER, DRX

sheet03 : SENSORS, DMB, CONNECTIVITY

sheet04 : LASSEN (EXYNOS7885)

sheet05 : PMIC(Main,IF), KEY, MOTOR, eMMC, IF CON

sheet06 : AUDIO, SD/SIM, SHIELD CAN


sheet07 : CAMERA, DISPLAY

Project		
Product		
Model	SM-J737P/VR4	Page 1
Doc. Title		
Doc. No.		
Rev.		

SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
SAMSUNG INFORMATION. IT IS TO BE
HANDLED ACCORDING TO THE SAMSUNG
POLICY ON CONFIDENTIALITY. IT IS NOT
TO BE RELEASED TO THE PUBLIC OR
OTHERWISE DISCLOSED WITHOUT
SAMSUNG'S WRITTEN PERMISSION.

DRX

APT MODULATOR




GND TRANCEIVER

U2010

Engineer	DRX, TRANCEIVER
Design No.	SM-J737P/VR4
Rev. No.	1.0
Rev. Date	2018.08.30
Rev. Description	Rev. Description





SENSORS





Grip Sensor

Enterprise:	SENSOR, WIFI/BT/GPS/NFC SM-J737P/V/R4
Device ID:	
R&D CODE:	
DOC CTRL CODE:	


EXYNOS7885(Lassen) POP LP4 4G : SEC



AP Decap



Employee	AP
Contract No.	
Order No.	2019_39
Order Date	



SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPERTY INFORMATION THAT IS
SAMSUNG ELECTRONICS CO., LTD. PROPERTY.
NO DISCLOSURE TO OR REPRODUCTION BY ANY OTHERS
EXCEPT AS AUTHORIZED BY SAMSUNG.

AUDIO

RCV CONTACT

MAIN MIC

NEAR TO CODEC
GND_ISOLATION

Sub MIC

NEAR TO CODEC
GND_ISOLATION

Ear MIC

SPK AMP

MAIN FPCB

SIM & SD CARD (3IN3)



SHIELD CAN

2D BARCODE


BOTH HOLE

	FN JTAG_CLK	F JTAG_DATA	G JTAG_VDD	GN JTAG_GND	K JTAG_RST
F	R6004	Solder/Solder			
G	R6005		Solder/Solder		
N	R6006	Solder		Solder	
K	R6041				Solder



Project Name	AUDIO, SIMSD, SHIELD CAN
Rev	2019_J9
Page	47




RCAM3_SUPER WIDE_8M CAMERA(30pin)_S5K4HA




RCAM1 LDO




FCAM LDO



24M SENSOR BUCK




RCAM2 LDO




RCAM3 LDO

RCAM2_5M CAMERA(24PIN)_S5K5E9 18.06.14




6" FHD+ DISPLAY



OCTA DCDC

```
user|swcad77|10.253.20.242|20180830-095338
```

• • • JTAG4000 • • •



A7-2018_REV0.3

SM - A750F

2018.08.28

sheet01 : GSM / WCDMA / LTE RF

sheet02 : TRANCEIVER, DRX

sheet03 : SENSORS, DMB, CONNECTIVITY

sheet04 : LASSEN (EXYNOS7885)

sheet05 : PMIC(Main,IF), KEY, MOTOR, eMMC, IF CON

sheet06 : AUDIO, SD/SIM, SHIELD CAN


sheet07 : CAMERA, DISPLAY

Project		
Sheet No.		
Sheet Date	2018.08.28	Sheet
Sheet Title	SM-J737P/VR4	
Sheet Version	1.0	Page
Sheet No.	1	1


SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPERTY INFORMATION THAT IS
SAMSUNG ELECTRONICS CO.'S PROPERTY
AND NOT BE LOANED TO OR REPRODUCED FOR OTHERS
EXCEPT AS AUTHORIZED BY SAMSUNG.

DRX

APT MODULATOR




GND TRANCEIVER









Engineer	DRX, TRANCEIVER
Design No.	SM-J737P/VR4
Rev. No.	1.0
Rev. Date	20180830
Rev. Description	Rev. Description
Rev. Number	001

EXYNOS7885(Lassen) POP LP4 4G : SEC





BOOT option (need to update for Lasse)


CMC-01	2nd	2nd
001	WSPC	WSPC
002	WSPC	-
003	NO CARD	WSPC



AP Decap



Project:	AP
Order by:	
Order date:	10/2/2019
Order total:	2019.10



SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPERTY INFORMATION THAT IS
SAMSUNG ELECTRONICS CO., LTD. PROPERTY.
NO DISCLOSURE TO OR REPRODUCTION BY ANY OTHERS
EXCEPT AS AUTHORIZED BY SAMSUNG.

AUDIO

RCV CONTACT

MAIN MIC

NEAR TO CODEC
GND_ISOLATION


Sub MIC

NEAR TO CODEC
GND_ISOLATION

Ear MIC

SPK AMP

SIM & SD CARD (3IN3)



SHIELD CAN

2D BARCODE

	FN	F	G	GN	K
F	R6004	Solder/Solder			
G	R6005		Solder/Solder		
N	R6006	Solder		Solder	
K	R6041				Solder


MAIN FPCB

BOTH HOLE

Project Name	AUDIO, SIMSD, SHIELD CAN
Rev	2019_J9
Drawn By	
Checked By	
Approved By	
Page No.	58

SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
INFORMATION. IT IS TO BE KEPT
UNDER STRICT CONTROL AND NOT
DISTRIBUTED OUTSIDE THE COMPANY
WITHOUT PERMISSION OF SAMSUNG
ELECTRONICS CO., LTD.


CAMERA_PART




RCAM1_24M CAMERA(34PIN)_IMX576

RCAM3_SUPER WIDE_8M CAMERA(30pin)_S5K4HA


FRONT_24M CAMERA(30PIN)_IMX576_18.06.14




RCAM1 LDO




FCAM LDO



24M SENSOR BUCK




RCAM2 LDO




RCAM3 LDO

RCAM2_5M CAMERA(24PIN)_S5K5E9 18.06.14



OCTA LDO



OCTA DCDC

6" FHD+ DISPLAY

Project Name	CAMERA_DISPLAY
Version	2019_39
Author	
Reviewer	
Approved	

A7-2018_REV0.3

SM - A750GN

2018.08.28

sheet01 : GSM / WCDMA / LTE RF

sheet02 : TRANCEIVER, DRX

sheet03 : SENSORS, DMB, CONNECTIVITY

sheet04 : LASSEN (EXYNOS7885)

sheet05 : PMIC(Main,IF), KEY, MOTOR, eMMC, IF CON

sheet06 : AUDIO, SD/SIM, SHIELD CAN


sheet07 : CAMERA, DISPLAY

Project	
Product	
Model	
Doc. Title	SM-J737P/VR4
Doc. Version	
Rev	
Rev. Description	


SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
SAMSUNG INFORMATION. IT IS NOT TO BE
REPRODUCED OR TRANSMITTED IN ANY FORM
OR BY ANY MEANS, ELECTRONIC OR MECHANICAL,
INCLUDING PHOTOCOPYING, RECORDING, OR BY
ANY INFORMATION STORAGE AND RETRIEVAL
SYSTEM, WITHOUT PERMISSION IN WRITING
FROM SAMSUNG ELECTRONICS CO., LTD.

DRX

APT MODULATOR




GND TRANCEIVER



Engineer	DRX, TRANCEIVER
Designer	SM-J737P/VR4
Checker	
Reviewer	
Approved	


SENSORS




Grip Sensor

Integration:	SENSOR, WIFI/BT/GPS/NFC
Driver I/O:	
R&D Ctr:	
DOC CTRL Ctr:	
TITLE: SM-J737P/IV/R4	

EXYNOS7885(Lassen) POP LP4 4G : SEC





SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPERTY INFORMATION THAT IS
SAMSUNG ELECTRONICS CO., LTD. PROPERTY.
NO DISCLOSURE TO OR REPRODUCTION BY ANY OTHERS
EXCEPT AS AUTHORIZED BY SAMSUNG.

AUDIO

RCV CONTACT

MAIN MIC

NEAR TO CODEC
GND_ISOLATION

Sub MIC

NEAR TO CODEC
GND_ISOLATION

Ear MIC

SPK AMP

MAIN FPCB

SIM & SD CARD (3IN3)



SHIELD CAN

2D BARCODE

BOTH HOLE

	FN	F	G	GN	K
F	R6004	Solder/Solder			
G	R6005		Solder/Solder		
N	R6006	Solder		Solder	
K	R6041				Solder


Project	Audio, SIMSD, SHIELD CAN
Rev	1.0
Date	2019_J9
Author	
Checker	
Design Engineer	
Page	4/4



6" FHD+ DISPLAY

```
user|swcad77|10.253.20.242|20180830-095435
```


SM - A750GN



A7-2018_REV0.3

SM - A750G

2018.08.28

sheet01 : GSM / WCDMA / LTE RF

sheet02 : TRANCEIVER, DRX

sheet03 : SENSORS, DMB, CONNECTIVITY


sheet04 : LASSEN (EXYNOS7885)

sheet05 : PMIC(Main,IF), KEY, MOTOR, eMMC, IF CON

sheet06 : AUDIO, SD/SIM, SHIELD CAN

sheet07 : CAMERA, DISPLAY


Project		
Sheet No.		
Sheet Date	2018.08.28	Sheet
Sheet Title	SM-J737P/VR4	
Sheet Version	1.0	Page
Sheet No.	1	1



DRX


[illegible]

GND
TRANCEIVER




Engineer	DRX, TRANCEIVER		
Drawn by:			
Rad CTR:			TITLE:
DWG CTR CTR:			SM-J737P/V/R4
WFO ENGR CTR:			
QA CTR:	Revision Number:	DATE	


BT/WIFI



GPS




NFC




NFC	NFC PART	Power supply of SIM		NFC GPIO 14	
	U3006	R6012	R6013	R4013	R4014
NFC	CONNECT	short	open	10K ohm	open
nonNFC	NC	open	short	open	10K ohm


DMB
(for KOR)




SENSORS




Proxi Sensor




SENSOR LDO



6 AXIS(ACC+GRYO)




MAGNETIC









Grip Sensor

English:	SENSOR, WIFI/BT/GPS/NFC
Device type:	
READ CODE:	
SOFT CTRL CODE:	
TITLE:	
SM-J737P/VR4	



EXYNOS7885(Lassen) POP LP4 4G : SEC




OS/BIOS	SW	HW
OS	BIOS	USB
OS	BIOS	-
OS	BIOS	USB
OS	BIOS	BIOS



AP Decap



Project	AP
Manager	
Year	
2019-20	



SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPERTY INFORMATION THAT IS
SAMSUNG ELECTRONICS CO., LTD. PROPERTY.
NO DISCLOSURE TO OR REPRODUCTION BY ANY OTHERS
EXCEPT AS AUTHORIZED BY SAMSUNG.

AUDIO

RCV CONTACT

MAIN MIC

NEAR TO CODEC
GND_ISOLATION


Sub MIC

NEAR TO CODEC
GND_ISOLATION

Ear MIC

SPK AMP

SIM & SD CARD (3IN3)



SHIELD CAN



2D BARCODE

	FN	F	G	GN	K
F	R6004	Solder/Solder			
G	R6005		Solder/Solder		
N	R6006	Solder		Solder	
K	R6041				Solder

MAIN FPCB

BOTH HOLE


Project Name	AUDIO, SIMSD, SHIELD CAN
Rev	1.0
Date	2019_J9
Drawn By	
Checked By	
Approved By	



6" FHD+ DISPLAY

```
user|swcad77|10.253.20.242|20180830-095522
```

• • • • JTAG4000 • • • •



SM - A750G

