


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A	SAMSUNG CONFIDENTIAL THIS DOCUMENT CONTAINS CONFIDENTIAL PROPRIETARY INFORMATION THAT IS SAMSUNG ELECTRONICS CO.'S PROPERTY. DO NOT DISCLOSE TO OR DUPLICATE FOR OTHERS EXCEPT AS AUTHORIZED BY SAMSUNG.														
B															
C	SM-A125U_REV0.1A														
D	SM-A125U/U1/W Common														
E	2021.02.04														
F															
G	sheet01 : GSM / WCDMA / LTE RF														
H	sheet02 : TRANCEIVER, DRX														
I	sheet03 : SENSORS, DMB, CONNECTIVITY														
J	sheet04 : MT6765V/WB														
K	sheet05 : PMIC(Main,IF), KEY, MOTOR, eMCP, Fingerprint														
L	sheet06 : AUDIO, SD/SIM, SUB FPCB CON														
	sheet07 : CAMERA, DISPLAY														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15

Engineer:			
Drawn By:			
R&D CHK:	TITLE:		Size:
DOC CTRL CHK:	A30		
MFG ENGR CHK:			
QA CHK:	REV:	Drawing Number:	Page:
			6



Engineer		
Drawn by:		
R&D CHK:	TITLE:	Size
DOC CTRL CHK:		
MFG ENGR CHK:		
QA CHK:	Drawing Number	27

SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL PROPRIETARY INFORMATION THAT IS SAMSUNG ELECTRONICS CO.'S PROPERTY. DO NOT DISCLOSE TO OR REPRODUCE FOR OTHERS EXCEPT AS AUTHORIZED BY SAMSUNG.

BT/WIFI

[illegible]

	NFC	NFC PART	Power supply of SIM1		NFC GPIO 14		
		U3011	R5030	R5031	R4009	R4011	
		NFC	CONNECT	short	open	10K ohm	open
		nonNFC	NC	open	short	open	10K ohm

SENSORS







Proxi Sensor

Barometer




Accel. Sensor

[illegible]



MT6765V/CAA(P35)














AP JTAG BOM NC






NFC OPTION



I2C Pull-up Register




PCB JTAG




	HW_REV3	HW_REV2	HW_REV1	HW_REV0
REV00	0	0	0	0
REV00A	0	0	0	1
REV01	0	0	1	0
REV01A	0	0	1	0
REV01A CP NV change	0	0	1	1


MAIN_PMIC



PMIC VCDT



SIM & SD CARD (3IN3)




eMCP (LP4X + eMMC5.1)


* Default

3G + 32GB	: 1108 - 000678	/ KMDX60018M-B425
3G + 32GB	: 1108 - 000694	/ H9HP27ADAMADAR-KMM
4G + 64GB	: 1108-000698	/ KMDP6001DA-B425
4G + 64GB	: 1108-000684	/ MT29VZZZAD8GQFSL-046
4G + 128GB	: 1108-000697	/ KMDV6001DA-B620
4G + 128GB	: 1108-000683	/ MT29VZZZAD9GQFSM-046
6G + 128GB	: 1108-000696	/ KM3V6001CA-B708


NOVA-0028-1974





BLIC




MAIN FPCB_PART (78pin) 6.55" HD+ TFT HID




AUDIO_PART




RCV CONTACT





Ear MIC






RCAM2_5M_UW_30pin




RCAM4_2M_MACRO_GC02M1_24pin



CAMERA MIPI SWITCH



SHIELD CAN








BOSS HOLE




FRONT_8M FF


CAM LDO




Engineer:	CAMERA, DISPLAY				
Drawn by:					
R&D CHK:				TITLE:	Size:
DOC CTRL CHK:					
MFG ENGR CHK:					
QA CHK:	REV:	Drawing Number:	Page: 7/7		



SM-A125U/U1/W
Common




MAIN ANTENNA (X-GND)

[illegible]

The schematic diagram illustrates the sensor module circuit. It features a VDD GRIP 3V3 supply connected to the VDD pin of the U9881 sensor chip. The U9881 is also connected to GND. The U9881's SCL pin is connected to the GRIP_IC_SCL_1P9 input, and its SDA pin is connected to the GRIP_IC_SDA_1P9 input. The U9881's INT pin is connected to the GRIP_INT2 output of the U9201 microcontroller. The U9201 is connected to VDD and GND. The GRIP_INT2 output is connected to the GRIP_SENSOR2 output, which is also connected to a 10k pull-up resistor to VDD.

[illegible]

EARJACK




ADC RANGE 0.05 - 0.145V					
ID	R1	R2	TYPICAL	ADC RANGE	
0	750K	56K	0.125	0.05 - 0.24	A125F/MIN
1	750K	200K	0.379	0.25 - 0.52	
2	200K	120K	0.675	0.53 - 0.90	
3	120K	200K	1.125	0.91 - 1.29	A125U
4				1.30 - 1.45	

A12_EUR
A12_NA




CABLE CLIP




3.3T




SPK




MIC




Anti Pop-up



BAT_THM





SOC1000

CON3

ANT1000

MIC1000

ANT1002

SK1000

ANT1007

ANT1003

SM-A125U/U1/W
Common

R1012

R1014

R1015

C1028

U1019

C1026

L1022

Z1002

R1013

U1013

C1140

C1070

U042

L1053

L1059

SW1001

C1092

L1031

L1052

C1094

L1030

L1001

R1000

R1001

C1027

L1032

C1093

C1097

U1012

C1025

L1013

L1060

C1077

C1070

L1002

L1033

C1024

L1061

C1030

C1018