

SM-A307F/FN

2020.05.20

sheet01 : GSM / WCDMA / LTE RF

sheet02 : TRANCEIVER, DRX

sheet03 : SENSORS, DMB, CONNECTIVITY

sheet04 : LASSEN O +



sheet05 : PMIC(Main,IF), KEY, MOTOR, eMMC, Fingerprint

sheet06 : AUDIO, SD/SIM, SUB FPCB CON









sheet07 : CAMERA, DISPLAY

Engineer:	 A30				
Drawing by:					
QA/CHEK:				TITLE:	Scale
SQC/CHEK CHEK:					
MFG & ENG CHN:					
Original	QA CHEK:	REV	Drawing Number:	Page:	


	CIS/SWA/MEA	LATIN/SEA
FDD	1/ 3/ 5/ 7/ 8/ 20	1/2/3/4/5/7/8/12/13/17/20/26/28/66
TDD	38/ 40/ 41	38/ 40/ 41
3G	1/ 2/ 5/ 8	1/2/4/5/8
2G	850/ 900/ 1800/ 1900	850/900/1800/1900





MAIN CA FEMID



GRIP SENSOR2




RST Feedback




HIGH BAND PA

FDD LTE: B7
TDD LTE: B38 / 40 / 41

DRX





APT MODULATOR



GND

TRANCEIVER



Engineer	DRX, TRANCEIVER
Designer	
Checker	
Reviewer	
Project Number	001

BT/WIFI

NFC

GPS

SENSORS

- RGB sensor
- HALL_IC
- Grip Sensor
- SENSOR LDO
- Proxi Sensor
- 6 AXIS(ACC+GRYO)
- MAGNETIC

NFC	NFC PART	Power supply of SIM1	NFC GPIO 14
NFC	U3004	R5030	R4012
nonNFC	CONNECT	short	open
		open	10K ohm
		short	open
		open	10K ohm

DMB (for KOR)

DTV

Option for GT

SENSOR, WIFI/BT/GPS/NFC

BT/WIFI

NFC

GPS

DMB (for KOR)

SENSORS

DTV

Option for GT

NFC	NFC PART	Power supply of SIM1	NFC GPIO 14
NFC	U3004	short	open
nonNFC	NC	open	open

SENSOR LDO

Proxi Sensor

6 AXIS(ACC+GRYO)

MAGNETIC

RGB sensor

HALL_IC

Grip Sensor

BT/WIFI

NFC

GPS

DMB (for KOR)

SENSORS

DTV

Option for GT

NFC	NFC PART	Power supply of SIM1	NFC GPIO 14
NFC	U3004	short	open
nonNFC	NC	open	open

SENSOR LDO

Proxi Sensor

6 AXIS(ACC+GRYO)

MAGNETIC

RGB sensor

HALL_IC

Grip Sensor

BT/WIFI

NFC

GPS

DMB (for KOR)

SENSORS

DTV

Option for GT

NFC	NFC PART	Power supply of SIM1	NFC GPIO 14
NFC	U3004	short	open
nonNFC	NC	open	open

SENSOR LDO

Proxi Sensor

6 AXIS(ACC+GRYO)

MAGNETIC

RGB sensor

HALL_IC

Grip Sensor

BT/WIFI

NFC

GPS

DMB (for KOR)

SENSORS

DTV

Option for GT

NFC	NFC PART	Power supply of SIM1	NFC GPIO 14
NFC	U3004	short	open
nonNFC	NC	open	open

SENSOR LDO

Proxi Sensor

6 AXIS(ACC+GRYO)

MAGNETIC

RGB sensor

HALL_IC

Grip Sensor

BT/WIFI

NFC

GPS

DMB (for KOR)

SENSORS

DTV

Option for GT

NFC	NFC PART	Power supply of SIM1	NFC GPIO 14
NFC	U3004	short	open
nonNFC	NC	open	open

SENSOR LDO

Proxi Sensor

6 AXIS(ACC+GRYO)

MAGNETIC

RGB sensor

HALL_IC

Grip Sensor

The image shows a complex PCB layout for a sensor module. The layout is organized into several functional blocks, each with its own set of components and connections. The blocks are labeled as follows:

- BT/WIFI**: Located in the top left, featuring a U3004 module and various passive components.
- NFC**: Located in the top right, featuring a U3004 module and various passive components.
- GPS**: Located in the middle left, featuring a U3004 module and various passive components.
- DMB (for KOR)**: Located in the middle right, featuring a U3004 module and various passive components.
- SENSORS**: Located in the bottom left, featuring a U3004 module and various passive components.
- DTV**: Located in the bottom right, featuring a U3004 module and various passive components.

A table in the bottom right corner provides information about the components and their connections:

NFC	NFC PART	Power supply of SIM1	NFC GPIO 14
NFC	U3004	short	open
nonNFC	NC	open	open

The image shows a complex PCB layout for a sensor module. The layout is organized into several functional blocks, each with its own set of components and connections. The blocks are labeled as follows:

- BT/WIFI**: Located in the top left, featuring a UWB01 module and various passive components.
- NFC**: Located in the top right, featuring an U3004 module and various passive components.
- GPS**: Located in the middle left, featuring a UWB07 module and various passive components.
- DMB (for KOR)**: Located in the middle right, featuring a UWB08 module and various passive components.
- SENSORS**: Located in the bottom left, featuring a UWB09 module and various passive components.
- DTV**: Located in the bottom right, featuring a UWB10 module and various passive components.

A table in the bottom right corner provides information about the NFC component and its connections:

NFC	NFC PART	Power supply of SIM1	NFC GPIO 14
NFC	U3004	R5030	R4012
nonNFC	CONNECT	short	open
		open	10K ohm
		short	open
		open	10K ohm

[illegible][illegible]

BT/WIFI

NFC

GPS

DMB (for KOR)

SENSORS

DTV

Option for GT

NFC	NFC PART	Power supply of SIM1	NFC GPIO 14
NFC	U3004	short	open
nonNFC	NC	open	open

SENSOR LDO

Proxi Sensor

6 AXIS(ACC+GRYO)

MAGNETIC

RGB sensor


HALL_IC

Grip Sensor


EXYNOS7904 (Lassen-O Plus)

POP LP4 3G : SEC





AP JTAG BOM NC



I2C Pull-up Register




PCB JTAG




HW Revision Setting			
REV	REV1	REV2	REV3
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9
10	10	10	10
11	11	11	11
12	12	12	12
13	13	13	13
14	14	14	14
15	15	15	15
16	16	16	16
17	17	17	17
18	18	18	18
19	19	19	19
20	20	20	20
21	21	21	21
22	22	22	22
23	23	23	23
24	24	24	24
25	25	25	25
26	26	26	26
27	27	27	27
28	28	28	28
29	29	29	29
30	30	30	30
31	31	31	31

DDR		eMMC	
3G	4G	32G	64G
4G	6G	128G	


AP Decap




MAIN_PMIC




IF_PMIC



SIM & SD CARD (3IN3)



32GB eMMC 5.1



VOLUME KEY

POWER KEY

MOTOR

FPS PWR

NAME	VALUE
U5002-1	U5002-1
U5002-2	U5002-2
U5002-3	U5002-3
U5003	U5003
UME5000	UME5000

[illegible]

AUDIO

MAIN MIC

Sub MIC

RCV CONTACT


Ear MIC

SPK AMP


Part	Value	Quantity	Notes
IC1	MAX9814	1	SPK AMP
IC2	MAX4224E	1	SPK AMP
IC3	MAX4224E	1	SPK AMP
IC4	MAX4224E	1	SPK AMP
IC5	MAX4224E	1	SPK AMP
IC6	MAX4224E	1	SPK AMP
IC7	MAX4224E	1	SPK AMP
IC8	MAX4224E	1	SPK AMP
IC9	MAX4224E	1	SPK AMP
IC10	MAX4224E	1	SPK AMP
IC11	MAX4224E	1	SPK AMP
IC12	MAX4224E	1	SPK AMP
IC13	MAX4224E	1	SPK AMP
IC14	MAX4224E	1	SPK AMP
IC15	MAX4224E	1	SPK AMP
IC16	MAX4224E	1	SPK AMP
IC17	MAX4224E	1	SPK AMP
IC18	MAX4224E	1	SPK AMP
IC19	MAX4224E	1	SPK AMP
IC20	MAX4224E	1	SPK AMP
IC21	MAX4224E	1	SPK AMP
IC22	MAX4224E	1	SPK AMP
IC23	MAX4224E	1	SPK AMP
IC24	MAX4224E	1	SPK AMP
IC25	MAX4224E	1	SPK AMP
IC26	MAX4224E	1	SPK AMP
IC27	MAX4224E	1	SPK AMP
IC28	MAX4224E	1	SPK AMP
IC29	MAX4224E	1	SPK AMP
IC30	MAX4224E	1	SPK AMP
IC31	MAX4224E	1	SPK AMP
IC32	MAX4224E	1	SPK AMP
IC33	MAX4224E	1	SPK AMP
IC34	MAX4224E	1	SPK AMP
IC35	MAX4224E	1	SPK AMP
IC36	MAX4224E	1	SPK AMP
IC37	MAX4224E	1	SPK AMP
IC38	MAX4224E	1	SPK AMP
IC39	MAX4224E	1	SPK AMP
IC40	MAX4224E	1	SPK AMP
IC41	MAX4224E	1	SPK AMP
IC42	MAX4224E	1	SPK AMP
IC43	MAX4224E	1	SPK AMP
IC44	MAX4224E	1	SPK AMP
IC45	MAX4224E	1	SPK AMP
IC46	MAX4224E	1	SPK AMP
IC47	MAX4224E	1	SPK AMP
IC48	MAX4224E	1	SPK AMP
IC49	MAX4224E	1	SPK AMP
IC50	MAX4224E	1	SPK AMP
IC51	MAX4224E	1	SPK AMP
IC52	MAX4224E	1	SPK AMP
IC53	MAX4224E	1	SPK AMP
IC54	MAX4224E	1	SPK AMP
IC55	MAX4224E	1	SPK AMP
IC56	MAX4224E	1	SPK AMP
IC57	MAX4224E	1	SPK AMP
IC58	MAX4224E	1	SPK AMP
IC59	MAX4224E	1	SPK AMP
IC60	MAX4224E	1	SPK AMP
IC61	MAX4224E	1	SPK AMP
IC62	MAX4224E	1	SPK AMP
IC63	MAX4224E	1	SPK AMP
IC64	MAX4224E	1	SPK AMP
IC65	MAX4224E	1	SPK AMP
IC66	MAX4224E	1	SPK AMP
IC67	MAX4224E	1	SPK AMP
IC68	MAX4224E	1	SPK AMP
IC69	MAX4224E	1	SPK AMP
IC70	MAX4224E	1	SPK AMP
IC71	MAX4224E	1	SPK AMP
IC72	MAX4224E	1	SPK AMP
IC73	MAX4224E	1	SPK AMP
IC74	MAX4224E	1	SPK AMP
IC75	MAX4224E	1	SPK AMP
IC76	MAX4224E	1	SPK AMP
IC77	MAX4224E	1	SPK AMP
IC78	MAX4224E	1	SPK AMP
IC79	MAX4224E	1	SPK AMP
IC80	MAX4224E	1	SPK AMP
IC81	MAX4224E	1	SPK AMP
IC82	MAX4224E	1	SPK AMP
IC83	MAX4224E	1	SPK AMP
IC84	MAX4224E	1	SPK AMP
IC85	MAX4224E	1	SPK AMP
IC86	MAX4224E	1	SPK AMP
IC87	MAX4224E	1	SPK AMP
IC88	MAX4224E	1	SPK AMP
IC89	MAX4		

Register: Drawn By: REB CSE: DOC CYRL CSE: MFG CSEK CSE:		AUDIO, SIM/SD, SHIELD CAN TITLE: Scale:	
Date: QA CSE:	REV:	Drawing Number:	Page: 0/7


CAMERA_PART




RCAM1_25M CAMERA(34PIN)_2X5




RCAM3_SUPER WIDE_8M CAMERA(30pin)_S5K4HA




FRONT_16M CAMERA(30PIN)




RCAM2_5M CAMERA(24PIN)_GC5035




CAM PMIC



OCTA LDO



OCTA DCDC



SHIELD CAN

FW(CIS,MEA,SWA)
GN(SEA)
G(LA)
GT(LA DTV)

	FN	GN	G	GT
R7002	O			
R7003	O			
R7004		O		
R7005			O	

BOSS HOLE

2D BARCODE

Part No.	Part Name	Part No.	Part Name
R7002	CAMERA, DISPLAY	R7003	
R7004		R7005	

SM-A307G/GT/GN

2020.05.20

sheet01 : GSM / WCDMA / LTE RF

sheet02 : TRANCEIVER, DRX

sheet03 : SENSORS, DMB, CONNECTIVITY

sheet04 : LASSEN O +



sheet05 : PMIC(Main,IF), KEY, MOTOR, eMMC, Fingerprint

sheet06 : AUDIO, SD/SIM, SUB FPCB CON



sheet07 : CAMERA, DISPLAY

Engineer:			
Drawn by:			
R&D CODE:	TITLE:	A30	
SOC/Ctrl CODE:			
INFO ENG CODE:			
QA CODE:	REV:	Drawing Number:	Page

	CIS/SWA/MEA	LATIN/SEA
FDD	1/ 3/ 5/ 7/ 8/ 20	1/2/3/4/5/7/8/12/13/17/20/26/28/66
TDD	38/ 40/ 41	38/ 40/ 41
3G	1/ 2/ 5/ 8	1/2/4/5/8
2G	850/ 900/ 1800/ 1900	850/900/1800/1900




MAIN CA FEMID




MMMB PA


2G: EGBM / DCS / PCS / GSM850
3G: B1 / 2 / 4 / 5 / 8
FDD LTE: B1 / 2 / 3 / 4 / 8 / 12 / 17 / 13 / 20 / 26 / 5 / 18 / 19 / 28



RF THERMISTOR




GRIP SENSOR2




HIGH BAND PA

FDD LTE: B7
TDD LTE: B38 / 40 / 41



RST Feedback



LATIN / SEA


NEW ITEM

NEW ITEM

Part No.	SAMSUNG
Rev.	1.0
Doc. No.	0116
Doc. Title	RF THERMISTOR
Doc. Rev.	1.0
Doc. Date	14.10.14
Doc. Author	14.10.14
Doc. Checker	14.10.14
Doc. Approver	14.10.14



DRX

APT MODULATOR



GND

TRANCEIVER



Engineer	DRX, TRANCEIVER			
Drawn by:				
RAD CLK.				TITLE:
SIGL CTRF. CLK.				
INFO & NOT CLK.				
QA CLK.	Drawn by:	DATE:		

BT/WIFI

NFC

GPS

SENSORS

DMB (for KOR)

DTV

Option
for GT

NFC	NFC PART	Power supply of SIM		NFC GPIO 14	
	U3004	R5030	R5031	R4012	R4013
NFC	CONNECT	short	open	10K ohm	open
nonNFC	NC	open	short	open	10K ohm

SENSOR LDO

Proxi Sensor

6 AXIS(ACC+GRYO)

MAGNETIC

Grip Sensor


HALL_IC

RGB sensor


EXYNOS7904 (Lassen-O Plus)

POP LP4 3G : SEC







AP JTAG BOM NC




I2C Pull-up Register




PCB JTAG




AP Decap




MAIN_PMIC




IF_PMIC



SIM & SD CARD (3IN3)



32GB eMMC 5.1



Engineer	PMO/C/ PMO&MMC		
Inspector			
Estimator			
Site Clerk			
Site Engineer			
Estimator	TOTAL		
Estimator	Site	Working Number	Page

[illegible][illegible][illegible][illegible][illegible]

MAIN FPCB
6.38" HD+ DISPLAY

AUDIO

RCV CONTACT

Sub MIC

Ear MIC

SPK AMP

new item

<DTV>
FN/GN/G: NC
GT : ONLY

DTV DETECT OPEN

Legend:

ITEM	DESCRIPTION
1	AUDIO, SIMSD, SHIELD CAN
2	ITEM
3	ITEM
4	ITEM
5	ITEM
6	ITEM
7	ITEM
8	ITEM
9	ITEM
10	ITEM
11	ITEM
12	ITEM
13	ITEM
14	ITEM
15	ITEM
16	ITEM
17	ITEM
18	ITEM
19	ITEM
20	ITEM
21	ITEM
22	ITEM
23	ITEM
24	ITEM
25	ITEM
26	ITEM
27	ITEM
28	ITEM
29	ITEM
30	ITEM
31	ITEM
32	ITEM
33	ITEM
34	ITEM
35	ITEM
36	ITEM
37	ITEM
38	ITEM
39	ITEM
40	ITEM
41	ITEM
42	ITEM
43	ITEM
44	ITEM
45	ITEM
46	ITEM
47	ITEM
48	ITEM
49	ITEM
50	ITEM
51	ITEM
52	ITEM
53	ITEM
54	ITEM
55	ITEM
56	ITEM
57	ITEM
58	ITEM
59	ITEM
60	ITEM
61	ITEM
62	ITEM
63	ITEM
64	ITEM
65	ITEM
66	ITEM
67	ITEM
68	ITEM
69	ITEM
70	ITEM
71	ITEM
72	ITEM
73	ITEM
74	ITEM
75	ITEM
76	ITEM
77	ITEM
78	ITEM
79	ITEM
80	ITEM
81	ITEM
82	ITEM
83	ITEM
84	ITEM
85	ITEM
86	ITEM
87	ITEM
88	ITEM
89	ITEM
90	ITEM
91	ITEM
92	ITEM
93	ITEM
94	ITEM
95	ITEM
96	ITEM
97	ITEM
98	ITEM
99	ITEM
100	ITEM

MAIN FPCB
6.38" HD+ DISPLAY

AUDIO

RCV CONTACT

Sub MIC

Ear MIC

SPK AMP

new item


<DTV>
FN/GN/G: NC
GT : ONLY

DTV DETECT OPEN


Legend:

ITEM	DESCRIPTION
1	AUDIO, SIMSD, SHIELD CAN
2	ITEM
3	ITEM
4	ITEM
5	ITEM
6	ITEM
7	ITEM
8	ITEM
9	ITEM
10	ITEM
11	ITEM
12	ITEM
13	ITEM
14	ITEM
15	ITEM
16	ITEM
17	ITEM
18	ITEM
19	ITEM
20	ITEM
21	ITEM
22	ITEM
23	ITEM
24	ITEM
25	ITEM
26	ITEM
27	ITEM
28	ITEM
29	ITEM
30	ITEM
31	ITEM
32	ITEM
33	ITEM
34	ITEM
35	ITEM
36	ITEM
37	ITEM
38	ITEM
39	ITEM
40	ITEM
41	ITEM
42	ITEM
43	ITEM
44	ITEM
45	ITEM
46	ITEM
47	ITEM
48	ITEM
49	ITEM
50	ITEM
51	ITEM
52	ITEM
53	ITEM
54	ITEM
55	ITEM
56	ITEM
57	ITEM
58	ITEM
59	ITEM
60	ITEM
61	ITEM
62	ITEM
63	ITEM
64	ITEM
65	ITEM
66	ITEM
67	ITEM
68	ITEM
69	ITEM
70	ITEM
71	ITEM
72	ITEM
73	ITEM
74	ITEM
75	ITEM
76	ITEM
77	ITEM
78	ITEM
79	ITEM
80	ITEM
81	ITEM
82	ITEM
83	ITEM
84	ITEM
85	ITEM
86	ITEM
87	ITEM
88	ITEM
89	ITEM
90	ITEM
91	ITEM
92	ITEM
93	ITEM
94	ITEM
95	ITEM
96	ITEM
97	ITEM
98	ITEM
99	ITEM
100	ITEM


CAMERA_PART




RCAM1_25M CAMERA(34PIN)_2X5




RCAM3_SUPER WIDE_8M CAMERA(30pin)_S5K4HA





FRONT_16M CAMERA(30PIN)




RCAM2_5M CAMERA(24PIN)_GC5035




CAM PMIC



OCTA DCDC



OCTA LDO




SHIELD CAN


BOSS HOLE


2D BARCODE

	FN (CIS, MEA, SWA)	GN (SEA)	G (LA)	GT (LA DTV)		
R7002	O					
R7003		O				
R7004			O			
R7005				O		

Engineer:	CAMERA, DISPLAY				
Drawn By:					
READ CHK:				TITLE:	Scale
QC: CHK, CHK:					
INFO ENG'N CHK:					
QA CSR:	REV	Issuing Number:	Page: 17		







Side_Eching_Short

