
























SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPERTY INFORMATION THAT IS
SAMSUNG ELECTRONICS CO. PROPERTY
AND NOT BE LOANED TO OR REPRODUCED FOR OTHERS
EXCEPT AS AUTHORIZED BY SAMSUNG.


	CIS/SWA/MEA	LATIN/SEA
FDD	1/ 3/ 5/ 7/ 8/ 20	1/2/3/4/5/7/8/12/13/17/20/26/28/66
TDD	38/ 40/ 41	38/ 40/ 41
3G	1/ 2/ 5/ 8	1/2/4/5/8
2G	850/ 900/ 1800/ 1900	850/900/1800/1900








MAIN CA FEMID



RST Feedback



GRIP SENSOR2



HIGH BAND PA

FDD LTE: B7
TDD LTE: B38 / 40 / 41

MMMB PA


2G: GSM / GPRS / PCS / GSM850
3G: B1 / 2 / 4 / 5 / 8
FDD LTE: B1 / 2 / 3 / 4 / 8 / 12 / 17 / 13 / 20 / 26 / 51 / 81 / 28

RF THERMISTOR


SAMSUNG ELECTRONICS	
Part No.	U1001
Rev.	1.0
Doc. No.	U1001-01
Rev. No.	1.0
Rev. Date	2010.01.14
Rev. Description	U1001-01

SAMSUNG CONFIDENTIAL
 THIS DOCUMENT CONTAINS CONFIDENTIAL
 PROPRIETARY INFORMATION THAT IS
 SAMSUNG ELECTRONICS CO.'S PROPERTY
 NOT TO BE DISCLOSED TO OR DUPLICATED FOR OR
 EXCEPT AS AUTHORIZED BY SAMSUNG

DRX




APT MODULATOR




GND

TRANCEIVER




Engineer	DRX, TRANCEIVER		
Drawn by:			
Rev CTR:			TTL:
Doc CTR, CTR:			SM-J373P/V/R4
Info & Rev CTR:			
Category: QA CTR:	Drawing Number	307	

BT/WIFI




NFC




NFC	NFC PART	Power supply of SIM	NFC GPIO 14
	U3004	R5030	R4012
	R5030	R5031	R4013
NFC	CONNECT	short	open
nonNFC	NC	open	open


GPS




DMB (for KOR)




SENSORS



DTV




Option for GT





SENSOR, WIFI/BT/GPS/NFC
SM-J737P/IR4

EXYNOS7904 (Lassen-O Plus)


POP LP4 3G : SEC








<DTV>
FN/GN/G: NC
GT : ONLY




AUDIO




MAIN MIC

NEAR TO CODEC
GND ISOLATION

Sub MIC




Ear MIC



SPK AMP

Engineer:	AUDIO, SIMISD, SHIELD CAN		
Drawn By:			
READ CTR:	TITLE:		
DOC CTR: CTR:			
APP INNOV CTR:			
QA CTR:	REV:	Drawing Number:	Page:









	FN (FNU)	GN (GNA)	G (GA)	GT (GTA DTG)		
R7002	O					
R7003		O				
R7004			O			
R7005				O		

Engineer:	CAMERA, DISPLAY			
Drawn by:				
RWD CHK:				TITLE:
DDC CTRL CHK:				2019_J9
MPG ENGR CHK:				
QA CHK:	REV	Issuing Number:		

SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPERTY INFORMATION THAT IS
SAMSUNG ELECTRONICS CO. PROPERTY
AND NOT BE LOANED TO OR REPRODUCED FOR OTHERS
EXCEPT AS AUTHORIZED BY SAMSUNG.

	CIS/SWA/MEA	LATIN/SEA
FDD	1/ 3/ 5/ 7/ 8/ 20	1/2/3/4/5/7/8/12/13/17/20/26/28/66
TDD	38/ 40/ 41	38/ 40/ 41
3G	1/ 2/ 5/ 8	1/2/4/5/8
2G	850/ 900/ 1800/ 1900	850/900/1800/1900




RF THERMISTER


Part No.	U1001
Rev.	1.0
Doc. No.	U1001-01
Doc. Ver.	1.0
Doc. Date	2010.01.13
Doc. Author	U1001
Doc. Checker	U1001
Doc. Approver	U1001
Doc. Release	U1001

SAMSUNG CONFIDENTIAL
 THIS DOCUMENT CONTAINS CONFIDENTIAL
 PROPRIETARY INFORMATION THAT IS
 SAMSUNG ELECTRONICS CO.'S PROPERTY
 NOT TO BE DISCLOSED TO OR DUPLICATED FOR OR
 EXCEPT AS AUTHORIZED BY SAMSUNG

DRX




APT MODULATOR




GND

TRANCEIVER




Engineer	DRX, TRANCEIVER	
Drawn by:		
RAD CDR:	TITLE:	
EXD CDR, CHD:	SM-J737P/VR4	
WFO ENGR CDR:		
QA CDR:	Revision Number:	001

BT/WIFI




NFC




NFC	NFC PART	Power supply of SIM	NFC GPIO 14
	U3004	R5030	R4012
	R5031	open	10K ohm
	R4013	open	10K ohm
	CONNECT	short	open
	NC	open	short


GPS




DMB (for KOR)



SENSORS



DTV



Option
for GT

SENSOR LDO

Proxi Sensor

6 AXIS(ACC+GRYO)



MAGNETIC

SENSOR, WIFI/BT/GPS/NFC
SM-J737P/IR4


EXYNOS7904 (Lassen-O Plus)

POP LP4 3G : SEC








AP JTAG BOM NC




I2C Pull-up Register





PCB JTAG




AP Decap









<DTV>
FN/GN/G: NC
GT : ONLY




AUDIO



Sub MIC




Ear MIC



SPK AMP

Engineer:	AUDIO, SIMISO, SHIELD CAN			
Drawn By:				
RED CTR:				TITLE:
DOC CTR: CTR:				
SPR KMR CTR:				
QA CTR:	REV:	Drawing Number:	Page:	



	FN (Firm)	GN (GMA)	G (GA)	GT (G-OTV)		
R7002	O					
R7003		O				
R7004			O			
R7005				O		

Engineer:	CAMERA, DISPLAY		
Sketch by:			
RWD CHK:		TITLE:	
DDC CHK, CHK:		2019 - J9	
MPG ENGR CHK:			
QA CHK:	REV	Issuing Number:	