




WIFI_5G_CH1




WIFI_2.4G_CH1







SAR SENSOR







WIFI_5G_CH0+2.4G_CH0






File									
<Title>									
Size B	Document Number <Doc>								Rev <Rev>
Date	Wednesday, January 04, 2006				Time	1		of	1







WIFI 5G CHAIN0




WIFI 5G CHAIN1



WLAN FEM 5G




WLAN CH1




Title		
L12_MAIN		
Size A2	Document Number WIFI FEM	
Date:	Tuesday, December 20, 2022	Sheet



Place all ZQ resistors close to SM8475



MSM skin temperature thermistor









Quiet thermistor Place on a cool place





I2C ADDRESS:0X4F


Title		M81_5G_MAIN
Size	A3	Document Number
		SM8475 Control
Date:	Tuesday, December 20, 2022	Sheet of 78












QLINK1 for mmW

















VDD_SX统一接VPH_PWR shape




GND_SX统一下地平面



VDD_APC1

VDD_GFX

Title		M81_5G_MAIN	
Size	A3	Document Number	PM8350 BUCK CONVERTER1
Date:	Tuesday, December 20, 2022	Sheet	1




1.8V Buck

0P9 Serdes Buck


1P2 Serdes Buck

Title			
M81_SG_MAIN			
Size	Document Number		
A3	PM8350 BUCK CONVERTER2		
Date:	Tuesday, December 20, 2022	Sheet	of 78



输入ESL大于15nH，C4509/C4510 需要Mount 1uF/6.3V cap

Title		
M81_5G_MAIN		
Size	Document Number	
A3	PM8350 LDOs	
Date:	Tuesday, December 20, 2022	Sheet 46 of 78




Options	Typical resistor value (Ω)	SD card options	GPIO_02A vs. GPIO_03A EN (PMK8475)	GPIO_05B (PM8350) PON trigger polarity
0-7 (Reserved)	—	—	—	—
8	113000	SD card LDO enabled	EXT_LDO_EN_GPIO02	Active high
9	147000	SD card LDO enabled	EXT_LDO_EN_GPIO02	Active low ¹
10	191000	SD card LDO enabled	EXT_LDO_EN_GPIO03	Active high
11	255555	SD card LDO enabled	EXT_LDO_EN_GPIO03	Active low ¹
12	357000	Skip SD card LDO enable	EXT_LDO_EN_GPIO02	Active high
13	536000	Skip SD card LDO enable	EXT_LDO_EN_GPIO02	Active low ¹
14	976666	Skip SD card LDO enable	EXT_LDO_EN_GPIO03	Active high
15	3090000	Skip SD card LDO enable	EXT_LDO_EN_GPIO03	Active low ¹

1. In the options that GPIO_05B (PM8350) is configured as active low, it is assumed that QTI charger PMIC (that is, PM8350B/BH/BHS) is not present, therefore the PON trigger from PM8350B/BH/BHS will not be acknowledged by PMK8350 PBS.

VDD_SX统一接VPH_PWR shape


GND_SX统一一下地平面





Title	
M81_5G_MAIN	
Size	Document Number
A3	PM8350C BUCK CONVERTER1
Date:	Tuesday, December 20, 2022
Sheet	49
	78

VDD_SX统一接VPH_PWR shape




GND_SX统一下地平面




Title		
M81_5G_MAIN		
Size	Document Number	
A3	PM8350C BUCK CONVERTER2	
Date:	Tuesday, December 20, 2022	Sheet 50 of 78




EXT_SWITCH_LDO_AMP



Title		M81_5G_MAIN
Size	Document Number	PM8450 HK IO&LDO
Date:	Tuesday, December 20, 2022	Sheet 52 78




Title			M81_5G_MAIN
Size	A3	Document Number	PM8450 BUCK
Date:	Tuesday, December 20, 2022	Sheet	53 of 78



VPH_PWR


<25,32,47> SLEEP_CLK



VPH_PWR


C5416
NM
0603<10uf
+/-0.1mm

VPH_PWR




Title		
M81_5G_MAIN		
Size	Document Number	
A4	PM8350B HAPTIC&OLED	
Date:	Tuesday, December 20, 2022	Sheet 55 of 78

CC电流最大500mA，走线宽度注意



放在中间路径gnd环境好的位置






Title	
M81_5G_MAIN	
Size	Document Number
A3	WCD9380
Date:	Tuesday, December 20, 2022
Sheet	59 of 78




Title		M81_5G_MAIN	
Size	Document Number		
A2	SC8501		
Date:	Wednesday, January 04, 2023	Sheet	

A+G




ALS&FLASH OF BACK


ALS OF FRONT




开合检测HALL




键盘在位检测HALL




DOWN HALL of PAN




UP HALL of PAN




指纹








音量键






POWER键




File		M81_SG_MAIN	
Size	A2	Document Number	SENSOR-1
Date:	Tuesday, December 20, 2022	Sheet	B2 78








WIDE 50M(S5KJN1)




2M DEEP (OV02B1B10)








File			
M81_5G_MAIN			
Size	Document Number		
A2	WIDE CAMERA		
Date:	Thursday, January 05, 2023	Sheet	67 of 78







Front 20M (IMX596)




Title			
L12_MAIN			
Size	Document Number		
A4	FRONT CAMERA		
Date:	Tuesday, December 20, 2022	Sheet	68 of 78




BATTERY CONNECT





SMT硅胶

屏蔽罩



Title		
L12_MAIN		
Size	Document Number	
A3	TEST POINT	
Date:	Tuesday, December 20, 2022	Sheet 74 of 78

