

D

CB

A



H6P: DIGITAL I/O, BOOTSTRAPPING

D

D

C

C

B

B

A

A



BOOTSTRAPPING (BOARD_REV, BOARD_ID, BOOT_CFG)

BOARD_REV[3:0]={GPIO34, GPIO35, GPIO36, GPIO37}
FLOAT=LOW, PULLUP=HIGH

Pin	Function
1111	PROTO2/2A, TRISAR/L19
1110	EVT1 MAIN BUILD
1101	EVT1 MESA BUILD
1100	EVT1A MESA BUILD
1011	E1B MAIN BUILD
1010	E1C MAIN BUILD

<--- SELECTED (NOSTUFF R3000 & STUFF R3001)

BOARD_ID[3:0]={GPIO16, SPI0_MISO, SPI0_MOSI, SPI0_SCLK}
FLOAT=LOW, PULLUP=HIGH



Pin	Function
0000	X145 MLB
0001	X145 DEV
0010	X152 MLB
0011	X152 DEV

<--- SELECTED

BOOT_CONFIG[3:0]={GPIO29_CONFIG3, GPIO28_CONFIG2, GPIO25_CONFIG1, GPIO18_CONFIG0}
FLOAT=LOW, PULLUP=HIGH

Pin	Function
0000	SPI0
0001	SPI0 TEST MODE
0010	NAND
0011	NAND TEST MODE

<--- SELECTED




H6P: GND, VDDCA, VDD1/2, VDD, VDD_CPU, VDD_GPU

VDDCA, VDD1/2, VDDQ

VDD

VDD_CPU, VDD_GPU



H6P (GND, VDDIO18, VDDIOD, VDD_SRAM, VDD_SOC)

JUST A FEW GNDS

VDDIOD, VDDIO18

VDD_SRAM, VDD_SOC

D

C

B






A

D

C

B

- L4
- L5
- L6
- L8
- L10
- L12
- L14
- L16
- L18
- L20
- L22
- L24
- L26
- L28
- L30
- L33
- M1
- M2
- M3
- M4
- M5
- M7
- M9
- M11
- M13
- M15
- M17
- M19
- M21
- M23
- M25
- M27
- M29
- M31
- N2
- N3
- N4
- N5
- N8
- N10
- N12
- N14
- N16
- N18
- N20
- N22
- N24
- N26
- N28
- N30
- N33
- P1
- P2
- P3
- P4
- P5
- P7
- P9
- P11
- P13
- P15
- P17
- P19
- P21
- P23
- P25
- P27
- P29
- R2
- R3
- R4
- R5
- R8
- R10
- R12
- R14
- R16
- R18
- R20
- R22
- R24
- R26
- R28
- R30
- R31



H6P NAND + 12X17 NAND PKG

SUPPORT FOR PPN1.5 (1.8V IO) ONLY

D

D


C

C

B

B

A



NOTE: NAND PADS SHOULD BE SHIELDED FROM TRACES WITH A GROUND PLANE

PP2 P2MM ROOM=H6P 1 AP BI NAND ANC0 IO<6> 0
PP3 P2MM ROOM=H6P 1 45 AP TO NAND ANC0 RE_L 0
PP10 P2MM ROOM=H6P 1 45 AP BI NAND ANC0 DQS 0

D



(VIBE DRIVER, BUTTONS, ANC REF MIC, STROBE, STROBE_NTC)



STROBE:
STROBE NTC

VIBE DRIVE

```

MIC2 (ANC REF MIC):
    MIC2/3 BIAS,
    MIC2_P,_N

```


BUTTONS:
RINGER, HOLD,
VOL_UP/DOWN

STROBE:
LED COOL

L67 AUDIO CODEC

AUDIO I/O


(ANALOG MIC IN, DIG MIC IN, HPOUT, LINEOUT, RECEIVER OUT, MIKEYBUS)



L67 AUDIO CODEC

POWER, MICBIAS

DIGITAL SYSTEM I/O



FRONT CAM FLEX B2B (FCAM, PROX, ALS, RECEIVER, ANC ERROR MIC)

D

FCAM:
CLK, I2C, SHDN

C

PROX: POWER,
RX, RX_EN

B

ALS: POWER,
I2C, INT

A

RECEIVER

HAC

NOTE: CONN GENDER SWAPPED AT PROTO2
THIS ON ONE MLB ---> 516S0986 RCPT
516S0987 PLUG (FLEX)


FCAM:
POWER AND MIPI

MIC3
(ANC ERROR MIC)

FCAM ALS INT


PROX: PWR, TX EN

D



(AMUX, GPIO, BUTTONS, ADC, THERMISTORS, SYSTEM I/F, GND)

A



AMBER OTP AI (EVT1)
CHANGES/USEFUL INFO HIGHLIGHTED BELOW

GPIOS, BUTTONS, RESETS

```

GPIO1 BUCK3_SW1 OUTPUT, DRIVE LOW, OPEN DRAIN
GPIO2 BUCK3 INPUT WITH PULLDOWN
GPIO3 BUCK3 OUTPUT LOW
GPIO4 BUCK3 INPUT WITH PULLDOWN
GPIO5 BUCK3 OUTPUT LOW
GPIO6 BUCK3 INPUT WITH PULLS DISABLED (EXT PU)
GPIO7 BUCK3 INPUT WITH PULLDOWN
GPIO8 BUCK3 INPUT WITH PULLUP
GPIO9 BUCK3 OUTPUT LOW
GPIO10 BUCK3 INPUT WITH PULLDOWN
GPIO11 BUCK3 OUTPUT LOW+H12
GPIO12 BUCK3 INPUT WITH PULLUP
GPIO13 BUCK3 INPUT WILL PULLDOWN
GPIO14 BUCK3 OUTPUT LOW
GPIO15 VDD_MAIN OUTPUT LOW
GPIO16 BUCK3_SW1 INPUT WITH PULLDOWN

BUTTON2 WAKE FROM HIB AND STBY.
BUTTON4 PULLUP TO BUCK3

```

BUCKS, LDOS, TIMING

```

BUCK3_SW3 AND BUCK4_SW2 DEFAULT OFF
BUCK5 DEFAULT ON IN ACTIVE.
BUCK2 DEFAULT 1.0V.
LD04 DEFAULT OFF IN ACTIVE, OFF IN HIB
LD05 DEFAULT 2.80V.

LD03_OFF_SLOT = 7 (MOVE LD03 OFF-SLOT TO -8)
LD013_OFF_SLOT = 2 (CHANGE LD013 OFF-SLOT TO -3)


CHANGE OFF-SLOT TIMERS FROM 2MS TO 3MS (T3/T4)
- SLOTTIMINGS T3 = 2 AND T4 = 2 (3MS FOR BOTH)

MOVE BUCK5 ON-SLOT TO SLOT 3 AND OFF-SLOT TO SLOT -4.

```


CHESTNUT, BACKLIGHT DRIVER, MESA BOOST

D403 DISPLAY PMU (TI CHESTNUT, 338S1172)



SAGE NEG BOOST TIMING INFO:
2 MS NOMIAL START UP DELAY FOR LCM POWER SEQUENCING
2 MS DELAY AT SHUTDOWN
ACTIVE DISCHARGE 2MS TO RAIL DOWN


D403 BACKLIGHT DRIVER APN: 353S3721



NOTE: STACKED TO MEET VOLTAGE REQ, LOOK INTO 18+V CAPS


MOJAVE

APN: 353S3978
VENDOR: TI




ADDED RF SHUNT TO MOJAVE OUTPUT
RDAR://12876852

L19 SPEAKER AMP



TRISTAR

I2C ADDRESS: 0011010X





EEPROM

THROTTLER

RDAR://13057149


ONSEMI EEPROM
APN: 335S0894




```
(USB VBUS, MENU BTN, SPEAKER, HP, HP_EXTMIC, NAVAJO, ANTENNA LAT SW CTRL,
MIC1 (PRIMARY MIC), ACC_DET/ID/PWR, E75_DIFFPAIRS)
```



LCM B2B




LCM:
POWER
(1.8V DVDD)
(+5.7V AVDD)
(-5.7V AVDD)

LCM:
DIGITAL I/F
(PWR_EN, RESET
PIFA, BSYN)

LCM:
BACKLIGHT

OSCAR + SENSORS

OSCAR MODULE (CONFORMAL COATED)




OSCAR MODULE GND BALLS
(THIS SYMBOL DOES NOT EXIST ON OSCAR CSP)

THIS PART OUTSIDE OF SHIELD

COMPASS

COMPASS CSP: 338S1014
COMPASS INTERPOSER (FOOTPRINT ONLY): 998-5120
COMPASS INTERPOSER MODULE: 639-4269




COMPASS INTERPOSER

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
639-4269	1	COMPASS INTERPOSER X152/X145	U16	CRITICAL	COMPASS_INTERPOSER

THESE PARTS INSIDE OF SHIELD


GYRO

ST MICRO AP3GDL20HAB, APN 338S1192



ACCELEROMETER

ST MICRO AP2DHAB, APN 338S1191




TO DO: VERIFY CONNECTIONS ON ACCEL (CS, SDO PINS)

RCAM B2B (REAR CAMERA CONNECTOR)

RCAM:
POWER:
(1.8V DVDD)
(2.8V AVDD)
(1.2V VCC)
(2.5V AF)


RCAM:
DIGITAL I/F
(I2C, CTRL, CLK)



RCAM:
4-LANE MIPI

BATT CONN, TPS, STANDOFFS/SHIELDS/FIDUCIALS



BATTERY CONN



POWER TP

TESTPOINTS

E75 - USB/UART/ID/POWER



ACCESSORY ID AND POWER

POWER GROUND

FOR DIAGS

DUPLICATE TESTPOINTS FOR UAT MATCHING RF FIXTURE
RDAR://13159278


SUPER TP

RESET


DFU

HEADPHONE MIC

MIC AUDIO




DRIVE MIC WRT NEAREST GROUND TEST POINT




ADDED PER
RDAR://12611131


FIDUCIALS



SHIELDS




COWLING




AC COUPLED SCREW HOLES + STANDOFFS (ON NORTH END OF SINGLE_BRD, TO MITIGATE COMPASS RETURN CURRENTS)


SCREW HOLES



STANDOFFS



LCM BACKLIGHT



D

C

B

A

VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<0>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<1>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<2>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<3>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<4>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<5>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<6>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<7>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<8>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<9>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<10>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<11>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<12>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<13>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<14>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<15>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<16>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<17>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<18>
VOLTAGE=4.55V CUMULUS_TO_SAGE_VSTM_OUT<19>
VOLTAGE=4.55V TOUCH_TO_SAGE_SENSE_IN<0>
VOLTAGE=4.55V TOUCH_TO_SAGE_SENSE_IN<1>
VOLTAGE=4.55V TOUCH_TO_SAGE_SENSE_IN<2>
VOLTAGE=4.55V TOUCH_TO_SAGE_SENSE_IN<3>
VOLTAGE=4.55V TOUCH_TO_SAGE_SENSE_IN<4>
VOLTAGE=4.55V TOUCH_TO_SAGE_SENSE_IN<5>
VOLTAGE=4.55V TOUCH_TO_SAGE_SENSE_IN<6>
VOLTAGE=4.55V TOUCH_TO_SAGE_SENSE_IN<7>
VOLTAGE=4.55V TOUCH_TO_SAGE_SENSE_IN<8>
VOLTAGE=4.55V TOUCH_TO_SAGE_SENSE_IN<9>
VOLTAGE=4.55V TOUCH_TO_SAGE_SENSE_IN<10>
VOLTAGE=4.55V TOUCH_TO_SAGE_SENSE_IN<11>
VOLTAGE=4.55V TOUCH_TO_SAGE_SENSE_IN<12>
VOLTAGE=4.55V TOUCH_TO_SAGE_SENSE_IN<13>
VOLTAGE=4.55V TOUCH_TO_SAGE_SENSE_IN<14>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<0>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<1>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<2>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<3>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<4>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<5>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<6>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<7>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<8>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<9>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<10>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<11>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<12>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<13>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<14>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<15>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<16>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<17>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<18>
VOLTAGE=4.55V SAGE_TO_TOUCH_VSTM_OUT<19>

VOLTAGE=3.8V CODEC_TO_RCVR_P
VOLTAGE=3.8V CODEC_TO_RCVR_N
VOLTAGE=3.8V CODEC_TO_RCVR_CONN_P
VOLTAGE=3.8V CODEC_TO_RCVR_CONN_N
VOLTAGE=3.8V CODEC_TO_HAC_P
VOLTAGE=3.8V CODEC_TO_HAC_N
VOLTAGE=3.8V CODEC_TO_HAC_CONN_P
VOLTAGE=3.8V CODEC_TO_HAC_CONN_N
VOLTAGE=3.114V CODEC_TO_HPHONE_L
VOLTAGE=3.114V CODEC_TO_HPHONE_R
VOLTAGE=3.114V CODEC_TO_HPHONE_L_CONN
VOLTAGE=3.114V CODEC_TO_HPHONE_R_CONN
VOLTAGE=2.7V CODEC_TO_HPHONE_HS3
VOLTAGE=2.7V CODEC_TO_HPHONE_HS4
VOLTAGE=2.7V CODEC_TO_HPHONE_HS3_REF
VOLTAGE=2.7V CODEC_TO_HPHONE_HS4_REF
VOLTAGE=2.7V CODEC_TO_HPHONE_HS3_CONN
VOLTAGE=2.7V CODEC_TO_HPHONE_HS4_CONN
VOLTAGE=2.7V CODEC_TO_HPHONE_HS3_REF_CONN
VOLTAGE=2.7V CODEC_TO_HPHONE_HS4_REF_CONN
VOLTAGE=4.3V HPHONE_TO_CODEC_DET
VOLTAGE=4.3V HPHONE_TO_CODEC_DET_CONN
VOLTAGE=2.5V 90_CODEC_BI_TRISTAR_MIKEYBUS_L67_P
VOLTAGE=2.5V 90_CODEC_BI_TRISTAR_MIKEYBUS_L67_N
VOLTAGE=2.5V 90_CODEC_BI_TRISTAR_MIKEYBUS_P
VOLTAGE=2.5V 90_CODEC_BI_TRISTAR_MIKEYBUS_N
VOLTAGE=2.5V 90_CODEC_BI_TRISTAR_MIKEYBUS_DIG_P
VOLTAGE=2.5V 90_CODEC_BI_TRISTAR_MIKEYBUS_DIG_N
VOLTAGE=2.5V TRISTAR_TO_PMU_MIKEYBUS_TEST_POS
VOLTAGE=2.5V TRISTAR_TO_PMU_MIKEYBUS_TEST_NEG
VOLTAGE=1.8V MIC1_TO_CODEC_L67_P
VOLTAGE=1.8V MIC1_TO_CODEC_L67_N
VOLTAGE=1.8V MIC1_TO_CODEC_P
VOLTAGE=1.8V MIC2_TO_CODEC_L67_P
VOLTAGE=1.8V MIC2_TO_CODEC_L67_N
VOLTAGE=1.8V MIC2_TO_CODEC_P
VOLTAGE=1.8V MIC3_TO_CODEC_L67_P
VOLTAGE=1.8V MIC3_TO_CODEC_L67_N
VOLTAGE=1.8V MIC3_TO_CODEC_P
VOLTAGE=1.8V MIC3_TO_CODEC_N
VOLTAGE=3.8V RCVR_TO_CODEC_RCVR_TEST
VOLTAGE=3.8V RCVR_TO_CODEC_RCVR_TEST_L67
VOLTAGE=3.114V HPHONE_TO_CODEC_HPHONE_TEST
VOLTAGE=3.114V HPHONE_TO_CODEC_HPHONE_TEST_L67
VOLTAGE=3.8V HAC_TO_CODEC_TEST
VOLTAGE=3.8V HAC_TO_CODEC_TEST_L67

VOLTAGE=4.6V 45_PMU_VPUMP
VOLTAGE=4.3V PMU_ACT_DIO
VOLTAGE=3.6V TRISTAR_TO_PMU_OVP_SW_EN_L
VOLTAGE=3.2V USB_VBUS_DETECT
VOLTAGE=5.25V TRISTAR_TO_PMU_USB_BRICKID
VOLTAGE=5.25V TRISTAR_TO_PMU_USB_BRICKID_R

VOLTAGE=2.5V BATTERY_TO_PMU_NTC
VOLTAGE=2.5V BATTERY_NTC_CONN
VOLTAGE=4.2V BATTERY_TO_PMU_SENSE
VOLTAGE=8V SPKAMP_TO_SPEAKER_OUT_CONN_P
VOLTAGE=8V SPKAMP_TO_SPEAKER_OUT_CONN_N
VOLTAGE=8V SPKAMP_TO_SPEAKER_OUT_P
VOLTAGE=8V SPKAMP_TO_SPEAKER_OUT_N
VOLTAGE=5.25V 90_TRISTAR_BI_E75_PAIR1_CONN_P
VOLTAGE=5.25V 90_TRISTAR_BI_E75_PAIR1_CONN_N
VOLTAGE=5.25V 90_TRISTAR_BI_E75_PAIR2_CONN_P
VOLTAGE=5.25V 90_TRISTAR_BI_E75_PAIR2_CONN_N
VOLTAGE=3.0V TRISTAR_BYPASS
VOLTAGE=-5.7V PN5V7_SAGE_AVDDN
VOLTAGE=-5.7V PN5V7_SAGE_AVDDN_INT
VOLTAGE=-5.7V PN5V7_LCM_AVDDN

VOLTAGE=2.5V SAGE_VBIAS
VOLTAGE=11V GYRO_PUMP
VOLTAGE=XV SAGE_TO_CUMULUS_IN<0>
VOLTAGE=XV SAGE_TO_CUMULUS_IN<1>
VOLTAGE=XV SAGE_TO_CUMULUS_IN<2>
VOLTAGE=XV SAGE_TO_CUMULUS_IN<3>
VOLTAGE=XV SAGE_TO_CUMULUS_IN<4>
VOLTAGE=XV SAGE_TO_CUMULUS_IN<5>
VOLTAGE=XV SAGE_TO_CUMULUS_IN<6>
VOLTAGE=XV SAGE_TO_CUMULUS_IN<7>
VOLTAGE=XV SAGE_TO_CUMULUS_IN<8>
VOLTAGE=XV SAGE_TO_CUMULUS_IN<9>
VOLTAGE=XV SAGE_TO_CUMULUS_IN<10>
VOLTAGE=XV SAGE_TO_CUMULUS_IN<11>
VOLTAGE=XV SAGE_TO_CUMULUS_IN<12>
VOLTAGE=XV SAGE_TO_CUMULUS_IN<13>
VOLTAGE=XV SAGE_TO_CUMULUS_IN<14>
VOLTAGE=18.0V PP16V5_MESA
VOLTAGE=18.0V PP16V5_MESA_DOCK_CONN
VOLTAGE=1.0V PP1V0
VOLTAGE=1.0V PP1V0_S0C
VOLTAGE=1.0V PP1V0_S0C
VOLTAGE=1.0V PP1V0_SRAM
VOLTAGE=1.1V PP1V1_CPU
VOLTAGE=1.1V PP1V1_GPU
VOLTAGE=1.2V PP1V2
VOLTAGE=1.2V PP1V2_NAND_VDDI
VOLTAGE=1.2V PP1V2_OSCAR
VOLTAGE=1.2V PP1V2_OSCAR_VDDC
VOLTAGE=1.2V PP1V2_RCAM_CONN
VOLTAGE=1.2V PP1V2_RCAM_SWITCHOUT
VOLTAGE=1.2V PP1V2_SDRAM

VOLTAGE=4.3V PP_VCC_MAIN_UVLO_SENSE
VOLTAGE=2.8V PP2V80_THROTTLER
VOLTAGE=2.85V PP2V85_CAM_LDO_OUT
VOLTAGE=2.8V PP2V80_THROTTLER_FB
VOLTAGE=1.8V PP1V8_MESA_LOAD_SW_OUT

VOLTAGE=0V GND

VOLTAGE=1.8V PP1V8
VOLTAGE=1.8V PP1V8_ALWAYS
VOLTAGE=1.8V PP1V8_COMP
VOLTAGE=1.8V PP1V8_CUMULUS_VDDLD0
VOLTAGE=1.8V PP1V8_FCAM_CONN
VOLTAGE=1.8V PP1V8_GRAPE
VOLTAGE=1.8V PP1V8_LCM_CONN
VOLTAGE=1.8V PP1V8_OSCAR
VOLTAGE=1.8V PP1V8_OSCAR_VDDIO
VOLTAGE=1.8V PP1V8_PLL
VOLTAGE=1.8V PP1V8_RCAM_CONN
VOLTAGE=1.8V PP1V8_SDRAM
VOLTAGE=1.8V PP1V8_SDRAM_DOCK_CONN
VOLTAGE=1.8V PP1V8_VA_L19_L67
VOLTAGE=1.8V PP1V8_XTAL
VOLTAGE=2.5V PP2V5_RCAM_AF
VOLTAGE=2.5V PP2V5_RCAM_AF_COMP
VOLTAGE=2.5V PP2V5_RCAM_AF_CONN

VOLTAGE=2.8V PP2V85_FCAM_CONN
VOLTAGE=2.8V PP2V85_RCAM_CONN
VOLTAGE=3.0V PP3V0_ACC
VOLTAGE=3.0V PP3V0_ALS
VOLTAGE=3.0V PP3V0_COMP
VOLTAGE=3.0V PP3V0_IMU
VOLTAGE=3.0V PP3V0_NAND

VOLTAGE=3.0V PP3V0_NAVALO
VOLTAGE=3.0V PP3V0_NAVALO_CONN
VOLTAGE=3.0V PP3V0_PROX
VOLTAGE=3.0V PP3V0_PROX_ALS
VOLTAGE=3.0V PP3V0_PROX_IRLED
VOLTAGE=3.0V PP3V0_SDRAM

VOLTAGE=3.3V PP3V3_USB
VOLTAGE=5.0V PP5V0_USB_CONN
VOLTAGE=5.0V PP5V0_USB_PROT
VOLTAGE=5.1V PP5V1_GRAPE_VDDH
VOLTAGE=5.7V PP5V7_LCM_AVDDH
VOLTAGE=5.7V PP5V7_LCM_AVDDH_CONN

VOLTAGE=5.7V PP5V7_SAGE_AVDDH
VOLTAGE=6V PP6V0_LCM_BOOST
VOLTAGE=4.3V PP_BATT_VCC
VOLTAGE=4.3V PP_BATT_VCC_L19_VP
VOLTAGE=4.3V PP_BUCK0_LX0
VOLTAGE=4.3V PP_BUCK0_LX1

VOLTAGE=4.3V PP_BUCK0_LX2
VOLTAGE=4.3V PP_BUCK0_LX3
VOLTAGE=4.3V PP_BUCK1_LX0
VOLTAGE=4.3V PP_BUCK1_LX1
VOLTAGE=4.3V PP_BUCK2_LX
VOLTAGE=4.3V PP_BUCK3_LX

VOLTAGE=4.3V PP_BUCK4_LX
VOLTAGE=4.3V PP_BUCK5_LX
VOLTAGE=-6V PP_CHESTNUT_CN
VOLTAGE=6V PP_CHESTNUT_CP
VOLTAGE=6V PP_CHESTNUT_LXP
VOLTAGE=1.8V PP_CODEC_FILT+

VOLTAGE=2.2V PP_CODEC_SPKR_VQ
VOLTAGE=2.7V PP_CODEC_TO_MIC1_BIAS
VOLTAGE=2.7V PP_CODEC_TO_MIC1_BIAS_CONN
VOLTAGE=2.7V PP_CODEC_TO_MIC3_BIAS
VOLTAGE=2.7V PP_CODEC_TO_MIC3_BIAS_CONN
VOLTAGE=2.5V PP_CODEC_VCPFILT+

VOLTAGE=-2.5V PP_CODEC_VCPFILT-

VOLTAGE=0.2V PP_CODEC_VHP_FLYC
VOLTAGE=-2.5V PP_CODEC_VHP_FLYN
VOLTAGE=2.5V PP_CODEC_VHP_FLYP
VOLTAGE=1.6V PP_CUMULUS_VDDANA
VOLTAGE=1.6V PP_CUMULUS_VDDCORE
VOLTAGE=4.3V PP_E75_TO_TRISTAR_ACC1
VOLTAGE=4.3V PP_E75_TO_TRISTAR_ACC1_CONN
VOLTAGE=4.3V PP_E75_TO_TRISTAR_ACC2
VOLTAGE=4.3V PP_E75_TO_TRISTAR_ACC2_CONN
VOLTAGE=2.7V PP_EXTMIC_BIAS
VOLTAGE=2.7V PP_EXTMIC_BIAS_FILT
VOLTAGE=2.7V PP_EXTMIC_BIAS_FILT_IN
VOLTAGE=2.7V PP_EXTMIC_BIAS_FILT_IN
VOLTAGE=8V PP_L19_VB00ST
VOLTAGE=22V PP_LCM_BL_ANODE
VOLTAGE=22V PP_LCM_BL_ANODE_CONN
VOLTAGE=0.2V PP_LCM_BL_CAT1
VOLTAGE=0.2V PP_LCM_BL_CAT1_CONN

VOLTAGE=0.2V PP_LCM_BL_CAT2
VOLTAGE=0.2V PP_LCM_BL_CAT2_CONN
VOLTAGE=2.65V PP_LD014_2P65

VOLTAGE=2.5V CHESTNUT_TO_PMU_ADCIN7
VOLTAGE=5V E75_TO_PMU_ACC_DETECT
VOLTAGE=5V E75_TO_PMU_ACC_DETECT_R
VOLTAGE=5V PMU_TO_TP_AMUX_AY
VOLTAGE=5V PMU_TO_TP_AMUX_BY

VOLTAGE=2.5V FOREHEAD_TO_PMU_NTC_P
VOLTAGE=2.5V CAM_TO_PMU_NTC_P
VOLTAGE=2.5V PA_TO_PMU_NTC_P
VOLTAGE=2.5V H6P_TO_PMU_NTC_P
VOLTAGE=2.5V 45_PMU_TCAL

VOLTAGE=5V PP_LED_BOOST_OUT
VOLTAGE=5V PP_LED_DRV_LX
VOLTAGE=5V PP_MIPI0D_VREG
VOLTAGE=0.4V PP_MIPI1D_VREG
VOLTAGE=3.4V PP_PMU_TO_VIBE
VOLTAGE=3.4V PP_PMU_TO_VIBE_CONN

VOLTAGE=5.25V PP_PMU_VCENTER
VOLTAGE=4.3V PP_PMU_VDD_REF
VOLTAGE=2.5V PP_PMU_VDD_RTC
VOLTAGE=1.2V PP_PMU_VREF
VOLTAGE=5.25V PP_PMU_VSW_CHG
VOLTAGE=5.7V PP_SAGE_LX

VOLTAGE=17V PP_SAGE_LY
VOLTAGE=13.5V PP_SAGE_TO_TOUCH_VCPH

VOLTAGE=-12V PP_SAGE_TO_TOUCH_VCPL


VOLTAGE=18V PP_SAGE_VBST_OUTH
VOLTAGE=-14V PP_SAGE_VBST_OUTL
VOLTAGE=-12V PP_SAGE_VCPL_F
VOLTAGE=1.8V PP_SPKAMP_FILT

VOLTAGE=1V PP_SPKAMP_LDO_FILT
VOLTAGE=8V PP_SPKAMP_SW
VOLTAGE=5V PP_STRB_DRIVER_TO_LED_COOL
VOLTAGE=5V PP_STRB_DRIVER_TO_LED_WARM

VOLTAGE=4.3V PP_VCC_MAIN
VOLTAGE=4.3V PP_VCC_MAIN_CODEC
VOLTAGE=22V PP_WLED_LX


RADIO_MLB HIERARCHICAL SYMBOL

AP/RADIO INTERFACE



RF BOARD_ID BOM OPTIONS

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
118S0621	1	1.00M 1% 01005	R25_RF	CRITICAL	N51_ALL
118S0732	1	50K 1% 01005	R26_RF	CRITICAL	N51_ALL
117S0159	1	470K 5% 01005	R25_RF	CRITICAL	N51_DTD
118S0626	1	100K 1% 01005	R26_RF	CRITICAL	N51_DTD
118S0626	1	100K 1% 01005	R25_RF	CRITICAL	N53_ALL
118S0726	1	162K 1% 01005	R26_RF	CRITICAL	N53_ALL
118S0626	1	100K 1% 01005	R25_RF	CRITICAL	N53_DTD
118S0623	1	267K 1% 01005	R26_RF	CRITICAL	N53_DTD



[illegible]

[illegible]

8			7			6			5			4			3			2			1		
Title: Cref Part Report Design: single_brd Date: Feb 6 20:18:49 2013																							
BS1	PCB_STANDOFF	single_brd[22A5]	C61_RF	CAP_01005	radio_mlb[39B7]single_brd[24]	C128	CAP_0402	single_brd[12D4]	C226_RF	CAP_01005	radio_mlb[50C5]single_brd[24]	D											
BS2	PCB_STANDOFF	single_brd[22A5]	C62	CAP_01005	single_brd[11C6]	C128_RF	CAP_01005	radio_mlb[40C4]single_brd[24]	C227	CAP_01005	single_brd[9C6]												
C1	CAP_01005	single_brd[287]	C62_RF	CAP_01005	radio_mlb[39C6]single_brd[24]	C130	CAP_01005	single_brd[18C7]	C227_RF	CAP_01005	radio_mlb[50C4]single_brd[24]												
C1_RF	SUPPR_TRANSIENT_2P1_01005-1	radio_mlb[35A4]single_brd[24]	C63	CAP_01005	single_brd[11C6]	C131	CAP_0603	single_brd[14B5]	C228	CAP_01005	single_brd[9B6]												
C2	CAP_0201	single_brd[2C6]	C63_RF	CAP_SM	radio_mlb[48C3]single_brd[24]	C133	CAP_0610	single_brd[4C3]	C228_RF	CAP_01005	radio_mlb[50C4]single_brd[24]												
C2_RF	CAP_0201-1	radio_mlb[36B4]single_brd[24]	C64	CAP_01005	single_brd[9B6]	C134	CAP_0204	single_brd[5B2]	C229	CAP_01005	single_brd[9C6]												
C3	CAP_0204	single_brd[6D3]	C64_RF	CAP_01005	radio_mlb[50B7]single_brd[24]	C135	CAP_0402	single_brd[12D3]	C229_RF	CAP_01005	radio_mlb[50C4]single_brd[24]												
C3_RF	CAP_0201-1	radio_mlb[36B4]single_brd[24]	C65	CAP_01005	single_brd[9B6]	C136	CAP_01005	single_brd[6C6]	C230	CAP_01005	single_brd[9C6]												
C4	CAP_01005	single_brd[17C6]	C65_RF	CAP_01005	radio_mlb[50C7]single_brd[24]	C137	CAP_201	single_brd[13B4]	C230_RF	CAP_01005	radio_mlb[50C4]single_brd[24]												
C4_RF	CAP_0201-1	radio_mlb[36B4]single_brd[24]	C66	CAP_0402	single_brd[12C1]	C138	CAP_01005	single_brd[9B2]	C231	CAP_01005	single_brd[9B6]												
C5	CAP_01005	single_brd[17C6]	C66_RF	CAP_0402	radio_mlb[50C7]single_brd[24]	C140	CAP_0402	single_brd[12C2]	C231_RF	CAP_01005	radio_mlb[50C3]single_brd[24]												
C5_RF	CAP_0201-1	radio_mlb[36A3]single_brd[24]	C67	CAP_01005	single_brd[11C3]	C141	CAP_0610	single_brd[4D5]	C232	CAP_402	single_brd[10C5]												
C6	CAP_01005	single_brd[7C6]	C67_RF	CAP_01005	radio_mlb[50C6]single_brd[24]	C142	CAP_01005	single_brd[4D1]	C232_RF	CAP_01005	radio_mlb[50C3]single_brd[24]												
C6_RF	CAP_0201-1	radio_mlb[36B3]single_brd[24]	C68	CAP_0610	single_brd[4C3]	C143	CAP_01005	single_brd[9B2]	C233	CAP_402	single_brd[10C5]												
C7	CAP_01005	single_brd[7C6]	C68_RF	CAP_0201-1	radio_mlb[38C8]single_brd[24]	C144	CAP_01005	single_brd[6C6]	C233_RF	CAP_01005	radio_mlb[46C5]single_brd[24]												
C7_RF	CAP_0201-1	radio_mlb[36A3]single_brd[24]	C69	CAP_0402-1	single_brd[14C4]	C144_RF	CAP_01005	radio_mlb[49C6]single_brd[24]	C234	CAP_402	single_brd[10B5]												
C8	CAP_01005	single_brd[17C6]	C69_RF	CAP_0201-1	radio_mlb[38A6]single_brd[24]	C145	CAP_0402	single_brd[12D3]	C234_RF	CAP_0201	radio_mlb[46C5]single_brd[24]												
C8_RF	CAP_0402	radio_mlb[36B3]single_brd[24]	C70	CAP_01005	single_brd[17B4]	C145_RF	CAP_01005	radio_mlb[49C6]single_brd[24]	C235	CAP_01005	single_brd[9C3]												
C9	CAP_01005	single_brd[22D6]	C70_RF	CAP_0201-1	radio_mlb[38A6]single_brd[24]	C147	CAP_01005	single_brd[13B4]	C235_RF	CAP_201	radio_mlb[48C5]single_brd[24]												
C9_RF	CAP_0402	radio_mlb[36A3]single_brd[24]	C71	CAP_01005	single_brd[17B4]	C147_RF	CAP_01005	radio_mlb[45B7]single_brd[24]	C236	CAP_01005	single_brd[9C3]												
C10	CAP_01005	single_brd[12A5]	C71_RF	CAP_0201-1	radio_mlb[38B6]single_brd[24]	C148_RF	CAP_01005	radio_mlb[45C6]single_brd[24]	C236_RF	CAP_01005	radio_mlb[44C4]single_brd[24]												
C10_RF	CAP_0402	radio_mlb[36B3]single_brd[24]	C72	CAP_4P1_0402	single_brd[4C3]	C149	CAP_0402-1	single_brd[18D4]	C237	CAP_0201-1	single_brd[10B8]												
C11	CAP_0201	single_brd[28C1]	C72_RF	CAP_0402	radio_mlb[41D7]single_brd[24]	C149_RF	CAP_0201-1	radio_mlb[45C5]single_brd[24]	C237_RF	CAP_01005	radio_mlb[44C4]single_brd[24]												
C11_RF	CAP_0402	radio_mlb[36A2]single_brd[24]	C73	CAP_01005	single_brd[15A4]	C150	CAP_01005	single_brd[18B4]	C238	CAP_402	single_brd[10B8]												
C12	CAP_01005	single_brd[17A6]	C73_RF	CAP_01005	radio_mlb[41D6]single_brd[24]	C151	CAP_0402-2	single_brd[4D3]	C238_RF	CAP_01005	radio_mlb[44C4]single_brd[24]												
C12_RF	CAP_0201-1	radio_mlb[36D2]single_brd[24]	C74	CAP_4P1_0402	single_brd[28D5]	C152	CAP_0610	single_brd[4D3]	C239	CAP_01005	single_brd[10B5]												
C13	CAP_01005	single_brd[17A6]	C74_RF	CAP_01005	radio_mlb[38A6]single_brd[24]	C152_RF	CAP_0201	radio_mlb[45B2]single_brd[24]	C239_RF	CAP_01005	single_brd[17B4]												
C13_RF	CAP_0402	radio_mlb[36B2]single_brd[24]	C75	CAP_0402-2	single_brd[4D3]	C153	CAP_0204	single_brd[4D2]	C240	CAP_01005	radio_mlb[46C4]single_brd[24]												
C14	CAP_0402-1	single_brd[14A2]	C75_RF	CAP_01005	radio_mlb[41C6]single_brd[24]	C153_RF	CAP_201	radio_mlb[45B2]single_brd[24]	C241	CAP_01005	single_brd[8B4]												
C14_RF	CAP_0201-1	radio_mlb[38D8]single_brd[24]	C76_RF	CAP_01005	radio_mlb[41C6]single_brd[24]	C156	CAP_0402-1	single_brd[18D3]	C242	CAP_01005	single_brd[17D6]												
C15	CAP_01005	single_brd[12A3]	C77_RF	CAP_01005	radio_mlb[41C6]single_brd[24]	C156_RF	CAP_01005	radio_mlb[46C6]single_brd[24]	C242_RF	CAP_01005	radio_mlb[50C6]single_brd[24]												
C15_RF	CAP_402	single_brd[12A3]	C78	CAP_0204	single_brd[5B5]	C158	CAP_4P1_0402	single_brd[4D2]	C243	CAP_01005	single_brd[19B4]												
C16	CAP_0201-1	radio_mlb[38D8]single_brd[24]	C78_RF	CAP_01005	radio_mlb[41C6]single_brd[24]	C159	CAP_01005	single_brd[13C8]	C243_RF	CAP_01005	radio_mlb[50C6]single_brd[24]												
C16_RF	CAP_0201-1	radio_mlb[38D8]single_brd[24]	C79	CAP_01005	single_brd[18C8]	C160	CAP_0610	single_brd[4D5]	C244	CAP_01005	single_brd[8C3]												
C17	CAP_01005	single_brd[19B4]	C79_RF	CAP_01005	radio_mlb[41B6]single_brd[24]	C160_RF	CAP_0201	radio_mlb[46B2]single_brd[24]	C244_RF	CAP_01005	radio_mlb[41D1]single_brd[24]												
C17_RF	CAP_0201-1	radio_mlb[38D8]single_brd[24]	C80	CAP_0402-2	single_brd[4D3]	C161	CAP_4P1_0402	single_brd[4D2]	C245	CAP_0201	radio_mlb[43B4]single_brd[24]												
C18	CAP_01005	single_brd[19A4]	C80_RF	CAP_01005	radio_mlb[41B6]single_brd[24]	C162	CAP_0402	single_brd[4D2]	C245_RF	CAP_0201	radio_mlb[43B4]single_brd[24]												
C18_RF	CAP_0201-1	radio_mlb[38D7]single_brd[24]	C81	CAP_0204	single_brd[5C3]	C162_RF	CAP_01005	radio_mlb[46C7]single_brd[24]	C246	CAP_01005	radio_mlb[53D4]single_brd[24]												
C19	CAP_01005	single_brd[19A4]	C81_RF	CAP_010																			

8			7			6			5			4			3			2			1																																																																																																																																																																																																																																																																																																																																																																																																																																																	
D	C327	CAP_0402	single_brd[12C1]	D1	DIODE_SCHOT_2P_S0D-9	single_brd[14B6]	23-HF	FL61	FILTER_2P_01005-1	single_brd[19D3]	FL61	FILTER_2P_01005	single_brd[19B3]	L72_RF	IND_0201	radio_mlb[45B3]single_brd[24]	L73_RF	IND_0201	radio_mlb[46C3]single_brd[24]	L74_RF	IND_0201	radio_mlb[47C3]single_brd[24]	L75_RF	IND_0201	radio_mlb[47B3]single_brd[24]	L77_RF	IND_01005	radio_mlb[48B3]single_brd[24]	L78_RF	IND_0201	radio_mlb[50B3]single_brd[24]	L79_RF	IND_0201	radio_mlb[51C7]single_brd[24]	L1732_RF	IND_03045	radio_mlb[5306]single_brd[24]	P11_RF	PROBEPOINT_SM	single_brd[35D7]single_brd[24]	P12	PROBEPOINT_SM	single_brd[6B8]	P12_RF	PROBEPOINT_SM	radio_mlb[35D7]single_brd[24]	P13	PROBEPOINT_SM	single_brd[6A8]	P13_RF	PROBEPOINT_SM	radio_mlb[35D7]single_brd[24]	P14_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P15_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P16_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P17	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P17_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P18	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P18_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P19	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P19_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P20	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P20_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P21	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P21_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P22	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P22_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P23	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P23_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P24	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P24_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P25	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P25_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P26	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P26_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P27	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P27_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P28	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P28_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P29	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P29_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P30	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P30_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P31	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P31_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P32	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P32_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P33	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P33_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P34	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P34_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P35	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P35_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P36	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P36_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P37	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P37_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P38	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P38_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P39	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P39_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P40	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P40_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P41	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P41_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P42	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P42_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P43	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P43_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P44	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P44_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P45	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P45_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P46	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P46_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P47	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P47_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	Q1	TRA_MOSFET_NCHN_3P3_	single_brd[11B4]	Q2	TRA_MOSFET_PCHN_4P5_	single_brd[17A6]	Q3	TRA_MOSFET_PCHN_4P5_	single_brd[17A6]	Q4	TRA_MOSFET_PCHN_9P2_	single_brd[12C8]	Q1000	TRA_MOSFET_NCHN_3P11	single_brd[16A3]	R1	RES_01005	single_brd[2C6]	R1_RF	RES_01005	radio_mlb[35C4]single_brd[24]	R2	RES_01005	single_brd[11A6]	R3	RES_01005	single_brd[11A6]	R3_RF	RES_01005	radio_mlb[35A5]single_brd[24]	R4_RF	RES_01005	radio_mlb[39C4]single_brd[24]	R5	RES_01005	single_brd[3C4]	R5_RF	RES_01005	radio_mlb[53C7]single_brd[24]	R6	RES_01005	single_brd[2B3]	R6_RF	RES_01005	radio_mlb[38B6]single_brd[24]	R7	RES_01005	single_brd[2C3]	R7_RF	RES_01005	radio_mlb[38B7]single_brd[24]	R8	RES_01005	single_brd[6B2]	R9	RES_01005	single_brd[11A6]	R9_RF	RES_01005	radio_mlb[38B2]single_brd[24]	R10	RES_01005	single_brd[17C3]	R10_RF	RES_01005	radio_mlb[38D1]single_brd[24]	R11	RES_01005	single_brd[12D4]	R12	RES_01005	single_brd[3A6]	R13	RES_0201	radio_mlb[52B5]single_brd[24]	R13_RF	RES_0201	radio_mlb[56D2]single_brd[24]	R14_RF	RES_01005	radio_mlb[37D4]single_brd[24]	R15	RES_01005	single_brd[17C6]	R15_RF	RES_01005	radio_mlb[56A7]single_brd[24]	R16	RES_01005	single_brd[3D4]	R16_RF	RES_01005	radio_mlb[56C5]single_brd[24]	R17	RES_01005	single_brd[3D2]	R17_RF	RES_01005	radio_mlb[56C3]single_brd[24]	R18	RES_01005	single_brd[3D2]	R18_RF	RES_01005	radio_mlb[56C3]single_brd[24]	R19	RES_01005	single_brd[3D2]	R19_RF	RES_01005	radio_mlb[41D3]single_brd[24]	R20	RES_01005	single_brd[3A3]	R20_RF	RES_01005	radio_mlb[37C8]single_brd[24]	R21	RES_01005	single_brd[3D2]	R21_RF	RES_01005	radio_mlb[37C8]single_brd[24]	R22	RES_01005	single_brd[3A3]	R22_RF	RES_01005	radio_mlb[37B5]single_brd[24]	R23	RES_01005	single_brd[17C3]	R23_RF	RES_01005	radio_mlb[37D4]single_brd[24]	R24	RES_01005	single_brd[17C3]	R24_RF	RES_01005	radio_mlb[37D4]single_brd[24]	R25	RES_01005	single_brd[17C3]	R25_RF	RES_01005	radio_mlb[37D4]single_brd[24]	R26	RES_01005	single_brd[18C7]	R26_RF	RES_01005	radio_mlb[37D3]single_brd[24]	R27	RES_01005	single_brd[4A8]	R27_RF	RES_01005	radio_mlb[40C4]single_brd[24]	R28	RES_01005	single_brd[4A8]	R28_RF	RES_01005	radio_mlb[40C2]single_brd[24]	R29	RES_01005	single_brd[4A6]	R29_RF	RES_01005	single_brd[4A6]	R30	RES_01005	single_brd[4A6]	R30_RF	RES_01005	radio_mlb[40C1]single_brd[24]	R31	RES_01005	single_brd[4A5]	R32	RES_01005	single_brd[4A5]	R33	RES_01005	single_brd[4A4]	R33_RF	RES_01005	radio_mlb[49C7]single_brd[24]	R34	RES_01005	single_brd[4A4]	R34_RF	RES_01005	radio_mlb[49C6]single_brd[24]	R35	RES_01005	single_brd[4A5]	R35_RF	RES_01005	radio_mlb[50B5]single_brd[24]	R36	RES_01005	single_brd[18A4]	R37	RES_01005	single_brd[7C5]
	C328	CAP_0201	single_brd[18B3]	D3	DIODE_SCHOT_DFN1006-	single_brd[8C6]	2	FL62	FILTER_2P_01005	single_brd[19B3]	FL63	FILTER_2P_01005	single_brd[17D2]	L76_RF	IND_0201	radio_mlb[47B3]single_brd[24]	L77_RF	IND_01005	radio_mlb[48B3]single_brd[24]	L78_RF	IND_0201	radio_mlb[50B3]single_brd[24]	L79_RF	IND_0201	radio_mlb[51C7]single_brd[24]	L1732_RF	IND_03045	radio_mlb[5306]single_brd[24]	P11_RF	PROBEPOINT_SM	single_brd[35D7]single_brd[24]	P12	PROBEPOINT_SM	single_brd[6B8]	P12_RF	PROBEPOINT_SM	radio_mlb[35D7]single_brd[24]	P13	PROBEPOINT_SM	single_brd[6A8]	P13_RF	PROBEPOINT_SM	radio_mlb[35D7]single_brd[24]	P14_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P15_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P16_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P17	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P17_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P18	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P18_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P19	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P19_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P20	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P20_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P21	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P21_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P22	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P22_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P23	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P23_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P24	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P24_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P25	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P25_RF	PROBEPOINT_SM	radio_mlb[35B6]single_brd[24]	P26	PROBEPOINT_SM	radio_m																																																																																																																																																																																																																																																																																																																																																									

8			7			6			5			4			3			2			1		
D	R38	RES_01005	single_brd[7C5]			TP40	TP_TP-P55	single_brd[22C4]				XW15_RF	SHORT10LP1_WITH_ALTS	radio_mlb[35A7]single_brd[24]									
	R39	RES_01005	single_brd[7C5]			TP120	TP_TP-P55	single_brd[22D4]					_SHORT-10L-0.1MM-SM										
	R40	RES_01005	single_brd[7B5]			TP200	TP_TP-P6	single_brd[22D4]				XW16_RF	SHORT10LP25_WITH_ALT	radio_mlb[37A6]single_brd[24]									
	R41	RES_01005	single_brd[7C5]			TP2200	TP_TP-P6	single_brd[22C2]					S_SHORT-10L-0.25MM-S										
	R42	RES_01005	single_brd[7C5]			TP2202	TP_TP-P6	single_brd[22B2]					M										
	R43	RES_201	single_brd[16D5]			TP8000	TP_TP-P6	single_brd[22B4]				XW17_RF	SHORT10LP1_WITH_ALTS	radio_mlb[36C5]single_brd[24]									
	R43_RF	RES_01005	radio_mlb[56A6]single_brd[24]			U1	H6P_FCMPSP	single_brd[2C5]					_SHORT-10L-0.1MM-SM										
	R44	RES_201	single_brd[16D5]			U1	H6P_FCMPSP	single_brd[3D3 3D7]				XW18	SHORT10LP1_WITH_ALTS	single_brd[12D2]									
	R44_RF	RES_01005	radio_mlb[56A6]single_brd[24]			U1	H6P_FCMPSP	single_brd[4D2 4D5 4D7]				XW20	SHORT10LP1_WITH_ALTS	single_brd[12D2]									
	R45	RES_201	single_brd[11B4]			U1	H6P_FCMPSP	single_brd[5D2 5D4 5D8 5D7]				XW20_RF	SHORT10LP1_WITH_ALTS	radio_mlb[56D6]single_brd[24]									
C	R46	RES_01005	single_brd[19C3]			U1	H6P_FCMPSP	single_brd[6C7]					_SHORT-10L-0.1MM-SM										
	R46	RES_01005	radio_mlb[42D5]single_brd[24]			U1	H6P_FCMPSP	single_brd[7C3 7C7]					L9-SM										
	R47	RES_01005	radio_mlb[42D5]single_brd[24]			U1_RF	MODEM_MDM9615M_1_BGA	radio_mlb[38B4 38D2 38D4 38C7]single_brd[24]				XW25	SHORT10LP1_WITH_ALTS	single_brd[17B7]									
	R48	RES_01005	radio_mlb[42C5]single_brd[24]			U1_RF	MODEM_MDM9615M_1_BGA	radio_mlb[39C3 39D7]single_brd[24]					_SHORT-10L-0.1MM-SM										
	R50	RES_01005	single_brd[17C6]			U2	CBTL1010_WLCSP36_WLC	single_brd[16D4]					M										
	R51_RF	RES_01005	radio_mlb[56A5]single_brd[24]			U2_RF	PM8018_WLNSP105_BGA	radio_mlb[36C5]single_brd[24]				XW28	SHORT_SM	single_brd[13B6]									
	R52	RES_01005	single_brd[3C8]			U2_RF	PM8018_WLNSP105_BGA	radio_mlb[37D3 37B7 37B4 37C7]single_brd[24]				XW29	SHORT_SM	single_brd[13B6]									
	R52_RF	RES_01005	radio_mlb[56A5]single_brd[24]			U3	TPS65738_CHESTNUT_BG	single_brd[14D5]				XW31	SHORT_SM	single_brd[21C4]									
	R53_RF	RES_201	radio_mlb[41D8]single_brd[24]				A					XW33	SHORT10LP1_WITH_ALTS	single_brd[13B6]									
	R55	RES_01005	single_brd[6B5]				WTR1605_SM	radio_mlb[40D4 40B7 40D7 40C7]single_brd[24]					_SHORT-10L-0.1MM-SM										
B	R55_RF	RES_01005	radio_mlb[50B8]single_brd[24]			U3_RF	WTR1605_SM	radio_mlb[41B3]single_brd[24]				XW35	SHORT_LAYER_6_SHORT-	single_brd[15D6]									
	R57	THERMISTER_0201	single_brd[13A8]			U4	FLASH_XGX8_60LGA_LGA	single_brd[6C4]					L6-SM										
	R58	RES_201	single_brd[17A7]				-12X17					XW36	SHORT_SM	single_brd[18D5]									
	R65	RES_01005	single_brd[13C3]			U5	74AUP2G3404_SOT1115	single_brd[18A3]				XW41	SHORT10LP1_WITH_ALTS	single_brd[8C3]									
	R67	RES_01005	single_brd[2B7]			U5_RF	SUPPR_TP04E101_SON4	radio_mlb[35A3]single_brd[24]					_SHORT-10L-0.1MM-SM										
	R70	RES_01005	single_brd[12D8]			U6	CAT24C08_WLCSP4_WLC	single_brd[16B8]				XW42	SHORT10LP1_WITH_ALTS	single_brd[11C3]									
	R71	RES_01005	single_brd[2C3]				P						_SHORT-10L-0.1MM-SM										
	R72	RES_01005	single_brd[4D8]			U6_RF	FLASH_MX25U1635E_WLC	radio_mlb[39A7]single_brd[24]				XW43	SHORT10LP1_WITH_ALTS	single_brd[10D7]									
	R73	RES_01005	single_brd[4D8]				SP					XW44	SHORT10LP1_WITH_ALTS	single_brd[2C1]									
	R78	RES_01005	single_brd[6C8]			U7	AMBER_PMC_FCCSP-0.84	single_brd[12D6]					_SHORT-10L-0.1MM-SM										
A	R79	RES_01005	single_brd[18B5]				MM					XW45	SHORT10LP1_WITH_ALTS	single_brd[17B6]									
	R82	RES_01005	single_brd[6C6]			U7	AMBER_PMC_FCCSP-0.84	single_brd[13C2 13C5]					_SHORT-10L-0.1MM-SM										
	R83	RES_01005	single_brd[16D5]				MM					XW47_RF	SHORT10LP25_WITH_ALT	radio_mlb[49C6]single_brd[24]									
	R84	RES_01005	single_brd[16C5]			U7_RF	RF1112_WLCSP	radio_mlb[53C5]single_brd[24]					S_SHORT-10L-0.25MM-S										
	R85	RES_01005	single_brd[11B3]			U8	AP30DL20HAB18_LGA	single_brd[20B2]				XW48	SHORT10LP1_WITH_ALTS	single_brd[19B5]									
	R86	RES_01005	single_brd[18C5]			U8_RF	MOD_WIFF_BT_IMPRTIAL	radio_mlb[56C5]single_brd[24]					_SHORT-10L-0.1MM-SM										
	R87	RES_01005	single_brd[13B3]				LGA60_LGA						XW49	SHORT_SM	single_brd[16A5]								
	R90	THERMISTER_0201	single_brd[13B8]			U9	OSCAR1_FCLGA	single_brd[20C6 20D6]					single_brd[16A5]										
	R94	RES_01005	single_brd[11A7]			U9_RF	MOD_HFQSMXXFA_LGA	radio_mlb[43C7]single_brd[24]				XW51	SHORT_SM	single_brd[16A7]									
	R95	RES_01005	single_brd[11A7]			U10	LM3638_BGA	single_brd[14B3]				XW93	SHORT_SM	single_brd[13B6]									


CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSE ONLY - NOT A CHANGE REQUEST

34 OF 56


AP INTERFACE & DEBUG CONNECTORS

AP CONNECTIONS


IN = FROM AP
OUT = TO AP




PROBE POINTS




DEBUG CONNECTOR




BOOT OPTIONS	BOOT_CONFIG SW REGISTER VALUE	GPIO/BOOT_CONFIG CONFIGURATION							
		6	5	4	3	2	1	0	
BOOT_DEFAULT_OPTION	0X00	X	0	0	0	0	0	0	X
BOOT_NAND_OPTION	0X01	X	1	0	0	0	0	1	X
BOOT_HSIC_OPTION	0X02	X	1	0	0	0	1	0	X
BOOT_USB_OPTION	0X03	X	1	0	0	0	1	1	X
ENABLE_SAHARA_PROTOCOL	0X08	X	1	0	0	1	0	X	X




SIM CARD CONNECTOR



SIM CARD ESD PROTECTION






PMU (1 OF 2)




PMU (2 OF 2)



BOARD_ID	REVISION
0.1V	UNUSED
0.3V	UNUSED
0.5V	UNUSED
0.7V	PROTO1
0.9V	PROTO2
1.1V	EVT1
1.3V	E1C
1.5V	EVT2
1.7V	DVT/PVT





PA THERMISTOR REMOVED TO MATCH N41, AP SECTION
NEEDS ITS OWN THERMISTOR PLACED NEAR THE PA'S.







BASEBAND (1 OF 2)



BASEBAND (2 OF 2)



RF TRANSCEIVER (1 OF 4)




RF TRANSCEIVER (2 OF 2)

RF1_1V3

RF1_1V3

RF2_2V05

RF1_1V8




TRANSCEIVER POWER CONNECTIONS



U3_RF		U3_RF	
WTR1605		WTR1605	
SM		SM	
SRM 4 OF 5		SRM 4 OF 5	
PWR		PWR	
PP_RF1_1V3_PRX_FEL01	53	VDD_RF1_P_FEL0	111
PP_RF1_1V3_PRX_FEL02	42	VDD_RF1_P_FEL0	118
PP_RF1_1V3_DRX_LBLO	28	VDD_RF1_D_LBLO	117
PP_RF1_1V3_DRX_FE	26	VDD_RF1_D_FE	116
PP_RF1_1V3_DRX_MBLO	25	VDD_RF1_D_MBLO	108
PP_RF1_1V3_JAM_DET	85	VDD_RF1_JDET	136
PP_RF2_2V05_PRX_BB	83	VDD_RF2_P_BB	127
PP_RF2_2V05_DRX_BB	44	VDD_RF2_D_BB	98
PP_RF2_2V05_PRX_VCO	67	VDD_RF2_P_VCO	97
PP_RF1_1V3_PRX_VCO	76	VDD_RF1_P_VCO	24
PP_RF1_1V3_PRX_PLL	66	VDD_RF1_P_PLL	37
PP_RF2_2V05_SHDR_VCO	51	VDD_RF2_S_VCO	55
PP_RF1_1V3_SHDR_VCO	40	VDD_RF1_S_VCO	31
PP_RF1_1V3_SHDR_PLL	65	VDD_RF1_S_PLL	87
		VDD_DT0	


TRANSCEIVER TX AND RX MATCHING

TX MATCHING NETWORKS




RX MATCHING NETWORKS





BAND 1/4 PAT



BAND	PA	POWER	MODE	PA_BS	PA_ON_B1_B4	PA_R1
POWER DOWN		X		0	0	0
STANDBY		X		X	0	X
B4		HPM		0	1	0
B4		LPM		0	1	1
B1		HPM		1	1	0
B1		LPM		1	1	1


BAND 2/3 PAD

Legend:

BAND	PA	POWER	MODE	PA_BS	PA_ON_B2_B3	PA_R1
POWER DOWN		X		0	0	0
STANDBY		X		X	0	X
B3		HPM		0	1	0
B3		LPM		0	1	1
B2		HPM		1	1	0
B2		LPM		1	1	1

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSE ONLY - NOT A CHANGE REQUEST

45 OF 56



BAND 2/3 PAD


Legend:

BAND	PA	POWER	MODE	PA_BS	PA_ON_B2_B3	PA_R1
POWER DOWN		X		0	0	0
STANDBY		X		X	0	X
B3		HPM		0	1	0
B3		LPM		0	1	1
B2		HPM		1	1	0
B2		LPM		1	1	1

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSE ONLY - NOT A CHANGE REQUEST


45 OF 56

BAND 20 PAD




BAND	PA	POWER	MODE	PA_ON_B20	PA_R1
POWER DOWN		LPM		0	0
STANDBY		X		0	X
B20		HPM		1	0
B20		LPM		1	1

BAND 5/8 PAD




BAND	PA POWER MODE	PA_BS	PA_ON_B5_B8	PA_R1
POWER DOWN	X	0	0	0
STANDBY	X	X	0	X
B5	HPM	0	1	0
B5	LPM	0	1	1
B8	HPM	1	1	0
B8	LPM	1	1	1

BAND 13/17 PAD




BAND	PA	POWER	MODE	PA_BS	PA_ON_B13_B17	PA_R1
=====	=====	=====	=====	=====	=====	=====
POWER DOWN		X		0	0	0
STANDBY		X		X	0	X
B17		HPM		0	1	0
B17		LPM		0	1	1
B13		HPM		1	1	0
B13		LPM		1	1	1

PA DC/DC CONVERTER




2G FEM



SEE PGS. 21-22 FOR 2G FEM LOGIC TABLE


RX DIVERSITY



BAND	DRX_ASM_V4	DRX_ASM_V3	DRX_ASM_V2	DRX_ASM_V1
B1/B4	LOW	LOW	LOW	LOW
B2/25	LOW	HIGH	LOW	LOW
B3	HIGH	LOW	LOW	LOW
B5/6/18	LOW	LOW	HIGH	LOW
B8	LOW	LOW	LOW	HIGH
B13/17	LOW	HIGH	HIGH	HIGH
B20	LOW	HIGH	HIGH	LOW
OFF	LOW	LOW	HIGH	HIGH
SWITCH IS TERMINATED IN ALL OTHER POSSIBLE STATES				


GPS

GPS FEED




ANTENNA FEEDS

UAT1 FEED




LAT



8		7		6		5		4		3		2		1	
2G FEM LOGIC TABLE (1 OF 2)															
D	BAND		S6	S5	S4	S3	S2	S1	S0	TX/PRX	PATH	DRX		PATH	
	LB TX, IDLE, LAT		HIGH	HIGH	HIGH	LOW	LOW	HIGH	HIGH	LAT		UAT			
	LB TX, IDLE, UAT		HIGH	HIGH	HIGH	LOW	LOW	LOW	HIGH	UAT		LAT			
	LB TX, LAT, HPM		HIGH	HIGH	HIGH	LOW	HIGH	HIGH	HIGH	LAT		UAT			
	LB TX, UAT, HPM		HIGH	HIGH	HIGH	LOW	HIGH	LOW	HIGH	UAT		LAT			
	LB TX, LAT, LPM		HIGH	HIGH	HIGH	LOW	HIGH	HIGH	LOW	LAT		UAT			
	LB TX, UAT, LPM		HIGH	HIGH	HIGH	LOW	HIGH	LOW	LOW	UAT		LAT			
	LB TX, HIGH Z, LAT, HPM		HIGH	HIGH	LOW	LOW	HIGH	HIGH	HIGH	LAT		UAT			
C	LB TX, HIGH Z, UAT, HPM		HIGH	HIGH	LOW	LOW	HIGH	LOW	HIGH	UAT		LAT			
	LB TX, HIGH Z, LAT, LPM		HIGH	HIGH	LOW	LOW	HIGH	HIGH	LOW	LAT		UAT			
	LB TX, HIGH Z, UAT, LPM		HIGH	HIGH	LOW	LOW	HIGH	LOW	LOW	UAT		LAT			
	HB TX, IDLE, LAT		HIGH	HIGH	HIGH	HIGH	LOW	HIGH	HIGH	LAT		UAT			
	HB TX, IDLE, UAT		HIGH	HIGH	HIGH	HIGH	LOW	LOW	HIGH	UAT		LAT			
	HB TX, LAT, HPM		HIGH	HIGH	HIGH	HIGH	HIGH	HIGH	HIGH	LAT		UAT			
	HB TX, UAT, HPM		HIGH	HIGH	HIGH	HIGH	HIGH	LOW	HIGH	UAT		LAT			
	HB TX, LAT, LPM		HIGH	HIGH	HIGH	HIGH	HIGH	HIGH	LOW	LAT		UAT			
B	HB TX, UAT, LPM		HIGH	HIGH	HIGH	HIGH	HIGH	LOW	LOW	UAT		LAT			
	HB TX, HIGH Z, LAT, HPM		HIGH	HIGH	LOW	HIGH	HIGH	HIGH	HIGH	LAT		UAT			
	HB TX, HIGH Z, UAT, HPM		HIGH	HIGH	LOW	HIGH	HIGH	LOW	HIGH	UAT		LAT			
	HB TX, HIGH Z, LAT, LPM		HIGH	HIGH	LOW	HIGH	HIGH	HIGH	LOW	LAT		UAT			
	HB TX, HIGH Z, UAT, LPM		HIGH	HIGH	LOW	HIGH	HIGH	LOW	LOW	UAT		LAT			
	GSM850 RX, LAT		HIGH	LOW	HIGH	HIGH	LOW	HIGH	HIGH	LAT		UAT			
	GSM850 RX, UAT		HIGH	LOW	HIGH	HIGH	LOW	LOW	HIGH	UAT		LAT			
	GSM900 RX, LAT		HIGH	LOW	HIGH	HIGH	HIGH	HIGH	HIGH	LAT		UAT			
A	GSM900 RX, UAT		HIGH	LOW	HIGH	HIGH	HIGH	LOW	HIGH	UAT		LAT			
	GSM1900 RX, LAT		LOW	HIGH	LOW	HIGH	HIGH	HIGH	HIGH	LAT		UAT			
	GSM1900 RX, UAT		LOW	HIGH	LOW	HIGH	HIGH	LOW	HIGH	UAT		LAT			
	GSM1800 RX, LAT		HIGH	LOW	LOW	HIGH	HIGH	HIGH	HIGH	LAT		UAT			
	GSM1800 RX, UAT		HIGH	LOW	LOW	HIGH	HIGH	LOW	HIGH	UAT		LAT			
	TERMINATED, UAT		HIGH	LOW	HIGH	LOW	HIGH	HIGH	HIGH	UAT		LAT			
	TERMINATED, LAT		HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	LAT		UAT			
	LAT = LOWER ANTENNA UAT = UPPER ANTENNA														
CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSE ONLY - NOT A CHANGE REQUEST															
8		7		6		5		4		3		2		1	
54 OF 56															

	8	7	6	5	4	3	2	1	
	2G FEM LOGIC TABLE - DEV2 (2 OF 2)								
	BAND	S6	S5	S4	S3	S2	S1	S0	TX/PRX PATH DRX PATH
D	B1/BC6, LAT	LOW	LOW	LOW	LOW	HIGH	HIGH	HIGH	LAT UAT
	B1/BC6, UAT	LOW	LOW	LOW	LOW	HIGH	LOW	HIGH	UAT LAT
	B2/B25/BC1, LAT	LOW	HIGH	LOW	LOW	HIGH	HIGH	HIGH	LAT UAT
	B2/B25/BC1, UAT	LOW	HIGH	LOW	LOW	HIGH	LOW	HIGH	UAT LAT
	B3, LAT	HIGH	LOW	LOW	LOW	HIGH	HIGH	HIGH	LAT UAT
	B3, UAT	HIGH	LOW	LOW	LOW	HIGH	LOW	HIGH	UAT LAT
	B4/BC15, LAT	LOW	LOW	LOW	LOW	HIGH	HIGH	HIGH	LAT UAT
	B4/BC15, UAT	LOW	LOW	LOW	LOW	HIGH	LOW	HIGH	UAT LAT
C	B5/B6/B18/BC0/BC10, LAT	LOW	LOW	HIGH	LOW	HIGH	HIGH	HIGH	LAT UAT
	B5/B6/B18/BC0/BC10, UAT	LOW	LOW	HIGH	LOW	HIGH	LOW	HIGH	UAT LAT
	B8, LAT	LOW	LOW	LOW	HIGH	HIGH	HIGH	HIGH	LAT UAT
	B8, UAT	LOW	LOW	LOW	HIGH	HIGH	LOW	HIGH	UAT LAT
	B13, LAT	LOW	HIGH	HIGH	HIGH	HIGH	HIGH	HIGH	LAT UAT
	B13, UAT	LOW	HIGH	HIGH	HIGH	HIGH	LOW	HIGH	UAT LAT
	B17, LAT	LOW	HIGH	HIGH	HIGH	LOW	HIGH	HIGH	LAT UAT
	B17, UAT	LOW	HIGH	HIGH	HIGH	LOW	LOW	HIGH	UAT LAT
B	B20, LAT	LOW	HIGH	HIGH	LOW	HIGH	HIGH	HIGH	LAT UAT
	B20, UAT	LOW	HIGH	HIGH	LOW	HIGH	LOW	HIGH	UAT LAT
	OFF	LOW	LOW	HIGH	HIGH	X	X	X	X X
	STANDBY	LOW	LOW	LOW	LOW	LOW	LOW	LOW	X X
A	LAT = LOWER ANTENNA UAT = UPPER ANTENNA OFF = LOWEST POWER STATE WITHOUT REMOVING LD014_2V65 POWER STANDBY = ADDED TO SUPPORT EXISTING SW ARCHITECTURE. NOT TO BE USED AS A LOW POWER STATE.								
	8	7	6	5	4	3	2	1	

WLAN/BT



PULL-UP ON GPIO6, SDIO_DATA_2 & PULL-DOWN ON SDIO_DATA_1 REQUIRED FOR HSIC BOOTSTRAPPING