



5. PCB Diagram


5-1. Wiring Diagram




5-2. Power Tree (Main Board)



5-3. Power Tree (Amp Board)




5-4. MAIN PCB(CONNECTOR)



REF. NAME	PIN	CON. ASS'Y	FUNCTION
CN1502	14P	MIC ASSY	AI MIC (Q850T, Q800T)
CN1503	24P	IR, OLED, LED ASSY	IR, OLED, LED Control
CN1601	10P	TOUCH KEY ASSY	TOUCH KEY Control
CN1201	24P	WIRELESS ASSY	Wireless Control
CN1202	10P	COMBO Module	WiFi-BT Control
CN1701	27P	AMP ASSY	AMP Control

5-5. AMP PCB(CONNECTOR)




REF. NAME	PIN	CON. ASS'Y	FUNCTION
CN201	27P	MAIN ASSY	AMP CONTROL
CN302	6P	LEFT	LEFT SPEAKER
CN301	8P	RIGHT, CENTER	RIGHT, CENTER SPEAKER

5-6. IR/OLED/LED ASSY COVER




REF. NAME	PIN	CON. ASS'Y	FUNCTION
CN1	24P	MAIN ASSY	IR/OLED/LED CONTROL

5-7. MIC PCB (Q800T, Q850T)




REF. NAME	PIN	CON. ASS'Y	FUNCTION
CN1	14P	MAIN ASSY	AI MIC CONTROL

5-8. MAIN PCB (LAYOUT)







5-9. AMP PCB (LAYOUT)



5-10. Input Part

- 1 HDMI IN
 - 1 HDMI OUT
 - 1 OPTICAL IN
 - 1 USB
- (Service Only)




- 



5-12. SoC (NXP MIMX8MM)


- **Wi-Fi / BT**
- **DD, DTS Decoder**
- **DD+, TrueHD, ATMOS**
- **DTS MA, DTS:X**
- **AI**
- **User EQ**
- **Sound Effect**





5-13. AMP (UB6470)

- 7-CH UBI AMP**. 170W****. 6CH BTL, 1CH PBTL**

(Left Mid, Left Tweeter,
Right Mid, Right Tweeter,
Left Top Hole-Array,
Right Top Hole-Array,
Center)



5-14. Speaker Terminals



ashakaas