

# SM-A205YN\_REV00\_BOM

21 Mar 2019 ver.

sheet01 : GSM / WCDMA / LTE RF

sheet02 : TRANCEIVER, DRX

sheet03 : SENSORS , DMB, CONNECTIVITY


sheet04 : LASSEN P+

sheet05 : PMIC(Main,IF), KEY, MOTOR, eMMC



sheet06 : AUDIO, SD/SIM, SHIELD CAN, IF CON

sheet07 : CAMERA, DISPLAY

|                |              |      |
|----------------|--------------|------|
| Project        |              |      |
| Sheet No.      |              |      |
| Sheet Date     | DATE         | DATE |
| Sheet Title    | SM-J737P/VR4 |      |
| Sheet Version  | DATE         | DATE |
| Sheet Author   | DATE         | DATE |
| Sheet Reviewer | DATE         | DATE |
| Sheet Status   | DATE         | DATE |





**HIGH ANT**



@REV03 RST Feedback removed


## HIGH BAND PA

FDD LTE: B7  
TDD LTE: B38 / 40 / 41


**MAIN CA FEMID**

**MMMB PA**

2G : EGSM / DCS / PCS / GSM850  
3G : B1 / 2 / 4 / 5 / 8  
FDD LTE : B1 / 2 / 3 / 4 / 8 / 12(17) / 13 / 20 / 26(5/18/19) / 28




## THERMISTER




```
user70|swcad70|10.252.50.156|20190321-105807
```




## BT/WIFI



## GPS



## SENSORS



SENSOR LDO


Proxi Sensor

6 AXIS(ACC+GRYO)

MAGNETIC


Grip Sensor LDO

## NFC









| NFC    | NFC PART | Power supply of SIM1 | NFC GPIO 14 |
|--------|----------|----------------------|-------------|
| NFC    | U3004    | R6001                | R4012       |
| nonNFC | CONNECT  | open                 | open        |
|        |          | short                | open        |
|        |          | open                 | 10K ohm     |
|        |          | open                 | 10K ohm     |

## TDMB\_for KOR



# Lassen P+

POP LP4 2G : SEC 1105-002944  
POP LP4 3G : SEC 1105-002962  
POP LP4 4G : SEC 1105-002915



**VDD\_I2C AP HW Revision Setting**


| REV | HW | REV | HW | REV | HW |
|-----|----|-----|----|-----|----|
| REV | HW | REV | HW | REV | HW |
| REV | HW | REV | HW | REV | HW |

**DDR**


|      |      |
|------|------|
| 2G   | 3G   |
| ETC1 | ETC2 |

**eMMC**


|      |      |
|------|------|
| 32G  | 64G  |
| ETC1 | ETC2 |




## AP Decap




## PCB JTAG






SAMSUNG CONFIDENTIAL  
THIS DOCUMENT CONTAINS CONFIDENTIAL  
PROPERTY INFORMATION THAT IS  
SAMSUNG ELECTRONICS CO. PROPERTY  
AND NOT BE LOANED TO OR REPRODUCED FOR BUSINESS  
PURPOSES WITHOUT THE WRITTEN PERMISSION OF SAMSUNG

## AUDIO



### RCV CONTACT




### MAIN MIC

NEAR TO CODEC  
GND ISOLATION


### Sub MIC

NEAR TO CODEC  
GND ISOLATION




### Audio AMP






### Ear MIC



## MAIN FPCB



## SIM & SD CARD (3IN3)




### SHIELD CAN

### BOSS HOLE

### 2D BARCODE

| F     | G      | N | A | FN | GN     | ETC1 | AUS |
|-------|--------|---|---|----|--------|------|-----|
| R6034 | Solder |   |   |    | Solder |      |     |
| R6035 | Solder |   |   |    | Solder |      |     |
| R6036 | Solder |   |   |    | Solder |      |     |
| R6037 | Solder |   |   |    | Solder |      |     |


|          |         |                          |
|----------|---------|--------------------------|
| REVISION | DATE    | DESCRIPTION              |
| 1        | 2019_09 | AUDIO, SIMSD, SHIELD CAN |



```
user70|swcad70|10.252.50.156|20190321-105816
```



Model :  
Revision :  
Manufacture Count :  
Charge :  
Contact :  
Date :  
Routing :  
Resin :



Model :  
Revision :  
Manufacture Count :  
Charge :  
Contact :  
Date :  
Routing :  
Resin :

