

Conta:

```
INSERT INTO conta (nome,email,senha) VALUES("Teste01","teste@gmail.com", "1234adf");
```

```
select * from conta;
```

Obs: O avatar não foi definido porque ele pode ser nulo

```
delete from conta where id_conta=21;
```

```
select * from conta;
```

```
update conta set nome="NovoNome" where id_conta=22;
```

```
select * from conta;
```

Cartão de credito

```
INSERT INTO cartao_credito (n_cartao_credito, valor_fatura, limite, dia_fatura, bandeira,  
conta_id_conta)
```

```
VALUES (3557125765636713, 15923.00, 6200.00, 20, "ELO", 15);
```

```
select * from cartao_credito;
```

```
update cartao_credito set dia_fatura= 17 where n_cartao_credito=3557125765636713;
```

```
select * from cartao_credito;
```

```
delete from cartao_credito where n_cartao_credito=3557125765636713;
```

```
select * from cartao_credito;
```

Cartão de debito

```
INSERT INTO cartao_debito (n_cartao_debito, valor_atual, bandeira, conta_id_conta)
```

```
VALUES(5043691823857119, 2900.00, "ELO", 15);
```

```
select * from cartao_debito;
```

```
update cartao_debito set valor_atual= 1700 where n_cartao_debito=5043691823857119;
```

```
select * from cartao_debito;
```

```
delete from cartao_debito where n_cartao_debito=5043691823857119;
```

```
select * from cartao_debito;
```

Despesa

```
insert into despesa(valor, categoria, f_pagamento, estatus, conta_id_conta) values
```

```
(1500.00, "CASA", "CRÉDITO", "NÃO PAGO", 22);
```

```
select * from despesa;
```

```
delete from despesa where codigo_despesa=22;
```

```
select * FROM despesa;
```

```
update despesa set valor=25000 where codigo_despesa=24;
```

```
select * from despesa;
```

Despesa_credito

```
insert into despesa_credito(n_parcelas, despesa_codigo_despesa) values(27, 24);
```

```
select * from despesa_credito;
```

```
delete from despesa_credito where despesa_codigo_despesa=24;
```

```
select * from despesa_credito;
```

```
update despesa_credito set n_parcelas=20 where despesa_codigo_despesa=24;
```

```
select * from despesa_credito;
```

Despesa_data

```
insert into despesa_data(dia, mes, ano, despesa_codigo_despesa) values (01,08,2021, 24);
```

```
select * from despesa_data;
```

```
delete from despesa_data where despesa_codigo_despesa=24;
```

```
select * from despesa_data;
```

```
update despesa_data set dia=02 where despesa_codigo_despesa=24;
```

```
select * from despesa_data;
```

receita

```
INSERT INTO receita (total, conta_id) VALUES (9852, 22);
```

```
select * from receita;
```

```
delete from receita where codigo_receita=20;
```

```
select * from receita;
```

```
update receita set total=15983 where codigo_receita=21;
```

```
select * from receita;
```

receita_data

```
INSERT INTO receita_data VALUES(01, 08, 2021, 21);
```

```
select * from receita_data;
```

```
delete from receita_data where cod_receita=21;
```

```
select * from receita_data;
```

```
update receita_data set dia=02 where codigo_receita=21;
```

```
select * from receita
```