


```

Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 5, Ack: 1, Len: 1
Data (1 byte)
0000 31
No.      Time      Source      Destination      Protocol Length Info
13 0.000669783 127.0.0.1    127.0.0.1        TCP      66      9090 → 55234 [ACK] Seq=1 Ack=6 Win=65536
Len=0 TSval=1850186762 TSecr=1850186762
Frame 13: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 1, Ack: 6, Len: 0
No.      Time      Source      Destination      Protocol Length Info
14 0.000691982 127.0.0.1    127.0.0.1        TCP      67      55234 → 9090 [PSH, ACK] Seq=6 Ack=1
Win=65536 Len=1 TSval=1850186762 TSecr=1850186762
Frame 14: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 6, Ack: 1, Len: 1
Data (1 byte)
0000 30
No.      Time      Source      Destination      Protocol Length Info
15 0.000698180 127.0.0.1    127.0.0.1        TCP      66      9090 → 55234 [ACK] Seq=1 Ack=7 Win=65536
Len=0 TSval=1850186762 TSecr=1850186762
Frame 15: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 1, Ack: 7, Len: 0
No.      Time      Source      Destination      Protocol Length Info
16 0.000719125 127.0.0.1    127.0.0.1        TCP      67      55234 → 9090 [PSH, ACK] Seq=7 Ack=1
Win=65536 Len=1 TSval=1850186762 TSecr=1850186762
Frame 16: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 7, Ack: 1, Len: 1
Data (1 byte)
0000 20
No.      Time      Source      Destination      Protocol Length Info
17 0.000725206 127.0.0.1    127.0.0.1        TCP      66      9090 → 55234 [ACK] Seq=1 Ack=8 Win=65536
Len=0 TSval=1850186762 TSecr=1850186762
Frame 17: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 1, Ack: 8, Len: 0
No.      Time      Source      Destination      Protocol Length Info
18 0.000747067 127.0.0.1    127.0.0.1        TCP      67      55234 → 9090 [PSH, ACK] Seq=8 Ack=1
Win=65536 Len=1 TSval=1850186762 TSecr=1850186762
Frame 18: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 8, Ack: 1, Len: 1
Data (1 byte)
0000 2b
No.      Time      Source      Destination      Protocol Length Info
19 0.000755660 127.0.0.1    127.0.0.1        TCP      66      9090 → 55234 [ACK] Seq=1 Ack=9 Win=65536
Len=0 TSval=1850186762 TSecr=1850186762
Frame 19: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 1, Ack: 9, Len: 0
No.      Time      Source      Destination      Protocol Length Info
20 0.000783072 127.0.0.1    127.0.0.1        TCP      67      55234 → 9090 [PSH, ACK] Seq=9 Ack=1
Win=65536 Len=1 TSval=1850186762 TSecr=1850186762
Frame 20: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 9, Ack: 1, Len: 1
Data (1 byte)
0000 20
No.      Time      Source      Destination      Protocol Length Info
21 0.000790558 127.0.0.1    127.0.0.1        TCP      66      9090 → 55234 [ACK] Seq=1 Ack=10 Win=65536
Len=0 TSval=1850186762 TSecr=1850186762
Frame 21: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 1, Ack: 10, Len: 0
No.      Time      Source      Destination      Protocol Length Info
22 0.000814034 127.0.0.1    127.0.0.1        TCP      67      55234 → 9090 [PSH, ACK] Seq=10 Ack=1
Win=65536 Len=1 TSval=1850186762 TSecr=1850186762
Frame 22: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 10, Ack: 1, Len: 1
Data (1 byte)
0000 34
No.      Time      Source      Destination      Protocol Length Info
23 0.000821482 127.0.0.1    127.0.0.1        TCP      66      9090 → 55234 [ACK] Seq=1 Ack=11 Win=65536
Len=0 TSval=1850186762 TSecr=1850186762
Frame 23: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0

```

```

Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 1, Ack: 11, Len: 0
No.      Time                Source                Destination            Protocol Length Info
   24 0.000846769        127.0.0.1            127.0.0.1              TCP          67      55234 → 9090 [PSH, ACK] Seq=11 Ack=1
Win=65536 Len=1 TSval=1850186762 TSecr=1850186762
Frame 24: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 11, Ack: 1, Len: 1
Data (1 byte)
0000 20
No.      Time                Source                Destination            Protocol Length Info
   25 0.000855406        127.0.0.1            127.0.0.1              TCP          66      9090 → 55234 [ACK] Seq=1 Ack=12 Win=65536
Len=0 TSval=1850186762 TSecr=1850186762
Frame 25: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 1, Ack: 12, Len: 0
No.      Time                Source                Destination            Protocol Length Info
   26 0.000879737        127.0.0.1            127.0.0.1              TCP          67      55234 → 9090 [PSH, ACK] Seq=12 Ack=1
Win=65536 Len=1 TSval=1850186762 TSecr=1850186762
Frame 26: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 12, Ack: 1, Len: 1
Data (1 byte)
0000 29
No.      Time                Source                Destination            Protocol Length Info
   27 0.000888561        127.0.0.1            127.0.0.1              TCP          66      9090 → 55234 [ACK] Seq=1 Ack=13 Win=65536
Len=0 TSval=1850186762 TSecr=1850186762
Frame 27: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 1, Ack: 13, Len: 0
No.      Time                Source                Destination            Protocol Length Info
   28 0.000912861        127.0.0.1            127.0.0.1              TCP          67      55234 → 9090 [PSH, ACK] Seq=13 Ack=1
Win=65536 Len=1 TSval=1850186762 TSecr=1850186762
Frame 28: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 13, Ack: 1, Len: 1
Data (1 byte)
0000 20
No.      Time                Source                Destination            Protocol Length Info
   29 0.000964395        127.0.0.1            127.0.0.1              TCP          66      9090 → 55234 [ACK] Seq=1 Ack=14 Win=65536
Len=0 TSval=1850186762 TSecr=1850186762
Frame 29: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 1, Ack: 14, Len: 0
No.      Time                Source                Destination            Protocol Length Info
   30 0.000991428        127.0.0.1            127.0.0.1              TCP          70      55234 → 9090 [PSH, ACK] Seq=14 Ack=1
Win=65536 Len=4 TSval=1850186762 TSecr=1850186762
Frame 30: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 14, Ack: 1, Len: 4
Data (4 bytes)
0000 2a 20 32 0a
No.      Time                Source                Destination            Protocol Length Info
   31 0.001001263        127.0.0.1            127.0.0.1              TCP          66      9090 → 55234 [ACK] Seq=1 Ack=18 Win=65536
Len=0 TSval=1850186762 TSecr=1850186762
Frame 31: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 1, Ack: 18, Len: 0
No.      Time                Source                Destination            Protocol Length Info
   32 0.001009226        127.0.0.1            127.0.0.1              TCP          67      55234 → 9090 [PSH, ACK] Seq=18 Ack=1
Win=65536 Len=1 TSval=1850186762 TSecr=1850186762
Frame 32: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 18, Ack: 1, Len: 1
Data (1 byte)
0000 30
No.      Time                Source                Destination            Protocol Length Info
   33 0.001016689        127.0.0.1            127.0.0.1              TCP          66      9090 → 55234 [ACK] Seq=1 Ack=19 Win=65536
Len=0 TSval=1850186762 TSecr=1850186762
Frame 33: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 1, Ack: 19, Len: 0
No.      Time                Source                Destination            Protocol Length Info
   34 0.001024141        127.0.0.1            127.0.0.1              TCP          67      55234 → 9090 [PSH, ACK] Seq=19 Ack=1
Win=65536 Len=1 TSval=1850186762 TSecr=1850186762
Frame 34: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1

```

```

Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 19, Ack: 1, Len: 1
Data (1 byte)
0000 0a
No.    Time                Source                Destination            Protocol Length Info
 35 0.001045595          127.0.0.1            127.0.0.1              TCP          66      9090 → 55234 [ACK] Seq=1 Ack=20 Win=65536
Len=0 TSval=1850186762 TSecr=1850186762
Frame 35: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 1, Ack: 20, Len: 0
No.    Time                Source                Destination            Protocol Length Info
 36 0.042239410          127.0.0.1            127.0.0.1              TCP          67      9090 → 55234 [PSH, ACK] Seq=1 Ack=20
Win=65536 Len=1 TSval=1850186804 TSecr=1850186762
Frame 36: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 1, Ack: 20, Len: 1
Data (1 byte)
0000 32
No.    Time                Source                Destination            Protocol Length Info
 37 0.042274462          127.0.0.1            127.0.0.1              TCP          66      55234 → 9090 [ACK] Seq=20 Ack=2 Win=65536
Len=0 TSval=1850186804 TSecr=1850186804
Frame 37: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 20, Ack: 2, Len: 0
No.    Time                Source                Destination            Protocol Length Info
 38 0.042357428          127.0.0.1            127.0.0.1              TCP          67      9090 → 55234 [PSH, ACK] Seq=2 Ack=20
Win=65536 Len=1 TSval=1850186804 TSecr=1850186804
Frame 38: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 2, Ack: 20, Len: 1
Data (1 byte)
0000 38
No.    Time                Source                Destination            Protocol Length Info
 39 0.042367522          127.0.0.1            127.0.0.1              TCP          66      55234 → 9090 [ACK] Seq=20 Ack=3 Win=65536
Len=0 TSval=1850186804 TSecr=1850186804
Frame 39: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 20, Ack: 3, Len: 0
No.    Time                Source                Destination            Protocol Length Info
 40 0.042405510          127.0.0.1            127.0.0.1              TCP          67      9090 → 55234 [PSH, ACK] Seq=3 Ack=20
Win=65536 Len=1 TSval=1850186804 TSecr=1850186804
Frame 40: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 3, Ack: 20, Len: 1
Data (1 byte)
0000 0a
No.    Time                Source                Destination            Protocol Length Info
 41 0.042414207          127.0.0.1            127.0.0.1              TCP          66      55234 → 9090 [ACK] Seq=20 Ack=4 Win=65536
Len=0 TSval=1850186804 TSecr=1850186804
Frame 41: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 20, Ack: 4, Len: 0
No.    Time                Source                Destination            Protocol Length Info
 42 0.042623271          127.0.0.1            127.0.0.1              TCP          66      9090 → 55234 [FIN, ACK] Seq=4 Ack=20
Win=65536 Len=0 TSval=1850186804 TSecr=1850186804
Frame 42: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 4, Ack: 20, Len: 0
No.    Time                Source                Destination            Protocol Length Info
 43 0.042646725          127.0.0.1            127.0.0.1              TCP          66      55234 → 9090 [FIN, ACK] Seq=20 Ack=4
Win=65536 Len=0 TSval=1850186804 TSecr=1850186804
Frame 43: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 20, Ack: 4, Len: 0
No.    Time                Source                Destination            Protocol Length Info
 44 0.042678977          127.0.0.1            127.0.0.1              TCP          66      9090 → 55234 [ACK] Seq=5 Ack=21 Win=65536
Len=0 TSval=1850186804 TSecr=1850186804
Frame 44: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9090, Dst Port: 55234, Seq: 5, Ack: 21, Len: 0
No.    Time                Source                Destination            Protocol Length Info
 45 0.042696072          127.0.0.1            127.0.0.1              TCP          66      55234 → 9090 [ACK] Seq=21 Ack=5 Win=65536
Len=0 TSval=1850186804 TSecr=1850186804
Frame 45: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 55234, Dst Port: 9090, Seq: 21, Ack: 5, Len: 0

```