

TCGA #

Internal Sample ID

Diagnosis:

The material in I is a partial resection of small intestine with reactive lesions,

The material in II is a preparation of the rectosigmoid colon (in clinical terms attributable to the rectum or the sigmoid colon) with a poorly differentiated carcinoma in the area of the rectosigmoid junction (G3), with infiltration of blood and lymph vessels (L1, V1) and a lymph node metastasis (pN1).

Locally, the lesion was completely removed.

The distance from the mesorectal fascia was at least 1 cm.

The overall clinical findings and the topography should serve to determine whether this is a rectal carcinoma in the narrower sense of the term or a carcinoma of the sigmoid colon.

ICD-0-3

Carcinoma, NOS 8010/3

Site: sigmoid colon (pw (QCF) C18.7 pw 3/30/11

UUID:F260851E-018C-4F5E-8C84-7D85F391A41B
TCGA-AA-A02F-01A-PR

Redacted

Criteria	Yes	No
Diagnosis Discrepancy		X
Primary Tumor Site Discrepancy		X
h.p.a. Discrepancy		X
Prior Malignancy History		X
Distal/Synchronous Primary noted		X
Case (Re)filed:	QUALIFIED	DISQUALIFIED
Reviewed by:	KMH	SMH
Date reviewed:	3/30/11	