



SONIC BENDER

Sound Announcement System





GRAY CODE MODE

- 1- Please turn on DIP SWITCH 1
- 2- If signals work with 100 Phase connect DS jumper +
- 3- 2- If signals work with Phase connect 100 DS jumper -
- 4- Please connect speaker HP HP connector.
- 5- Please connect GRAY M0 signal to AN0
- 6- Please connect GRAY M1 signal to BM1
- 7- Please connect GRAY M2 signal to EM2
- 8- Please connect GRAY M3 signal to FM3
- 9- Please connect GRAY M4 signal to GM4
- 10- Please connect trigger signal to TT connector
- 11- Please connect Display Out of service signal to SD connector
- 12- Please connect overhead signal to AV connector
- 13- Please connect down arrow signal to 31 connector
- 14- Please connect up arrow signal to 32 connector
- 15- Please connect door closed signal to K3 connector
- 16- Please connect door opened signal to K5 connector

NOT 2-ALL INPUTS AND OUTPUTS MAX 24VDC

100. : +24V
 1000. : -24V
 TT : Trigger Signal
 SD : Out of service Signal
 AV : Overhead Signal
 31 : Down Arrow Signal
 32 : Up Arrow Signal
 K3 : Door Close Signal
 K5 : Door Open Signal

Project Name
 Drawing Name
 Description

V 1.00


Date 13.05.20

No 2

Page 2



Owner GK
 Control BA



DOOR COUNTER SETTINGS	LANGUAGE SETTINGS	MUSIC SETTINGS	DOOR SETTINGS
<p>1 Counter Type: DISPLAY</p> <p>Counter Type: GRAY</p>	<p>2 3 ESP-MAN</p>	<p>4 5 Music on Floor Announce on for last stop</p> <p>Music on Floor Announce off</p> <p>Music off Floor Announce on for last stop</p> <p>Music off Floor Announce on always</p>	<p>6 7 8 Ground Floor</p> <p>Basement</p> <p>Basement 1</p> <p>Minus one (-1)</p> <p>Minus two (-2)</p> <p>Car Park</p> <p>Lobby</p> <p>Custom</p>

NOTE
Only Gray Code Mode