

ÉLEVÉ BY CHANDNI

Website Handover & Maintenance Guide

PREPARED BY EMITZ STUDIO

WEBSITE

www.elevebychandni.com

HANDOVER DATE

12 August 2026

VERSION

1.0.0

DOCUMENT

Handover & Maintenance

01

PROJECT OVERVIEW



WHAT THIS WEBSITE IS

Élevé by Chandni is a premium, editorial single-page marketing website for a personal styling and image advisory practice founded by Chandni Ahuja. It presents the brand, services, methodology, outcomes, founder story, testimonials, and a live booking calendar — designed as a long-form editorial experience rather than a conventional multi-page brochure site.

PURPOSE

The site introduces Élevé's positioning, builds trust through photography and narrative copy, explains service tiers and pricing, and converts visitors into discovery-call bookings via Cal.com. A floating WhatsApp button provides an alternate contact path.

PRIMARY USER JOURNEY

1. Land on the hero — understand the brand proposition
2. Scroll through belief, services, method, outcomes, and founder sections
3. Review testimonials
4. Book a 20-minute discovery call via the inline Cal.com calendar
5. Alternatively, initiate contact via WhatsApp or email

PAGES & SECTIONS

ROUTE / SECTION	COMPONENT	PURPOSE
/	ElevePage	Full landing page (all sections below)
#philosophy	ElevePhilosophy	The Belief
#architect	ElevePersonalBrand	Personal Brand Architect
#services	EleveServices	Service packages & pricing
—	EleveMethod	Six-step methodology
#outcomes	EleveOutcomes	Client outcomes
—	EleveOtherServices	Beyond the wardrobe
#about	EleveFounder	Founder profile
#testimonials	EleveTestimonials	Client testimonials
#book	EleveBooking	Cal.com booking section
/terms	EleveTermsPage	Terms & Conditions (lazy-loaded)

NOTE

There is no dedicated FAQ section in the current codebase. Testimonials, services, and founder copy serve as the primary informational content.

PRODUCTION & REPOSITORY

ITEM	DETAIL
Production URL	https://www.elevebychandni.com/
Domain redirect	elevebychandni.com → www.elevebychandni.com (308)
GitHub repository	github.com/elevebychandni-ctrl/-lev-by-Chandni
Production branch	main
Vercel project	lev-by-chandni

02

TECHNOLOGY STACK

*

TECHNOLOGY	VERSION	ROLE
React	^19.2.7	UI framework — component-based rendering
TypeScript	^5.9.3	Static typing across the codebase
Vite	^8.0.16	Build tool and dev server
React Router DOM	^6.30.1	Client-side routing (/ and /terms)
Tailwind CSS	^3.4.17	Utility-first styling; Élevé colour tokens
Framer Motion	^12.42.2	Scroll reveals, hero motion, transitions
Lenis	^1.3.25	Smooth scrolling (disabled under reduced motion)
@calcom/embed-react	^1.5.3	Inline Cal.com booking calendar
Radix UI + shadcn/ui	Various	Accessible UI primitives (accordion, dialog, etc.)
Lucide React	^0.577.0	Icon library (site icons are mostly inline SVG)
Vitest + Playwright	4.1.9 / 1.60.0	Unit and browser testing

WHAT IS NOT USED

- No backend server, CMS, or database
- No environment-variable-driven configuration in application code
- No SSR/SSG — the site is a client-rendered SPA

RUNTIME

No Node.js version is pinned (.nvmrc or engines field absent). Use a current LTS Node release (18+ recommended for Vite 8).

03

PROJECT ARCHITECTURE

*

```
index.html      Entry HTML – meta, fonts, GA4 queue, JSON-LD, hero preload
└─ main.tsx    React bootstrap → mounts App
    └─ App.tsx  Router, MotionConfig, SPA route tracking
        ├── /           → ElevePage (eager – ships in entry bundle)
        ├── /terms      → EleveTermsPage (React.lazy code-split)
        ├── /eleve      → redirect to /
        └─ *           → NotFound
```

ElevePage assembles 13 section components in fixed order under one art direction.

Content lives in copy.ts + content.ts + tokens.ts – not in a CMS.

Assets live in web/public/ – served as static files at build time.

DATA & CONTENT ARCHITECTURE

- copy.ts — all narrative copy: packages, method steps, outcomes, testimonials, advisory modules
- content.ts — contact email, location line, photography registry with responsive srcsets
- tokens.ts — navigation links, social URLs, legal links, booking anchor ID

SHARED MOTION LAYER

src/components/site/motion.tsx provides Reveal, Lines, ParallaxImage, PhotoFade, Eyebrow, SolidButton, TextButton, and useSmoothScroll(). Section-specific photographic primitives (Curtain, PosterHeading) live in src/pages/eleve/primitives.tsx.

04

PROJECT STRUCTURE



```

rork-asset-uploader-789-main/
├─ vercel.json          Vercel build & SPA rewrite config
├─ design-bible/        Editorial design reference (markdown)
├─ web/                 ← Application root
│  ├─ index.html        HTML shell, meta, GA4, fonts, JSON-LD
│  ├─ package.json      Scripts & dependencies
│  ├─ vite.config.ts     Vite config (@ alias → src/)
│  ├─ tailwind.config.ts Élevé colour & font tokens
│  ├─ public/
│  │  ├─ favicon.*      Favicon set (ico, svg, png)
│  │  ├─ robots.txt     Crawler directives + sitemap reference
│  │  ├─ sitemap.xml     / and /terms URLs
│  │  ├─ fonts/          Self-hosted Inter & Libre Baskerville woff2
│  │  └─ images/         Photography (jpg, webp, avif + responsive widths)
│  └─ src/
│     ├─ main.tsx        React entry
│     ├─ App.tsx         Routing & global providers
│     ├─ index.css       Global styles, grain, reduced-motion
│     ├─ lib/
│     │  ├─ content.ts   Contact info & PHOTOS registry
│     │  └─ utils.ts     cn() helper (clsx + tailwind-merge)
│     ├─ components/
│     │  ├─ site/motion.tsx Shared motion primitives
│     │  └─ ui/           shadcn/ui components (~35 files)
│     └─ pages/
│        ├─ NotFound.tsx
│        └─ eleve/        All Élevé section components
│           ├─ ElevePage.tsx  Section assembly
│           ├─ copy.ts        All client copy
│           ├─ tokens.ts      Nav, social, legal links
│           ├─ primitives.tsx Curtain, PosterHeading
│           ├─ EleveHero.tsx ... EleveFooter.tsx
│           ├─ EleveCalInline.tsx Cal.com embed
│           ├─ EleveWhatsApp.tsx WhatsApp float
│           └─ EleveTermsPage.tsx Terms page

```

05

CONTENT & ASSET MANAGEMENT

*

WHERE TO CHANGE CONTENT

TO CHANGE...	EDIT...
Service packages & pricing	web/src/pages/eleve/copy.ts → ELEVE_PACKAGES
August launch offer banner	copy.ts → ELEVE_OFFER (+ EleveServices.tsx offer block)
Method steps	copy.ts → ELEVE_METHOD
Outcomes	copy.ts → ELEVE_OUTCOMES
Beyond-the-wardrobe modules	copy.ts → ELEVE_ADVISORY, ELEVE_STANDALONE
Testimonials	copy.ts → ELEVE_TESTIMONIALS
Founder / personal-brand copy	EleveFounder.tsx, ElevePersonalBrand.tsx (inline copy)
Philosophy / hero copy	ElevePhilosophy.tsx, EleveHero.tsx (inline copy)
Terms & Conditions	EleveTermsPage.tsx
Contact email	web/src/lib/content.ts → CONTACT_EMAIL
Location line	content.ts → LOCATION_LINE
Navigation links	tokens.ts → ELEVE_NAV
Social media URLs	tokens.ts → SOCIAL_LINKS
Page title & meta description	web/index.html
Structured data (JSON-LD)	web/index.html

PHOTOGRAPHY & IMAGES

All site photography is registered in `content.ts` → `PHOTOS`. Physical files live in `web/public/images/`.

PHOTO KEY	FILES	USED IN
marbleTable	marble-table (+ 800w, 1000w, 1400w)	Hero (LCP image)
libraryBook	library-book (+ 640w, 960w, 1200w)	ElevePersonalBrand
seatedPortrait	seated-portrait (+ 560w, 960w, 1400w)	EleveFounder

Each photo exists as `.jpg` (fallback), `.webp`, and `.avif`. When replacing an image, provide all three formats at each responsive width listed in `content.ts`.

ICONS & FAVICONS

web/public/ — favicon.ico, favicon.svg, favicon.png, apple-touch-icon.png, icon.png. Referenced in index.html.

06

DESIGN SYSTEM



COLOUR PALETTE

TOKEN	HEX	USAGE
ivory	#F6F1E9	Primary background
linen	#FBF8F2	Elevated surfaces
parchment	#EDE6D9	Secondary backgrounds
sand	#E3DACA	Tertiary tone
espresso	#2C2118	Primary text & dark sections
cocoa	#59473A	Secondary text
taupe	#8F7D6C	Muted text
bronze	#A6885B	Accent — rules, highlights, CTAs

Defined in `tailwind.config.ts` and HSL CSS variables in `index.css`.

TYPOGRAPHY

ROLE	FONT	TAILWIND CLASS
Display / headings	Libre Baskerville	font-display
Body / UI	Inter (300–400)	font-sans
Italic accents	Times New Roman (serif italic)	font-script
Editorial labels	Inter, uppercase, tracking-micro	.eyebrow

Fonts are self-hosted as woff2 subsets in `public/fonts/`, declared inline in `index.html` with `font-display: swap`.

LAYOUT & PATTERNS

- Square corners globally (`--radius: 0rem`)
- Hairline borders at ~14% espresso opacity
- Grain overlay via `.grain` class (SVG turbulence, 5% opacity)
- Responsive breakpoints: Tailwind defaults — sm 640, md 768, lg 1024, xl 1280, 2xl 1400
- Buttons: `SolidButton` and `TextButton` in `motion.tsx`

To modify styles: `tailwind.config.ts` (tokens), `index.css` (global utilities), individual component files (layout).

07

MOTION & INTERACTION



BEHAVIOUR	IMPLEMENTATION	FILE
Smooth scroll	Lenis via useSmoothScroll()	motion.tsx
Scroll-to-section	scrollTold() — used by nav & CTAs	motion.tsx
Fade + rise on scroll	Reveal component	motion.tsx
Line-by-line text reveal	Lines component (masked)	motion.tsx
Parallax drift	ParallaxImage (useTransform)	motion.tsx
Photo entrance	PhotoFade (fade/scale/blur)	motion.tsx
Clip-path reveal	Curtain primitive	primitives.tsx
Hero entrance	Framer Motion — rise without opacity fade (LCP-safe)	EleveHero.tsx
Marquee band	CSS animation, 72s linear infinite	EleveMarquee.tsx + tailwind.config.ts
Grain texture	Fixed SVG noise overlay	index.css → .grain
Reduced motion	MotionConfig reducedMotion="user"; Lenis/parallax/marquee disabled	App.tsx, motion.tsx, index.css

PERFORMANCE NOTE

Above-the-fold hero content uses `fade={false}` on Reveal and transform-only entrance on the hero image. Adding opacity fades to hero elements will delay Largest Contentful Paint. Below-the-fold reveals retain full fade animations.

08

INTEGRATIONS

*

CAL.COM — BOOKING CALENDAR

DETAIL	VALUE
Purpose	20-minute discovery call booking
Event link	elevebychandni/fdc
Implementation	EleveCallInline.tsx via @calcom/embed-react
Loading	Lazy — mounts via IntersectionObserver (2000px margin); preconnect at 3600px
Layout	Month view; brand colours per theme in Cal UI config

To change the event: update `CAL_LINK` and `CAL_NAMESPACE` in `EleveCallInline.tsx`. The Cal.com account and event must exist in the Cal.com dashboard.

WHATSAPP — FLOATING CONTACT BUTTON

DETAIL	VALUE
Purpose	Direct chat contact
URL	https://wa.me/919319432700
Implementation	EleveWhatsApp.tsx — fixed bottom-right button

To change the number: edit `WHATSAPP_URL` in `EleveWhatsApp.tsx`.

GOOGLE ANALYTICS — WEBSITE TRAFFIC AND ANALYTICS TRACKING

Implemented in `index.html` with deferred script loading. SPA route changes tracked in `App.tsx`. Access and configuration managed through the Google Analytics platform — not documented further in this guide.

SEO FILES

`public/sitemap.xml` lists `/` and `/terms`. `public/robots.txt` allows all crawlers and references the sitemap. Meta tags, Open Graph, Twitter cards, and JSON-LD `ProfessionalService` schema are in `index.html`.

09

HOSTING & DEPLOYMENT

*

DEPLOYMENT FLOW

```
Code change (web/ directory)
→ git push to main on GitHub
→ Vercel detects push (automatic)
→ installCommand: cd web && npm install
→ buildCommand: cd web && npm run build
→ output: web/dist/
→ SPA rewrite: all routes → /index.html
→ Production deployment
→ Live at www.elevebychandni.com
```

VERCEL.JSON (REPOSITORY ROOT)

```
{
  "installCommand": "cd web && npm install",
  "buildCommand": "cd web && npm run build",
  "outputDirectory": "web/dist",
  "framework": "vite",
  "rewrites": [{ "source": "/(.*)", "destination": "/index.html" }]
}
```

DOMAIN CONFIGURATION

- Primary production domain: www.elevebychandni.com
- Bare domain elevebychandni.com redirects to [www](http://www.elevebychandni.com) (308)
- Domain DNS is managed via GoDaddy (or the registrar used for elevebychandni.com)
- Vercel project name: `lev-by-chandni`

10

LOCAL DEVELOPMENT

*

PREREQUISITES

- Node.js (current LTS — no version pinned in project)
- npm (used by Vercel build; bun.lock also present but npm is the deployment standard)
- Git

COMMANDS (FROM WEB/ DIRECTORY)

COMMAND	PURPOSE
npm install	Install dependencies
npm run dev	Start Vite dev server (port 8080)
npm run build	Production build → dist/
npm run preview	Preview production build locally
npm run lint	Run ESLint
npm run test	Run Vitest unit + browser tests

FIRST-TIME SETUP

```
git clone https://github.com/elevebychandni-ctrl/-lev-by-Chandni.git
cd -lev-by-Chandni/web
npm install
npm run dev
# Open http://localhost:8080
```

ENVIRONMENT VARIABLES

No application environment variables are required. The Vite config supports VITE_* and EXPO_PUBLIC_* prefixes, but no env vars are consumed by the app code. Contact details, Cal.com link, WhatsApp number, and analytics are hardcoded in source files.

11

PRODUCTION DEPLOYMENT

*

SAFE DEPLOYMENT WORKFLOW

1. Pull latest code: `git pull origin main`
2. Install dependencies if package.json changed: `cd web && npm install`
3. Make and test changes locally: `npm run dev`
4. Run production build: `npm run build` — confirm dist/ output
5. Optionally preview: `npm run preview`
6. Run lint: `npm run lint`
7. Commit changes with a clear message
8. Push to main: `git push origin main`
9. Vercel automatically builds and deploys
10. Verify deployment in Vercel dashboard (lev-by-chandni project)
11. Verify live site at www.elevebychandni.com — check hero, booking, WhatsApp, /terms

MANUAL DEPLOY

If needed, run `npx vercel --prod` from the repository root (requires Vercel CLI authentication). Automatic GitHub-triggered deploys are the standard workflow.

12

PERFORMANCE & OPTIMIZATION

*

OPTIMIZATIONS CURRENTLY IMPLEMENTED

- **Hero LCP:** Above-the-fold content rises without opacity fades; hero image uses `fetchPriority="high"` and matching `preload` in `index.html`
- **Deferred GA4:** `gtag.js` library loads after idle/interaction — not during critical render path
- **Responsive images:** AVIF → WebP → JPG via `<picture>`; `srcset/sizes` per photo in `content.ts`; hero sized at 72vw on mobile to avoid over-fetching
- **Lazy loading:** Below-the-fold images use `loading="lazy"`; hero is eager
- **Self-hosted fonts:** Inter and Libre Baskerville as preloaded woff2 subsets — no Google Fonts render-blocking request
- **Code splitting:** `EleveTermsPage` lazy-loaded; `Cal.com` embed in separate chunk
- **Cal.com warm-up:** Two-stage `IntersectionObserver` — `preconnect` at 3600px, mount at 2000px; polished loading state while calendar initializes
- **Reduced motion:** `Lenis`, `parallax`, and `marquee` respect `prefers-reduced-motion`

MEASURED RESULTS (AUGUST 2026 OPTIMIZATION)

Tested with Chromium + Playwright under identical throttling (desktop 1440×900; mobile 390×844, DPR 3, 4× CPU, ~1.6 Mbps).

METRIC	BEFORE	AFTER
Desktop LCP	~1,576 ms	~112 ms
Mobile FCP	~2,884 ms	~2,096 ms
Mobile LCP	~4,988 ms	~2,096 ms
CLS	0	0
Scroll FPS	~60	~60 (unchanged)

KNOWN LIMITATIONS

- **Cal.com hosted app:** ~87 requests, ~2 MB, ~10 s to interactive on throttled mobile. Warm-up improves perceived speed but the third-party application remains the booking-section bottleneck.
- **Client-side rendering:** Mobile first paint depends on JS bundle download and execution (~140 KB gzipped). Further gains would require prerendering or SSR.
- **Canonical/sitemap URLs:** Currently use non-www; live site redirects to www. Consider aligning for cleaner indexing.

13

MAINTENANCE & TROUBLESHOOTING

*

ISSUE	WHERE TO CHECK	FIRST ACTION
Website not loading	Vercel dashboard → Deployments; domain DNS	Check latest deployment status; verify domain resolves
404 on all routes	vercel.json rewrites; build output	Confirm web/dist/index.html exists after build; rewrites present
Build failure	Vercel build logs	Run npm run build locally; fix TypeScript/ESLint errors
Domain not resolving	GoDaddy DNS; Vercel domain settings	Verify A/CNAME records point to Vercel
Images not appearing	public/images/; content.ts PHOTOS paths	Confirm files exist in public/ and paths match content.ts
Cal.com not loading	EleveCalInline.tsx; Cal.com dashboard	Verify event elevebychandni/fdc is active; check browser console
WhatsApp link broken	EleveWhatsApp.tsx → WHATSAPP_URL	Verify wa.me number format (digits only, country code)
Broken internal link	tokens.ts ELEVE_NAV ids; section id attributes	Ensure nav id matches section id in component
Styling regression	tailwind.config.ts; index.css; component classes	Compare with design-bible/ reference docs
Mobile layout issue	Component responsive classes (md:, lg:)	Test at 390px width in browser DevTools
Animations feel slow on load	EleveHero.tsx; motion.tsx Reveal fade prop	Do not add opacity fades to above-the-fold hero content

14

ACCESS & ACCOUNT MANAGEMENT

*

SECURITY

Access should be granted directly through each platform. Do not store passwords, API keys, or tokens in this document or in the repository.

SERVICE	PURPOSE	ACCESS METHOD	OWNER / ACCOUNT
GitHub	Source code repository	Collaborator invite on repo	elevebychandni-ctrl
Vercel	Hosting & deployment	Team member invite	elevebychandni-ctrls-projects / lev-by-chandni
GoDaddy	Domain registration & DNS	Account login / delegate access	Client domain account
Google Analytics	Traffic & analytics	GA4 property access invite	Client Google account
Google Search Console	Search indexing & sitemap	Property owner/delegate invite	Client Google account
Cal.com	Booking calendar & scheduling	Cal.com team/event access	elevebychandni account
WhatsApp Business	Client messaging	Phone / WhatsApp account	+91 9319432700

15

DEVELOPER HANDOVER CHECKLIST

*

- * Repository access received (GitHub: elevebychandni-ctrl/-lev-by-Chandni)
- * Local development environment configured (npm install, npm run dev on port 8080)
- * Production deployment flow understood (push to main → Vercel auto-deploy)
- * Vercel project access confirmed (lev-by-chandni)
- * Domain configuration understood (www.elevebychandni.com, GoDaddy DNS)
- * Content structure understood (copy.ts, content.ts, tokens.ts, inline section copy)
- * Image/asset structure understood (public/images/, PHOTOS registry, AVIF/WebP/JPG)
- * Cal.com integration understood (EleveCallInline.tsx, event elevebychandni/fdc)
- * WhatsApp integration understood (EleveWhatsApp.tsx)
- * Analytics access confirmed (Google Analytics platform)
- * Production build tested locally (npm run build succeeds)
- * Live website verified (hero, sections, booking, WhatsApp, /terms)
- * Motion system understood — hero LCP constraints documented
- * Performance optimizations understood and preserved
- * Maintenance & troubleshooting workflow understood
- * No credentials stored in repository or this document

DOCUMENT PREPARED BY

EMITZ STUDIO

Élevé by Chandni · Website Handover & Maintenance Guide · v1.0.0 · 12 August 2026