



		<b>3</b>
1.1		3
1.2		5
1.3		7
1.4		9
1.5		9

		<b>11</b>
2.1		11
2.2		12
2.3		13
2.4		13

1.1

1.1.1


0608

TC

STS

1013

1323



1.1.2

CDO

CDO

100

1.3


CDO

**1.2**

1.2.1.

1.5

870hpa



1.2.2.



VIS

85HZ 91HZ PCT Color

**1.3**

1.3.1

TC

Rossby

1-3.1 1330

1.3.2

1.3.2 1311

1.3.3

$\frac{1}{2}$   $\frac{1}{2}$

**1.3**

1.3.1

TC

Rossby

1-3.1 1330



1.3.2

1.3.2 1311

1.3.3

$\frac{1}{2}$   $\frac{1}{2}$

1.4

1.1

**1.5**

1.5.1

LLCC

,

0622

1.5.2

LLCC

2.1

XXX

TC

WMO

6118NACNY

185kts

JMA

200kts

6118NACNY

870hpa

7920TIP

1013

7920TIP

885hpa

890hpa

15hpa

1hpa

TIP

875hpa

0602

1330

7920TIP

**2.2**

1.

NHC

NMC

2.

VIS

IR

2.3

700hpa

IR

IR

12kts

2.4

(Dvorak Analysis)

.

1984

1987

Dvorak

Cloud System Centre

QuikScat

a -

	T-number	T1			
1.		12			
2.		Cloud System Centre	2.5		275
		6			
3.		< 31C	1.5		165
	2				

	24	T-number		T1
36				
T2.5			T1	

[ QUIKSCAT ]

T 1]

Data T-Number DT

Primary

Band Shear Pattern a

b

CDO [ ] Embedded

Centre [ ] c


CCC d

a-


I

II

DT



1



2

CF

BF

0.2 1.7

BF

DG

Lat

110

Rule-

/

W

DT

0.5

b-

Rule-

T

24

2.0

a d

NRL

/



Eye adjustment Number EA

	0.5 (55 )	0.5 (55 )	0.5 (55 )	0.4 (44 )	0.4 (44 )	0.3 (33 )	0.3 (33 )
	CMG	W	B	LG	MG	DG	OG
E-Number (E)	6.5	6.0	5.5	5.0	4.5	4.5	4.0

Rule- E+EA MET Model Expect T-number  
 BF Banding Feature BF 2.MET

--

	>1.0	1.0	0.75 (83)	0.5 (55)	0.25 (28)	Banding Eye		
						1.25 138	0.75 83	0.25 28
E-Number (E)	7.0	6.0	5.0	4.0	3.0	5.0	4.0	3.0

Rule- DT=E+EA+BF BF DT

-- Embedded Center						
	0.6 (66)	0.6 (66)	0.5 (55)	0.5 (55)	0.4 (44)	0.4 (44)
	W	B	LG	MG	DG	OG
CF	5.0	5.0	4.5	4.0	4.0	3.5

DT = CF + BF BF 2

Eye adjustment Number EA

c2 - CDO

Rule- CDO 0.75 80

a d

-- CDO		

CDO	>2.75 (300 )	1.75 (190 )	1.25 (140 )	0.75 (85 )	>1.5 (170 )	>1 (110 )
CF	5.0	4.0	3.0	2.0	3.0	2.0

BF

2

$$DT = CF + BF$$

d-

CCC

CCC

6~24

Rule1 - T 3.0 12 T 12

12 T

Rule2 - T 3.5 T 3.5

Rule3 - CCC

Rule4 - CCC T4

24

24

D - Development

- 1.
- 2.
- 3.
- 4.
- 5.

W - Weaken

- 1.
- 2.
- 3.
- 4.

5.

S - Steady

1. CCC 12

2.

3.

Dvorak Analysis

MET

MET Model Expected T-number

MET DT PT MET MET T

Climatology Rate

TCFA Tropical Cyclone Formation Alert

MET 1.0

MET D S W T

+0.5 +1.0 -0.5 -1.0 1.5


MET 1.0


PT

Pattern T-number PT MET

MET 0.5

T MET





RULE - 2.5 275 PT-1.0

T-number

DT PT MET T

RULEA - 3

RULEB - DT/PT

MET DT/PT

T-number

T

RULE1 - T 1.0 1.5

RULE2 - 24 T 1 2

T 4.0

RULE3 - 48 T

RULE4 - T 4.0 6 T 0.5 12

1.5 18 2.0 24 2.5

RULE5 - T-number MET 1

T 24 4.0  
T DT/PT

CI  
Current Intensity CI T  
CI

RULE1 - CI = T-number

RULE2 - CI 12 CI T-number  
0.5 1.0

--T -

	kt(km/h)	hPa		kt(km/h)	hPa
0.5	25(45)	---	4.5	77(140)	966
1.0	25(45)	---	5.0	90(165)	954
1.5	25(45)	---	5.5	102(185)	941
2.0	30(55)	1000	6.0	115(210)	927
2.5	35(65)	997	6.5	127(235)	914
3.0	45(85)	991	7.0	140(260)	898
3.5	55(100)	984	7.5	155(290)	879
4.0	65(120)	976	8.0	170(315)	858

<https://tieba.baidu.com/p/3222492772?pn=1>

[http://www.hkcoc.com/study/t\\_analysis2.htm](http://www.hkcoc.com/study/t_analysis2.htm)

[https://tieba.baidu.com/p/2689821810?red\\_tag=2360772046](https://tieba.baidu.com/p/2689821810?red_tag=2360772046)