Safety Data Sheet

Issue Date: 05-Jul-2018 **Revision Date:** 10-Jul-2018 **Version** 1

1. IDENTIFICATION

Product Identifier

Product Name Brilliance Paver Grout

Other means of identification

SDS # BM-007

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use.

Details of the supplier of the safety data sheet

Supplier Address

Bonded Materials Company

91-400 Komohana St., HI 69707: 808-673-2032:808-673-2025: John Mitchell

Emergency Telephone Number

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Gray or colored powder Physical state Solid Odor No odor

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 1

Signal Word

Danger

Hazard statements

Causes skin irritation
Causes serious eye damage
May cause an allergic skin reaction
May cause cancer
May cause respiratory irritation

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves

Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product

Wear eye protection/ face protection

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Silica, Quartz	14808-60-7	60-70
Portland cement	65997-15-1	30-40
Iron Oxide	1317-61-9	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

Skin Contact Wash with plenty of soap and water. Take off contaminated clothing and wash it before

reuse. If skin irritation or rash occurs: Get medical advice/attention.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek

medical attention if respiratory irritation or distress continues. If breathing has stopped, give

artificial respiration.

Ingestion Rinse mouth. Drink 1 or 2 glasses of water. Do not induce vomiting without medical advice.

Call a poison center or doctor/physician if you feel unwell.

Most important symptoms and effects

Symptoms Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction.

May cause respiratory irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Non-combustible. Non-explosive.

Hazardous Combustion Products Carbon oxides. Silicon tetrafluoride.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Place in appropriate containers for disposal. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing and wash before reuse. Wear protective gloves/protective clothing and eye/face protection. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place.

Incompatible Materials Mineral acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silica, Quartz	TWA: 0.025 mg/m ³ respirable	TWA: 50 μg/m ³ TWA: 50 μg/m ³	IDLH: 50 mg/m³ respirable dust
14808-60-7	particulate matter	excludes construction work,	TWA: 0.05 mg/m ³ respirable
		agricultural operations, and	dust
		exposures that result from the	
		processing of sorptive clays	
		(vacated) TWA: 0.1 mg/m ³	
		respirable dust	
		: (250)/(%SiO2 + 5) mppcf TWA	
		respirable fraction 2	
		: (10)/(%SiO2 + 2) mg/m³ TWA	
		respirable fraction	
Portland cement	TWA: 1 mg/m³ particulate matter		IDLH: 5000 mg/m³
65997-15-1		TWA: 5 mg/m ³ respirable fraction	
	crystalline silica, respirable	(vacated) TWA: 10 mg/m ³ total	TWA: 5 mg/m³ respirable dust
	particulate matter	dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
		TWA: 50 mppcf <1% Crystalline	
		silica	

Appropriate engineering controls

Engineering Controls Showers. Eyewash stations. Ventilation systems. Apply technical measures to comply with

the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear tight fitting goggles or face shield. Refer to 29 CFR 1910.133 for eye and face

protection regulations.

Skin and Body Protection Wear rubber gloves. Suitable protective clothing. Barrier creams or skin lotion may be

applied to face, neck, wrist, and hands when skin is exposed to help prevent drying of skin.

Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection NIOSH/OSHA approved dust respirator. Refer to 29 CFR 1910.134 for respiratory

protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

AppearanceGray or colored powderOdorNo odor

Color Gray or colored Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 10-13 In water

Melting point / freezing point N/A
Boiling Point / Boiling Range N/A
Flash Point N/A

Evaporation Rate Not determined Flammability (Solid, Gas) Not determined

Flammability Limit in Air

Upper Flammability Limit N/A
Lower Flammability Limit N/A

Vapor Pressure Not determined

Vapor Density N/A

Relative Density 2.7 (Water = 1)
Water Solubility <1% By weight

Solubility in other solvents
Partition Coefficient
Autoignition temperature
Decomposition Temperature
Kinematic Viscosity
Dynamic Viscosity
Explosive Properties
Not determined
Not determined
Not determined
Not determined
Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Oxidizing Properties

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Not determined

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Mineral acids.

Hazardous Decomposition Products

Carbon oxides. Silicon tetrafluoride.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye damage.

Skin Contact Causes skin irritation. May cause an allergic skin reaction.

Inhalation May cause respiratory irritation.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Iron Oxide 1317-61-9	> 10000 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause an allergic skin reaction.

Carcinogenicity May cause cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Silica, Quartz 14808-60-7	A2	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 10,010.00 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

<u>IMDG</u> Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Silica, Quartz	Х	Х	Х	Х	Х	Х	Х	Х
Portland cement	Х	Х	Х		Х	Х		Х
Iron Oxide	Х	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Silica, Quartz - 14808-60-7	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Silica, Quartz	X	X	X
14808-60-7			
Portland cement	X	X	X

65997-15-1

16. OTHER INFORMATION

NFPAHealth Hazards
Not determinedFlammability
Not determinedInstability
Not determinedSpecial HazardsHMISHealth HazardsFlammabilityNot determinedNot determinedPhysical hazardsPersonal Protection

Not determined Not determined Not determined Not determined

Issue Date:05-Jul-2018Revision Date:10-Jul-2018Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet