

Totally Integrated Automation Portal		
--------------------------------------	--	--

### HMI\_1 [KTP400 Basic PN]

HMI\_1

General

Name	HMI_1
------	-------

--	--	--

Totally Integrated Automation Portal

HMI\_1 [KTP400 Basic PN]

Runtime settings

General

Start screen	Screen_1	Default template		Default style of the project	Checked
Style of the HMI device	WinCC Dark V 1.0.1	Adapt font size to style	Checked	Screen resolution	480, 272
Project ID	0	Logging language	Startup language		

Screens

Bit selection for text and graphic lists	Off	User-defined pictogram size	Unchecked	X,Y:	64, 45
------------------------------------------	-----	-----------------------------	-----------	------	--------

Keyboard

Use screen keyboard	Checked	Release button on exit	Unchecked	Disable dialog window function keys	Unchecked
---------------------	---------	------------------------	-----------	-------------------------------------	-----------

Alarms

Controller alarms

Buffer overflow	10 %	Acknowledgment group text	QGR	Use alarm class color	Unchecked
System event duration	2 Seconds	Connection	HMI_Connection_1		

User administration

Enable limit for logon attempts	Checked	Invalid logon attempts	3	Logon with password	Unchecked
Group-specific rights	Unchecked	Password aging	Unchecked	Validity period	90
Warning period	7	Password generations	3	At least one special character	Unchecked
At least one number	Unchecked	Minimum password length	3		

Language & font

Preset runtime language:		English (USA)			
English (USA)					
Runtime language	Checked	Fixed font 1	Tahoma	Default font	Tahoma, 11 Pixel
Configured font 1					

Tag settings

Replace the separator on each sub-level of the path of the PLC tag:	Checked	Compatibility mode: Set '_' between the PLC tags and the first-level element.	Unchecked	Replace the '.' character if the name of the HMI tag is created from the PLC tag name	Checked
Use '_' as the replacement character	Checked	Use ';' as the replacement character	Unchecked	Replace the characters '[' and ']' if the name of the HMI tag is created from the PLC tag name	Checked
Use '[' and ']' as replacement characters	Checked	Use '(' and ')' as replacement characters	Unchecked	Connection	HMI_Connection_1
PLC name as prefix in the HMI tag name	Unchecked				

Totally Integrated Automation Portal					
--------------------------------------	--	--	--	--	--

## HMI\_1 [KTP400 Basic PN] / Screens

### Screen\_1

#### Hardcopy of Screen\_1

Stanowisko kontroli ciśnienia

1

Parametry

2

Trend

General					
Name	Screen_1	Background color	255, 154, 206	Grid color	0, 0, 0
Number	1	Template		Tooltip	
Layers					
Active layer	0				
Layer_0			Checked		
Layer_1			Checked		
Layer_2			Checked		
Layer_3			Checked		
Layer_4			Checked		
Layer_5			Checked		
Layer_6			Checked		
Layer_7			Checked		
Layer_8			Checked		
Layer_9			Checked		
Layer_10			Checked		
Layer_11			Checked		
Layer_12			Checked		
Layer_13			Checked		
Layer_14			Checked		
Layer_15			Checked		
Layer_16			Checked		
Layer_17			Checked		
Layer_18			Checked		
Layer_19			Checked		
Layer_20			Checked		
Layer_21			Checked		
Layer_22			Checked		
Layer_23			Checked		
Layer_24			Checked		
Layer_25			Checked		
Layer_26			Checked		
Layer_27			Checked		
Layer_28			Checked		
Layer_29			Checked		
Layer_30			Checked		
Layer_31			Checked		

#### Softkey\_F4

Type	Function key				
General					
Authorization		Global assignment	Unchecked	KeyCode	223
LED tag		Bit in the LED tag	0	Graphic	

#### Softkey\_F1

Type	Function key				
General					
Authorization		Global assignment	Unchecked	KeyCode	220
LED tag		Bit in the LED tag	0	Graphic	

#### Button\_1

Type	Button				
General					
Bit number	0	Hotkey	None	Mode	Text
Graphic list		Graphic OFF		Graphic ON	
Process value		Text list		Text OFF	Parametry
Text ON	Text				
Appearance					
Background color	206, 154, 255	Background fill pattern	Solid	Border background color	0, 0, 132
Border color	49, 48, 156	Border width	2	Line style	3D style
Foreground color	0, 0, 0	Corner radius (button border)	4		

Totally Integrated Automation Portal						
Fill pattern						
Background color gradient (button fill pattern)	222, 219, 222	Gradient 1 (button fill pattern)	Checked	Gradient 2 (button fill pattern)	Checked	
Color gradient 1 (button fill pattern)	214, 211, 214	Color gradient 2 (button fill pattern)	173, 170, 173	Offset gradient 1 (button fill pattern)	14	
Offset gradient 2 (button fill pattern)	14					
Design						
Focus color	0, 121, 206	Focus width	2			
Layout						
Fit to size	Unchecked	Height	32	X position	92	
Y position	114	Width	96	Margin left text (layout)	0	
Margin top text (layout)	0	Margin bottom text (layout)	0	Margin right text (layout)	0	
Margin left graphic (layout)	0	Margin top graphic (layout)	0	Margin bottom graphic (layout)	0	
Margin right graphic (layout)	0	Fit to size	Stretch screen	Horizontal alignment of the graphic	Centered	
Vertical alignment of the graphic	Middle					
Text format						
Font	Tahoma, 15px	Horizontal alignment of the text	Centered	Orientation	Horizontal	
Vertical alignment of the text	Middle					
Styles/Designs						
Use style/design	Unchecked	Style item appearance				
Miscellaneous						
Tooltip		Layer	0 - Layer_0	Name	Button_1	
Security						
Authorization		Allow operator control	Checked			
Dynamizations\Event						
Event name		Press				
Function list\ActivateScreen						
Screen name		Screen_2		Object number		0
Button_2						
Type	Button					
General						
Bit number	0	Hotkey	None	Mode	Text	
Graphic list		Graphic OFF		Graphic ON		
Process value		Text list		Text OFF	Trend	
Text ON	Text					
Appearance						
Background color	206, 154, 255	Background fill pattern	Solid	Border background color	49, 48, 156	
Border color	0, 0, 132	Border width	2	Line style	3D style	
Foreground color	0, 0, 0	Corner radius (button border)	4			
Fill pattern						
Background color gradient (button fill pattern)	222, 219, 222	Gradient 1 (button fill pattern)	Checked	Gradient 2 (button fill pattern)	Checked	
Color gradient 1 (button fill pattern)	214, 211, 214	Color gradient 2 (button fill pattern)	173, 170, 173	Offset gradient 1 (button fill pattern)	14	
Offset gradient 2 (button fill pattern)	14					
Design						
Focus color	0, 121, 206	Focus width	2			
Layout						
Fit to size	Unchecked	Height	32	X position	282	
Y position	114	Width	96	Margin left text (layout)	0	
Margin top text (layout)	0	Margin bottom text (layout)	0	Margin right text (layout)	0	
Margin left graphic (layout)	0	Margin top graphic (layout)	0	Margin bottom graphic (layout)	0	
Margin right graphic (layout)	0	Fit to size	Stretch screen	Horizontal alignment of the graphic	Centered	
Vertical alignment of the graphic	Middle					
Text format						
Font	Tahoma, 15px	Horizontal alignment of the text	Centered	Orientation	Horizontal	
Vertical alignment of the text	Middle					
Styles/Designs						
Use style/design	Unchecked	Style item appearance				
Miscellaneous						
Tooltip		Layer	0 - Layer_0	Name	Button_2	
Security						
Authorization		Allow operator control	Checked			

Totally Integrated Automation Portal					
--------------------------------------	--	--	--	--	--

Dynamizations\Event

Event name

Press

Function list\ActivateScreen

Screen name

Screen\_3

Object number

0

Text field\_1

Type

Text field

General

Text

Stanowisko kontroli ciśnienia

Appearance

Background color

206, 154, 255

Background fill pattern

Solid

Border background color

255, 255, 255

Border color

49, 48, 156

Border width

2

Line style

Double line

Foreground color

0, 0, 0

Corner radius (border)

5

Layout

Bottom margin

2

Fit to size

Checked

Height

26

X position

150

Left margin

2

Right margin

2

Y position

51

Top margin

2

Width

186

Text format

Font

Tahoma, 15px

Horizontal alignment

Left

Orientation

Horizontal

Vertical alignment

Top

Flashing

Flashing

None

Styles/Designs

Use style/design

Unchecked

Style item appearance

Miscellaneous

Layer

0 - Layer\_0

Name

Text field\_1

--	--	--	--	--	--



Totally Integrated Automation Portal						
--------------------------------------	--	--	--	--	--	--

Y position	222	Width	80	Margin left text (lay-out)	0
Margin top text (lay-out)	0	Margin bottom text (layout)	0	Margin right text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0	Margin bottom graphic (layout)	0
Margin right graphic (layout)	0	Fit to size	Stretch screen	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle				
Text format					
Font	Tahoma, 11px, style=Bold	Horizontal alignment of the text	Centered	Orientation	Horizontal
Vertical alignment of the text	Middle				
Styles/Designs					
Use style/design	Checked	Style item appearance	Button [Default]		
Miscellaneous					
Tooltip		Layer	0 - Layer_0	Name	FB_Home_Rectangular
Security					
Authorization		Allow operator control	Checked		

Dynamizations\Event	
Event name	Press

Function list\ActivateScreen	
------------------------------	--

Screen name	Screen_1	Object number	0
-------------	----------	---------------	---

Text field_1	
--------------	--

Type	Text field				
General					
Text	GO Home				
Appearance					
Background color	156, 154, 206	Background fill pattern	Transparent	Border background color	255, 255, 255
Border color	0, 0, 0	Border width	0	Line style	Solid
Foreground color	0, 0, 0	Corner radius (border)	0		
Layout					
Bottom margin	2	Fit to size	Checked	Height	22
X position	11	Left margin	2	Right margin	2
Y position	195	Top margin	2	Width	69
Text format					
Font	Tahoma, 15px	Horizontal alignment	Left	Orientation	Horizontal
Vertical alignment	Top				
Flashing					
Flashing	None				
Styles/Designs					
Use style/design	Unchecked	Style item appearance			
Miscellaneous					
Layer	0 - Layer_0	Name	Text field_1		

Text field_2	
--------------	--

Type	Text field				
General					
Text	Parametry procesu				
Appearance					
Background color	156, 154, 206	Background fill pattern	Transparent	Border background color	255, 255, 255
Border color	0, 0, 0	Border width	0	Line style	Solid
Foreground color	0, 0, 0	Corner radius (border)	0		
Layout					
Bottom margin	2	Fit to size	Checked	Height	22
X position	174	Left margin	2	Right margin	2
Y position	16	Top margin	2	Width	128
Text format					
Font	Tahoma, 15px	Horizontal alignment	Left	Orientation	Horizontal
Vertical alignment	Top				
Flashing					
Flashing	None				
Styles/Designs					
Use style/design	Unchecked	Style item appearance			
Miscellaneous					
Layer	0 - Layer_0	Name	Text field_2		

Text field_3	
--------------	--

Type	Text field				
General					
Text	Aktualne ciśnienie				
Appearance					
Background color	156, 154, 206	Background fill pattern	Solid	Border background color	255, 255, 255

Totally Integrated Automation Portal						
--------------------------------------	--	--	--	--	--	--

Border color	0, 0, 0	Border width	0	Line style	Solid
Foreground color	0, 0, 0	Corner radius (border)	0		
Layout					
Bottom margin	2	Fit to size	Checked	Height	22
X position	80	Left margin	2	Right margin	2
Y position	70	Top margin	2	Width	116
Text format					
Font	Tahoma, 15px	Horizontal alignment	Left	Orientation	Horizontal
Vertical alignment	Top				
Flashing					
Flashing	None				
Styles/Designs					
Use style/design	Unchecked	Style item appearance			
Miscellaneous					
Layer	0 - Layer_0	Name	Text field_3		

Text field\_4

Type	Text field				
General					
Text	Sterowanie zaworu				
Appearance					
Background color	156, 154, 206	Background fill pattern	Solid	Border background color	255, 255, 255
Border color	0, 0, 0	Border width	0	Line style	Solid
Foreground color	0, 0, 0	Corner radius (border)	0		
Layout					
Bottom margin	2	Fit to size	Checked	Height	22
X position	80	Left margin	2	Right margin	2
Y position	116	Top margin	2	Width	125
Text format					
Font	Tahoma, 15px	Horizontal alignment	Left	Orientation	Horizontal
Vertical alignment	Top				
Flashing					
Flashing	None				
Styles/Designs					
Use style/design	Unchecked	Style item appearance			
Miscellaneous					
Layer	0 - Layer_0	Name	Text field_4		

Text field\_5

Type	Text field				
General					
Text	Zadane ciśnienie				
Appearance					
Background color	156, 154, 206	Background fill pattern	Solid	Border background color	255, 255, 255
Border color	0, 0, 0	Border width	0	Line style	Solid
Foreground color	0, 0, 0	Corner radius (border)	0		
Layout					
Bottom margin	2	Fit to size	Checked	Height	22
X position	80	Left margin	2	Right margin	2
Y position	157	Top margin	2	Width	109
Text format					
Font	Tahoma, 15px	Horizontal alignment	Left	Orientation	Horizontal
Vertical alignment	Top				
Flashing					
Flashing	None				
Styles/Designs					
Use style/design	Unchecked	Style item appearance			
Miscellaneous					
Layer	0 - Layer_0	Name	Text field_5		

I/O field\_1

Type	I/O field				
General					
Display format	Decimal	Field length	5	Format pattern	9.999
Mode	Input/output	Process value		Shift decimal point	0
Show leading zeros	Unchecked				
Appearance					
Background color	255, 255, 255	Background fill pattern	Solid	Border background color	255, 255, 255
Border color	0, 0, 0	Border width	2	Line style	Solid
Foreground color	0, 0, 0	Unit	bar	Corner radius	2
Characteristics					
Hidden input	Unchecked				
Layout					
Bottom margin	2	Fit to size	Unchecked	Height	32
X position	228	Left margin	2	Right margin	2
Y position	70	Top margin	2	Width	96



Totally Integrated Automation Portal						
Text format						
Font	Tahoma, 15px	Horizontal align-ment	Left	Orientation	Horizontal	
Vertical alignment	Top					
Limits						
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0			
Styles/Designs						
Use style/design	Unchecked	Style item appear-ance				
Miscellaneous						
Tooltip		Layer	0 - Layer_0	Name	I/O field_1	
Security						
Authorization		Allow operator con-trol	Checked			
Dynamizations\Tag connection						
Property name	Process value	Tag	HMI_Pressure_PV			
I/O field_2						
Type	I/O field					
General						
Display format	Decimal	Field length	5	Format pattern	9.999	
Mode	Input/output	Process value		Shift decimal point	0	
Show leading zeros	Unchecked					
Appearance						
Background color	255, 255, 255	Background fill pat-tern	Solid	Border background color	255, 255, 255	
Border color	0, 0, 0	Border width	2	Line style	Solid	
Foreground color	0, 0, 0	Unit	bar	Corner radius	2	
Characteristics						
Hidden input	Unchecked					
Layout						
Bottom margin	2	Fit to size	Unchecked	Height	32	
X position	229	Left margin	2	Right margin	2	
Y position	157	Top margin	2	Width	96	
Text format						
Font	Tahoma, 15px	Horizontal align-ment	Left	Orientation	Horizontal	
Vertical alignment	Top					
Limits						
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0			
Styles/Designs						
Use style/design	Unchecked	Style item appear-ance				
Miscellaneous						
Tooltip		Layer	0 - Layer_0	Name	I/O field_2	
Security						
Authorization		Allow operator con-trol	Checked			
Dynamizations\Tag connection						
Property name	Process value	Tag	HMI_Pressure_SP			
I/O field_3						
Type	I/O field					
General						
Display format	Decimal	Field length	3	Format pattern	999	
Mode	Input/output	Process value		Shift decimal point	0	
Show leading zeros	Unchecked					
Appearance						
Background color	255, 255, 255	Background fill pat-tern	Solid	Border background color	255, 255, 255	
Border color	0, 0, 0	Border width	2	Line style	Solid	
Foreground color	0, 0, 0	Unit	%	Corner radius	2	
Characteristics						
Hidden input	Unchecked					
Layout						
Bottom margin	2	Fit to size	Unchecked	Height	32	
X position	228	Left margin	2	Right margin	2	
Y position	116	Top margin	2	Width	96	
Text format						
Font	Tahoma, 15px	Horizontal align-ment	Left	Orientation	Horizontal	
Vertical alignment	Top					
Limits						
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0			
Styles/Designs						
Use style/design	Unchecked	Style item appear-ance				
Miscellaneous						
Tooltip		Layer	0 - Layer_0	Name	I/O field_3	
Security						
Authorization		Allow operator con-trol	Checked			
Dynamizations\Tag connection						
Property name	Process value	Tag	HMI_Pressure_Valve_PV			



Totally Integrated Automation Portal						
Button border						
Background color (button border)	99, 101, 115	Foreground color (button border)	156, 154, 165	Width (button border)	1	
Style (button border)	Solid	Corner radius (button border)	3			
Button fill pattern						
Background color gradient (button fill pattern)	239, 235, 239	Background color (button fill pattern)	239, 235, 239	Fill pattern (Button fill pattern)	Vertical gradient	
Color gradient 1 (button fill pattern)	247, 247, 247	Offset gradient 1 (button fill pattern)	15	Color gradient 2 (button fill pattern)	231, 223, 222	
Offset gradient 2 (button fill pattern)	15	Gradient 1 (button fill pattern)	Checked	Gradient 2 (button fill pattern)	Checked	
Table						
Number of visible items	2	Show grid lines	Checked	Show value table	Checked	
Background color of table	255, 255, 255	Table grid color	255, 255, 255	Background color of table header	132, 134, 140	
Foreground color of table header	255, 255, 255	Alternative color (appearance)	231, 231, 239			
Table header border						
Background color (table header border)	99, 97, 107	Color (table header border)	99, 97, 107	Width (table header border)	1	
Style (table header border)	Solid	Corner radius (table header border)	2			
Table header fill pattern						
Background color gradient (table header fill pattern)	99, 101, 156	Fill pattern (table header fill pattern)	Horizontal gradient	Color gradient 1 (table header fill pattern)	123, 130, 140	
Offset gradient 1 (table header fill pattern)	15	Color gradient 2 (table header fill pattern)	49, 48, 156	Offset gradient 2 (table header fill pattern)	15	
Gradient 1 (table header fill pattern)	Unchecked	Gradient 2 (table header fill pattern)	Checked			
X axis						
Scale caption X axis bunch values	Checked	Increment of large X axis marks	4	Increment of X axis marks	1	
Display X axis	Checked	Show labeling of X axis	Checked	Start of time axis	0	
Number of points for time axis	100	End of time axis	100	Mode of time axis	Time	
Range for time axis	30					
Left Y axis						
Display left Y axis	Checked	Automatic value range for left Y axis	Unchecked	Start value of left Y axis	0	
End value of left Y axis	3	Auxiliary line left Y axis	Checked	Value for auxiliary line left Y axis	0	
Display left Y axis labeling	Checked	Scale labeling left Y axis bunch values	Checked	Label length for left Y axis	3	
Increment marks left Y axis	0.5	Increment of large marks for left Y axis	10			
Right Y axis						
Display right Y axis	Unchecked	Automatic value range right Y axis	Unchecked	Start value of right Y axis	0	
End value of right Y axis	4	Auxiliary line right Y axis	Checked	Value for auxiliary line right Y axis	0	
Display right Y axis labeling	Checked	Scale labeling right Y axis bunch values	Unchecked	Label length for right Y axis	3	
Increment marks right Y axis	0.5	Increment large marks right Y axis	10			
Styles/Designs						
Use style/design	Unchecked	Style item appearance	Trend view [Default]			
Miscellaneous						
Layer	0 - Layer_0	Name	Trend view_1			
Trend\PV						
Bar width	50	Trend display mode	Interpolated	Foreground color	255, 0, 255	
Limit value line	Unchecked	Line style	Solid	Logging tag		
Color low limit	255, 255, 0	Name	PV	Cyclic	0.1	
Trend values	100	Side	Left	Status color	0, 0, 255	
Trend tag	HMI_Pressure_PV	Trend type	Cyclical real time	Color high limit	255, 0, 0	
Trend\SP						
Bar width	50	Trend display mode	Interpolated	Foreground color	0, 0, 255	
Limit value line	Unchecked	Line style	Solid	Logging tag		
Color low limit	255, 255, 0	Name	SP	Cyclic	0.1	
Trend values	100	Side	Left	Status color	0, 0, 255	
Trend tag	HMI_Pressure_SP	Trend type	Cyclical real time	Color high limit	255, 0, 0	
Softkey_F1						
Type	Function key					
General						
Authorization		Global assignment	Unchecked	KeyCode	220	
LED tag		Bit in the LED tag	0	Graphic		
Dynamizations\Event						
Event name		Press key				
Function list\ActivateScreen						
Screen name		Screen_1		Object number		0

Totally Integrated Automation Portal		
<div>HMI_1 [KTP400 Basic PN] / Screen management</div> <div>Templates</div> <div>This folder is empty.</div>		

Totally Integrated Automation Portal		
--------------------------------------	--	--

## HMI\_1 [KTP400 Basic PN] / Screen management

### Global screen

Hardcopy of Global screen

General					
Name	Global screen	Background color	181, 182, 181	Grid color	0, 0, 0

--	--	--

Totally Integrated Automation Portal		
--------------------------------------	--	--

## HMI\_1 [KTP400 Basic PN] / HMI tags

### Default tag table [3]

#### HMI\_Pressure\_PV

General					
Name	HMI_Pressure_PV	Connection	HMI_Connection_1	Data type	Real
Array elements	0	Length	4	Address	
Access mode	<symbolic access>	PLC tag	Data_block_1.Pressure_PV	Coding	IEEE754
PLC name	PLC_1				
Settings					
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation		
Limits					
Maximum		Minimum			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Miscellaneous					
ID tag		Start value			
Comment					
Comment		Source comment			
Multiplexing					
Multiplexing	Unchecked	Index tag			

#### HMI\_Pressure\_SP

General					
Name	HMI_Pressure_SP	Connection	HMI_Connection_1	Data type	Real
Array elements	0	Length	4	Address	
Access mode	<symbolic access>	PLC tag	Data_block_1.Pressure_SP	Coding	IEEE754
PLC name	PLC_1				
Settings					
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation		
Limits					
Maximum		Minimum			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Miscellaneous					
ID tag		Start value			
Comment					
Comment		Source comment			
Multiplexing					
Multiplexing	Unchecked	Index tag			

#### HMI\_Pressure\_Valve\_PV

General					
Name	HMI_Pressure_Valve_PV	Connection	HMI_Connection_1	Data type	Real
Array elements	0	Length	4	Address	
Access mode	<symbolic access>	PLC tag	Data_block_1.Valve_PV	Coding	IEEE754
PLC name	PLC_1				
Settings					
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation		
Limits					
Maximum		Minimum			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Miscellaneous					
ID tag		Start value			
Comment					
Comment		Source comment			
Multiplexing					
Multiplexing	Unchecked	Index tag			

--	--	--

Totally Integrated Automation Portal		
--------------------------------------	--	--

## HMI\_1 [KTP400 Basic PN]

### Connections

#### HMI\_Connection\_1

Name	HMI_Connection_1	Communication driver	SIMATIC S7 1200	Comment	
Online	Checked	Station	S7-1200 station_1	Partner	PLC_1
Node	CPU 1212C AC/DC/Rly, PROFINET interface (R0/S1)	HMI time synchronization mode	None		

#### Parameter

HMI device					
Interface	PROFINET (X1)	Address	192.168.1.2	Access point	S7ONLINE
PLC					
Address	192.168.1.45				

--	--	--

Totally Integrated Automation Portal		
<div>HMI_1 [KTP400 Basic PN] / HMI alarms</div> <div>Discrete alarms</div> <div>This folder is empty.</div>		



Totally Integrated Automation Portal		
<div>HMI_1 [KTP400 Basic PN] / HMI alarms</div> <div>Analog alarms</div> <div>This folder is empty.</div>		

Totally Integrated Automation Portal		
--------------------------------------	--	--

## HMI\_1 [KTP400 Basic PN] / HMI alarms

### Alarm groups

Alarm\_group\_1

General			
Name	Alarm_group_1	ID	1

Alarm\_group\_10

General			
Name	Alarm_group_10	ID	10

Alarm\_group\_11

General			
Name	Alarm_group_11	ID	11

Alarm\_group\_12

General			
Name	Alarm_group_12	ID	12

Alarm\_group\_13

General			
Name	Alarm_group_13	ID	13

Alarm\_group\_14

General			
Name	Alarm_group_14	ID	14

Alarm\_group\_15

General			
Name	Alarm_group_15	ID	15

Alarm\_group\_16

General			
Name	Alarm_group_16	ID	16

Alarm\_group\_2

General			
Name	Alarm_group_2	ID	2

Alarm\_group\_3

General			
Name	Alarm_group_3	ID	3

Alarm\_group\_4

General			
Name	Alarm_group_4	ID	4

Alarm\_group\_5

General			
Name	Alarm_group_5	ID	5

Alarm\_group\_6

General			
Name	Alarm_group_6	ID	6

Alarm\_group\_7

General			
Name	Alarm_group_7	ID	7

Alarm\_group\_8

General			
Name	Alarm_group_8	ID	8

Alarm\_group\_9

General			
Name	Alarm_group_9	ID	9

--	--	--

Totally Integrated Automation Portal		
--------------------------------------	--	--

## HMI\_1 [KTP400 Basic PN] / HMI alarms

### Alarm classes

#### Acknowledgement

General					
Name	Acknowledgement	Display name	A	ID	33
Common alarm class	Acknowledgement	Alarm log	<No log>		
Acknowledgment					
State machine	Alarm with single-mode acknowl- edgment				
State texts					
Text for "Incoming"	I	Text for "Outgoing"	O	Text for "Acknowl- edged"	A
Colors					
Background "Incom- ing/Acknowledged"	255, 255, 255	Background "Incom- ing"	255, 0, 0	Background "Incom- ing/Outgoing/ Acknowledged"	255, 255, 255
Background "Incom- ing/Outgoing"	255, 0, 0				

#### Errors

General					
Name	Errors	Display name	!	ID	1
Common alarm class	<No alarm class>	Alarm log	<No log>		
Acknowledgment					
State machine	Alarm with single-mode acknowl- edgment				
State texts					
Text for "Incoming"	I	Text for "Outgoing"	O	Text for "Acknowl- edged"	A
Colors					
Background "Incom- ing/Acknowledged"	255, 255, 255	Background "Incom- ing"	255, 0, 0	Background "Incom- ing/Outgoing/ Acknowledged"	255, 255, 255
Background "Incom- ing/Outgoing"	255, 0, 0				

#### No Acknowledgement

General					
Name	No Acknowledgement	Display name	NA	ID	34
Common alarm class	No Acknowledgement	Alarm log	<No log>		
Acknowledgment					
State machine	Alarm without acknowledgment				
State texts					
Text for "Incoming"	I	Text for "Outgoing"	O	Text for "Acknowl- edged"	A
Colors					
Background "Incom- ing/Acknowledged"	255, 255, 255	Background "Incom- ing"	255, 0, 0	Background "Incom- ing/Outgoing/ Acknowledged"	255, 255, 255
Background "Incom- ing/Outgoing"	255, 0, 0				

#### System

General					
Name	System	Display name	\$	ID	3
Common alarm class	<No alarm class>	Alarm log	<No log>		
Acknowledgment					
State machine	Alarm without acknowledgment				
State texts					
Text for "Incoming"	I	Text for "Outgoing"	O	Text for "Acknowl- edged"	A
Colors					
Background "Incom- ing/Acknowledged"	255, 255, 255	Background "Incom- ing"	255, 255, 255	Background "Incom- ing/Outgoing/ Acknowledged"	255, 255, 255
Background "Incom- ing/Outgoing"	255, 255, 255				

#### Warnings

General					
Name	Warnings	Display name		ID	2
Common alarm class	<No alarm class>	Alarm log	<No log>		
Acknowledgment					
State machine	Alarm without acknowledgment				
State texts					
Text for "Incoming"	I	Text for "Outgoing"	O	Text for "Acknowl- edged"	A
Colors					
Background "Incom- ing/Acknowledged"	255, 255, 255	Background "Incom- ing"	255, 255, 255	Background "Incom- ing/Outgoing/ Acknowledged"	255, 255, 255

--	--	--

Totally Integrated Automation Portal		
Background "Incoming/Outgoing"	255, 255, 255	

Totally Integrated Automation Portal		
<div>HMI_1 [KTP400 Basic PN] / HMI alarms</div> <div>System events</div> <div>This folder is empty.</div>		

Totally Integrated Automation Portal		
<div>HMI_1 [KTP400 Basic PN]</div> <div>Recipes</div> <div>This folder is empty.</div>		

Totally Integrated Automation Portal		
<div>HMI_1 [KTP400 Basic PN] / Historical data</div> <div>Datalogs</div> <div>This folder is empty.</div>		

Totally Integrated Automation Portal		
<div>HMI_1 [KTP400 Basic PN] / Historical data</div> <div>AlarmLogs</div> <div>This folder is empty.</div>		



Totally Integrated Automation Portal		
<div><div>HMI_1 [KTP400 Basic PN]</div><div><div>Scheduled tasks</div><div>This folder is empty.</div></div></div>		

Totally Integrated Automation Portal		
<div>HMI_1 [KTP400 Basic PN] / Text and graphic lists</div> <div>Text lists</div> <div>This folder is empty.</div>		

Totally Integrated Automation Portal		
<div>HMI_1 [KTP400 Basic PN] / Text and graphic lists</div> <div>Graphic lists</div> <div>This folder is empty.</div>		

Totally Integrated Automation Portal		
--------------------------------------	--	--

## HMI\_1 [KTP400 Basic PN] / User administration

### User

#### Administrator

General			
Name	Administrator	Number	1
Automatic logoff			
Automatic logoff	Checked	Logoff time	5
Comment			
Comment	The user 'Administrator' is assigned to the 'Administrator' group.		
Groups			
Groups	Administrator group;		

--	--	--

Totally Integrated Automation Portal		
--------------------------------------	--	--

## HMI\_1 [KTP400 Basic PN] / User administration

### Groups

#### Administrator group

General					
Name	Administrator group	Display name	Administrator group	Number	1
Password aging	Unchecked				
Comment					
Comment	The 'Administrator' group is initially granted all rights.				
Authorizations					
Authorizations	User administration; Monitor; Operate;				

#### Users

General					
Name	Users	Display name	Users	Number	2
Password aging	Unchecked				
Comment					
Comment	The 'Users' group is initially granted 'Operating' rights.				
Authorizations					
Authorizations	Operate;				

--	--	--

Totally Integrated Automation Portal		
--------------------------------------	--	--

## HMI\_1 [KTP400 Basic PN] / User administration

### Authorizations

#### Monitor

General					
Name	Monitor	Authorization	Monitor	Authorization number	2
Comment					
Comment	'Monitor' authorization.				

#### Operate

General					
Name	Operate	Authorization	Operate	Authorization number	3
Comment					
Comment	'Operate' authorization.				

#### User administration

General					
Name	User administration	Authorization	User administration	Authorization number	1
Comment					
Comment	Authorization 'User administration' for managing users in the user view inrRuntime.				

--	--	--