Output Formats

This example demonstrates multi-format output: PDF, SVG, and PNG.

Feature Configuration

In your `Cargo.toml`, configure output formats using features:

```toml
[dependencies]
# Default: PDF only
typst-bake = "0.1"

# Add SVG support
typst-bake = { version = "0.1", features = ["svg"] }

# Add PNG support
typst-bake = { version = "0.1", features = ["png"] }

# All formats (pdf + svg + png)
typst-bake = { version = "0.1", features = ["full"] }

# SVG only (disable default PDF)
typst-bake = { version = "0.1", default-features = false, features = ["svg"] }
```

Output Behavior

PDF outputs all pages as a single file:

- `output.pdf` (contains all pages)

SVG and **PNG** return a Vec with one item per page:

- Save each page individually (e.g., `output_1.svg`, `output_1.png`, ...)

Page Selection

Use `select_pages()` to output only specific pages (0-indexed):

```rust
// Select specific pages by array
let pdf = doc.select_pages([0, 2, 4]).to_pdf()?;

// Select a range of pages
let svgs = doc.select_pages(0..3).to_svg()?;
```

Use `page_count()` to dynamically determine how many pages exist:

```rust
let count = doc.page_count()?;
let last_page = doc.select_pages([count - 1]).to_png(144.0)?;
```

You can reuse the same document with different selections:

```rust
let doc = typst_bake::document!("main.typ");
let cover = doc.select_pages([0]).to_pdf()?;
let body = doc.select_pages(1..5).to_pdf()?;
```

PNG Resolution

PNG requires a DPI (dots per inch) setting:

```rust
// 72 DPI (standard)
let pngs = doc.to_png(72.0)?;

// 144 DPI (2x)
let pngs = doc.to_png(144.0)?;

// 300 DPI (print quality)
let pngs = doc.to_png(300.0)?;
```

PDF Export Options

`with_pdf_config()` sets PDF-only export options — they apply to `to_pdf()` while SVG and PNG ignore them:

```rust
let pdf = document!("main.typ")
    .with_pdf_config(PdfConfig {
        tagged: false,             // smaller file; bookmarks/outline preserved
        standard: PdfStandard::A2b,
        timestamp: Some(PdfTimestamp::now()),
        ..Default::default()
    })
    .to_pdf()?;
```

Option	Description
`tagged`	Accessibility tag tree (default `true`, since Typst 0.14). Set `false` for a smaller file; the outline (bookmarks) is preserved either way.
`standard`	Enforce a PDF/A or PDF/UA profile. Accessible profiles (`A1a`/`A2a`/`A3a`, `Ua1`) require tagging; every PDF/A profile needs a date.
`ident`	A stable document identifier (`None` lets Typst derive one).
`timestamp`	Creation date — `now()` or `from_unix(secs)`, optionally followed by `.with_offset_minutes(..)`.

Note

The last page includes test patterns to evaluate PDF/SVG/PNG rendering differences.

Rendering Test Patterns







2pt: The quick brown fox jumps over the lazy dog

3pt: The quick brown fox jumps over the lazy dog

4pt: The quick brown fox jumps over the lazy dog

5pt: The quick brown fox jumps over the lazy dog

6pt: The quick brown fox jumps over the lazy dog

7pt: The quick brown fox jumps over the lazy dog

8pt: The quick brown fox jumps over the lazy dog

9pt: The quick brown fox jumps over the lazy dog

10pt: The quick brown fox jumps over the lazy dog

12pt: The quick brown fox jumps over the lazy dog

14pt: The quick brown fox jumps over the lazy dog

18pt: The quick brown fox jumps over the lazy dog

24pt: The quick brown fox jumps over the

36pt: The quick brown fox